

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally.
Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

Date
Purchase Order Number
Bill to Address
Ship to Address
Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
Complete Model Numbers (include finish & fabric numbers)
Net Price
Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between


Inwood and the customer, superseding all previous communications regarding the order. **NOTE** *It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.*

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1 ☐

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 ☐

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**
Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- **fuel surcharges**
We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Environments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Environments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office environments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Environments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office environments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment.

When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower	\$248
to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
→ box, file drawer or center drawer	\$56
→ hinged door, single	\$56
→ hinged door, double	\$58
to key items alike from factory per unit	\$31
to add extra lock per set (including set of keys)	\$21
extra set of keys (two)	\$21
to add grommets in any special location	\$128
to move standard placement of grommet on unit	\$56
grommets (cover only)	\$21
to add extra shelf for bookcase	\$77
to make shelves solid wood (per shelf)	\$23
for typing height return	\$197
for non-standard Inwood pulls	
(to change to another series per unit)	\$71
special finishes (6 item minimum)	
→ non-Inwood finishes	20%
→ standard Inwood finishes	15%

progeny 2600 series specifications

materials:
All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly

veneers:
All exposed surfaces are plain sliced cherry. Veneers are carefully slip-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain.

top work surfaces:
Wood veneer tops are 1 1/16" thick, 3-ply construction; consisting of 1/40" thick cherry veneer work surface and a Gator-ply backing. The top core material is a 45 lb medium density fiberboard, with a reversed softened edge. Detail on all four sides on desks and front and back edges on other pieces.

modesty panels:
Recessed 3/4" thick, 3-ply construction with a vertical veneer on exposed surfaces and a 45 lb density particle board core or perforated 18 gauge steel.

construction:
Uses a mortise and tenon and glue to join pedestal sides and back. All joints are reinforced with glue blocks. All pedestals have box drawers and/or file drawers with a brushed chrome pull standard. Each pedestal has a lock and is keyed alike.

drawers:
Drawer fronts are 3/4" thick, 3-ply construction with vertical book-matched veneer. Drawer edges are rounded with matching cherry colored foil on all edges. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear coat sealer to prevent swelling or shrinkage. Box drawers have a high grade sterling metal ball-bearing drawer suspension. File drawers have a high grade sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation.
NOTE: Optional center drawers available

locking:
Each pedestal has its own lock and is keyed alike on each unit. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.


finish:
All Inwood finishes are catalyzed varnish finish. Our multi-step satin finishes leave an open grain natural look to the furniture. Available in following finishes (1NC) natural cherry, (2HC) honey cherry, and (9BC) burgundy cherry.




progeny

desks


letter
front to back



letter
side to side




letter/legal
combination




returns


letter
front to back



letter
side to side




legal
side to side




credenzas

letter
side to side




legal
side to side




lateral files


letter
front to back




legal
front to back



letter
side to side



legal
side to side




FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



model number
FBT2672-AVM - _ - _


description
bow front double pedestal desk
inside arc on user side
left file/file pedestal
right box/box/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 39.5"

freight
class 125
cwt 330 lb
cu ft 55

list \$ zone 1
3,964

list \$ zone 2
4,282



FBT2672-AMM - _ - _


bow front double pedestal desk
inside arc on user side
left file/file pedestal
right box/box/file pedestal
metal modesty panel

42 72 29
APPROACH: 10"
KNEESPACE: 39.5"

class 125
cwt 320 lb
cu ft 55

3,964

4,282



FBT2672-VM - _ - _


bow front double pedestal desk
left file/file pedestal
right box/box/file pedestal
veneer modesty panel

42 72 29
APPROACH: 10"
KNEESPACE: 39.5"

class 125
cwt 335 lb
cu ft 55

3,729

4,026



FBT2672-MM - _ - _


bow front double pedestal desk
left file/file pedestal
right box/box/file pedestal
metal modesty panel

42 72 29
APPROACH: 10"
KNEESPACE: 39.5"

class 125
cwt 325 lb
cu ft 55

3,729

4,026



F2672-AVM - _ - _


double pedestal desk
inside arc on user side
left file/file pedestal
right box/box/file pedestal
veneer modesty panel

36 72 29
APPROACH: 4"
KNEESPACE: 39.5"

class 125
cwt 320 lb
cu ft 53

3,614

3,904



F2672-AMM - _ - _


double pedestal desk
inside arc on user side
left file/file pedestal
right box/box/file pedestal
metal modesty panel

36 72 29
APPROACH: 4"
KNEESPACE: 39.5"

class 125
cwt 310 lb
cu ft 53

3,614

3,904



F2672-VM - _ - _


double pedestal desk
left file/file pedestal
right box/box/file pedestal
veneer modesty panel

36 72 29
APPROACH: 4"
KNEESPACE: 39.5"

class 125
cwt 325 lb
cu ft 53

3,379

3,649



F2672-MM - _ - _


double pedestal desk
left file/file pedestal
right box/box/file pedestal
metal modesty panel

36 72 29
APPROACH: 4"
KNEESPACE: 39.5"

class 125
cwt 315 lb
cu ft 53

3,379

3,649



F2666-VM - _ - _

double pedestal desk
left file/file pedestal
right box/box/file pedestal
veneer modesty panel

36 66 29
APPROACH: 4"
KNEESPACE: 33.5"

class 125
cwt 315 lb
cu ft 48

3,369

3,638

top


W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge

M



model number
F2666-MM - _ - _


description
double pedestal desk
left file/file pedestal
right box/box/file pedestal
metal modesty panel

d w h
36 66 29
APPROACH: 4"
KNEESPACE: 39.5"

freight
class 125
cwt 305 lb
cu ft 48

list \$ zone 1
3,369

list \$ zone 2
3,638



CR2672-VM - _ - _


kneespace credenza
left and right file/file pedestal
veneer modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 275 lb
cu ft 35

3,027

3,267



CR2672-MM - _ - _


kneespace credenza
left and right file/file pedestal
metal modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 265 lb
cu ft 35

3,027

3,267



CR2672R-CVM - _ - _


kneespace credenza
left file/file and right CPU pedestal
veneer modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 275 lb
cu ft 35

2,858

3,086



CR2672L-CVM - _ - _


kneespace credenza
right file/file and left CPU pedestal
veneer modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 275 lb
cu ft 35

2,858

3,086



CR2672R-CMM - _ - _


kneespace credenza
left file/file and right CPU pedestal
metal modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 265 lb
cu ft 35

2,858

3,086



CR2672L-CMM - _ - _

kneespace credenza
right file/file and left CPU pedestal
metal modesty panel

24 72 29
KNEESPACE: 36"

class 125
cwt 265 lb
cu ft 35

2,858

3,086



CR2672D-VM - _ - _

storage credenza
left and right file/file pedestal
double hinged door center
adjustable shelf


24 72 29

class 125
cwt 350 lb
cu ft 35

3,570

3,853

ADDITIONAL SHELVES **\$77 EACH**



CR2672HD-VM - _ - _

storage credenza
single hinged door left and right pedestal
double hinged door center
adjustable shelves

24 72 29

class 125
cwt 350 lb
cu ft 35

3,346

3,630

ADDITIONAL SHELVES **\$77 EACH**

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry


FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



model number
CR2666-VM - _ - _


description
kneespace credenza
left and right file/file pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 270 lb
cu ft 30

list \$ zone 1
2,934

list \$ zone 2
3,171



model number
CR2666-MM - _ - _


description
kneespace credenza
left and right file/file pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 260 lb
cu ft 30

list \$ zone 1
2,934

list \$ zone 2
3,171



model number
CR2666R-CVM - _ - _


description
kneespace credenza
left file/file and right CPU pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 270 lb
cu ft 30

list \$ zone 1
2,824

list \$ zone 2
3,050



model number
CR2666L-CVM - _ - _


description
kneespace credenza
right file/file and left CPU pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 270 lb
cu ft 30

list \$ zone 1
2,824

list \$ zone 2
3,050



model number
CR2666R-CMM - _ - _


description
kneespace credenza
left file/file and right CPU pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 260 lb
cu ft 30

list \$ zone 1
2,824

list \$ zone 2
3,050



model number
CR2666L-CMM - _ - _

description
kneespace credenza
right file/file and left CPU pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 30"

freight
class 125
cwt 260 lb
cu ft 30

list \$ zone 1
2,824

list \$ zone 2
3,050



model number
CR2666D-VM - _ - _

description
storage credenza
left and right file/file pedestal
double hinged door center
adjustable shelf


d w h
24 66 29

freight
class 125
cwt 335 lb
cu ft 30

list \$ zone 1
3,524

list \$ zone 2
3,805

ADDITIONAL SHELVES \$77 EACH



model number
CR2666HD-VM - _ - _

description
storage credenza
left and right single hinged door
double hinged door center
three adjustable shelves


d w h
24 66 29

freight
class 125
cwt 350 lb
cu ft 35

list \$ zone 1
3,299

list \$ zone 2
3,580

ADDITIONAL SHELVES \$77 EACH



model number
DBT2672R-AVM - _ - _


description
bow front single pedestal desk
inside arc on user side
right file/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 275 lb
cu ft 55

list \$ zone 1
3,741

list \$ zone 2
4,041



model number
DBT2672L-AVM - _ - _


description
bow front single pedestal desk
inside arc on user side
left file/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125 kd
cwt 275 lb
cu ft 55

list \$ zone 1
3,741

list \$ zone 2
4,041



model number
DBT2672R-AMM - _ - _


description
bow front single pedestal desk
inside arc on user side
right file/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 55

list \$ zone 1
3,741

list \$ zone 2
4,041



model number
DBT2672L-AMM - _ - _


description
bow front single pedestal desk
inside arc on user side
left file/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 55

list \$ zone 1
3,741

list \$ zone 2
4,041



model number
DBT2672R-VM - _ - _

description
bow front single pedestal desk
right file/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 280 lb
cu ft 55

list \$ zone 1
3,508

list \$ zone 2
3,788



model number
DBT2672L-VM - _ - _


description
bow front single pedestal desk
left file/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 280 lb
cu ft 55

list \$ zone 1
3,508

list \$ zone 2
3,788



model number
DBT2672R-MM - _ - _


description
bow front single pedestal desk
right file/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 270 lb
cu ft 55

list \$ zone 1
3,508

list \$ zone 2
3,788



model number
DBT2672L-MM - _ - _


description
bow front single pedestal desk
left file/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 270 lb
cu ft 55

list \$ zone 1
3,508

list \$ zone 2
3,788



model number
DBT2672R-3DVM - _ - _

description
bow front single pedestal desk
right box/box/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 280 lb
cu ft 55

list \$ zone 1
3,727

list \$ zone 2
4,007



model number
DBT2672L-3DVM - _ - _

description
bow front single pedestal desk
left box/box/file pedestal
veneer modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 280 lb
cu ft 55

list \$ zone 1
3,727

list \$ zone 2
4,007

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge

M

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry

fake front (single ped) \$512 list upcharge


FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



model number
DBT2672R-3DMM -
- _


description
bow front single pedestal desk
right box/box/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 270 lb
cu ft 55

list \$ zone 1
3,727

list \$ zone 2
4,007



DBT2672L-3DMM -
- _


description
bow front single pedestal desk
left box/box/file pedestal
metal modesty panel

d w h
42 72 29
APPROACH: 10"
KNEESPACE: 54.5"

freight
class 125
cwt 270 lb
cu ft 55

3,727

4,007



D2672R-AVM - _ - _


description
single pedestal desk
inside arc on user side
right file/file pedestal
veneer modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 53

3,394

3,666



D2672L-AVM - _ - _


description
single pedestal desk
inside arc on user side
left file/file pedestal
veneer modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 53

3,394

3,666



D2672R-AMM -
- _


description
single pedestal desk
inside arc on user side
right file/file pedestal
metal modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 255 lb
cu ft 53

3,394

3,666



D2672L-AMM -
- _


description
single pedestal desk
inside arc on user side
left file/file pedestal
metal modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 255 lb
cu ft 53

3,394

3,666



D2672R-3DAVM -
- _


description
single pedestal desk
inside arc on user side
right box/box/file pedestal
veneer modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 53

3,612

3,884



D2672L-3DAVM -
- _


description
single pedestal desk
inside arc on user side
left box/box/file pedestal
veneer modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 265 lb
cu ft 53

3,612

3,884



D2672R-3DAMM -
- _

description
single pedestal desk
inside arc on user side
right box/box/file pedestal
metal modesty panel

d w h
36 72 29
APPROACH: 4"
KNEESPACE: 54.5"

freight
class 125
cwt 255 lb
cu ft 53

3,612

3,884

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty


edge

M

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry

fake front (single ped) \$512 list upcharge



model number
D2666R-VM - _ - _


description
single pedestal desk
right file/file pedestal
veneer modesty panel

d w h
36 66 29
APPROACH: 4"
KNEESPACE: 48.5"

freight
class 125
cwt 260 lb
cu ft 48

list \$ zone 1
3,068

list \$ zone 2
3,314



model number
D2666L-VM - _ - _


description
single pedestal desk
left file/file pedestal
veneer modesty panel

d w h
36 66 29
APPROACH: 4"
KNEESPACE: 48.5"

freight
class 125
cwt 260 lb
cu ft 48

list \$ zone 1
3,068

list \$ zone 2
3,314



model number
D2666R-MM - _ - _


description
single pedestal desk
right file/file pedestal
metal modesty panel

d w h
36 66 29
APPROACH: 4"
KNEESPACE: 48.5"

freight
class 125
cwt 250 lb
cu ft 48

list \$ zone 1
3,068

list \$ zone 2
3,314



model number
D2666L-MM - _ - _


description
single pedestal desk
left file/file pedestal
metal modesty panel

d w h
36 66 29
APPROACH: 4"
KNEESPACE: 48.5"

freight
class 125
cwt 250 lb
cu ft 48

list \$ zone 1
3,068

list \$ zone 2
3,314



model number
D2660R-VM - _ - _

description
single pedestal modular desk
right box/box/file pedestal
veneer modesty panel


d w h
24 60 29
KNEESPACE: 42.5"

freight
class 125
cwt 165 lb
cu ft 29

list \$ zone 1
2,699

list \$ zone 2
2,914

USE FREESTANDING OR WITH CU UNITS



model number
D2660L-VM - _ - _

description
single pedestal modular desk
left box/box/file pedestal
veneer modesty panel


d w h
24 60 29
KNEESPACE: 42.5"

freight
class 125
cwt 165 lb
cu ft 29

list \$ zone 1
2,699

list \$ zone 2
2,914

USE FREESTANDING OR WITH CU UNITS



model number
D2660R-MM - _ - _

description
single pedestal modular desk
right box/box/file pedestal
metal modesty panel


d w h
24 60 29
KNEESPACE: 42.5"

freight
class 125
cwt 160 lb
cu ft 29

list \$ zone 1
2,699

list \$ zone 2
2,914

USE FREESTANDING OR WITH CU UNITS



model number
D2660L-MM - _ - _

description
single pedestal modular desk
left box/box/file pedestal
metal modesty panel


d w h
24 60 29
KNEESPACE: 42.5"

freight
class 125
cwt 160 lb
cu ft 29

list \$ zone 1
2,699

list \$ zone 2
2,914

USE FREESTANDING OR WITH CU UNITS



model number
D2648R-VM - _ - _

description
single pedestal modular desk
right box/box/file pedestal
veneer modesty panel

d w h
24 48 29
KNEESPACE: 30.5"

freight
class 125
cwt 160 lb
cu ft 22

list \$ zone 1
2,223

list \$ zone 2
2,400

USE FREESTANDING OR WITH CU UNITS

top

W veneer top

progeny modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge



model number
D2648L-VM - _ - _

description
single pedestal modular desk
left box/box/file pedestal
veneer modesty panel


d w h
24 48 29
KNEESPACE: 30.5"

freight
class 125
cwt 160 lb
cu ft 22

list \$ zone 1
2,223

list \$ zone 2
2,400

USE FREESTANDING OR WITH CU UNITS



model number
D2648R-MM - _ - _

description
single pedestal modular desk
right box/box/file pedestal
metal modesty panel

d w h
24 48 29
KNEESPACE: 30.5"

freight
class 125
cwt 155 lb
cu ft 22

list \$ zone 1
2,223

list \$ zone 2
2,400

USE FREESTANDING OR WITH CU UNITS



model number
D2648L-MM - _ - _

description
single pedestal modular desk
left box/box/file pedestal
metal modesty panel

d w h
24 48 29
KNEESPACE: 30.5"

freight
class 125
cwt 155 lb
cu ft 22

list \$ zone 1
2,223

list \$ zone 2
2,400

USE FREESTANDING OR WITH CU UNITS



model number
CU2642-AVM - _ - _

description
corner CRT
arc edge
veneer modesty panel

d w h
24 42 29
KNEESPACE: 27"

freight
class 85 kd
cwt 150 lb
cu ft 9

list \$ zone 1
2,268

list \$ zone 2
2,449

SHIPPED KD



model number
CU2642-AMM - _ - _

description
corner CRT
arc edge
metal modesty panel

d w h
24 42 29
KNEESPACE: 27"

freight
class 85 kd
cwt 140 lb
cu ft 9

list \$ zone 1
2,268

list \$ zone 2
2,449

SHIPPED KD



model number
CU2642-VM - _ - _

description
corner CRT
straight edge
veneer modesty panel

d w h
24 42 29
KNEESPACE: 27"

freight
class 85 kd
cwt 150 lb
cu ft 9

list \$ zone 1
2,268

list \$ zone 2
2,449

SHIPPED KD



model number
CU2642-MM - _ - _

description
corner CRT
straight edge
metal modesty panel


d w h
24 42 29
KNEESPACE: 27"

freight
class 85
cwt 140 lb
cu ft 9

list \$ zone 1
2,268

list \$ zone 2
2,449

SHIPPED KD



model number
E2672 - _ - _


description
double flare fan top
'T' support end
black support column

d w h
24-36 72 29

freight
class 85
cwt 130 lb
cu ft 11

list \$ zone 1
2,030

list \$ zone 2
2,193



model number
E2672R - _ - _

description
single flare fan top
'T' support end
black support column

d w h
24-30 72 29

freight
class 85
cwt 125 lb
cu ft 11

list \$ zone 1
1,953

list \$ zone 2
2,109

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry

FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



	model number E2672L - _ - _	description single flare fan top 'T' support end black support column	d 24-30 w 72 h 29	freight class 85 cwt 125 lb cu ft 11	list \$ zone 1 1,953	list \$ zone 2 2,109
	EM2672 - _ - _	double flare fan top black support column <i>ATTACH TO ANOTHER UNIT TO FORM 'L'</i>	24-36 72 29	class 85 cwt 105 lb cu ft 9	1,736	1,878
	EM2672R - _ - _	single flare fan top black support column <i>ATTACH TO ANOTHER UNIT TO FORM 'L'</i>	24-30 72 29	class 85 cwt 100 lb cu ft 9	1,621	1,752
	EM2672L - _ - _	single flare fan top black support column <i>ATTACH TO ANOTHER UNIT TO FORM 'L'</i>	24-30 72 29	class 85 cwt 100 lb cu ft 9	1,621	1,752
	R2660R-VM - _ - _	single pedestal return right box/box/file pedestal veneer modesty panel <i>KNEESPACE: 43.75"</i>	24 60 29	class 125 cwt 165 lb cu ft 29	2,452	2,649
	R2660L-VM - _ - _	single pedestal return left box/box/file pedestal veneer modesty panel <i>KNEESPACE: 43.75"</i>	24 60 29	class 125 cwt 165 lb cu ft 29	2,452	2,649
	R2660R-MM - _ - _	single pedestal return right box/box/file pedestal metal modesty panel <i>KNEESPACE: 43.75"</i>	24 60 29	class 125 cwt 160 lb cu ft 29	2,452	2,649
	R2660L-MM - _ - _	single pedestal return left box/box/file pedestal metal modesty panel <i>KNEESPACE: 43.75"</i>	24 60 29	class 125 cwt 160 lb cu ft 29	2,452	2,649
	R2648R-VM - _ - _	single pedestal return right box/box/file pedestal veneer modesty panel <i>KNEESPACE: 31.75"</i>	24 48 29	class 125 cwt 160 lb cu ft 22	2,020	2,182

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge

M


	model number R2648L-VM - _ - _	description single pedestal return left box/box/file pedestal veneer modesty panel <i>KNEESPACE: 31.75"</i>	d 24 w 48 h 29	freight class 125 cwt 160 lb cu ft 22	list \$ zone 1 2,020	list \$ zone 2 2,182
	R2648R-MM - _ - _	single pedestal return right box/box/file pedestal metal modesty panel <i>KNEESPACE: 31.75"</i>	24 48 29	class 125 cwt 155 lb cu ft 22	2,020	2,182
	R2648L-MM - _ - _	single pedestal return left box/box/file pedestal metal modesty panel <i>KNEESPACE: 31.75"</i>	24 48 29	class 125 cwt 155 lb cu ft 22	2,020	2,182
	B2660-VM - _ - _	bridge open kneespace veneer modesty panel <i>KNEESPACE: 57"</i>	24 60 29	class 125 cwt 110 lb cu ft 29	916	989
	B2660-MM - _ - _	bridge open kneespace metal modesty panel <i>KNEESPACE: 58.5"</i>	24 60 29	class 125 cwt 105 lb cu ft 29	916	989
	B2648-VM - _ - _	bridge open kneespace veneer modesty panel <i>KNEESPACE: 45"</i>	24 48 29	class 125 cwt 105 lb cu ft 22	883	954
	B2648-MM - _ - _	bridge open kneespace metal modesty panel <i>KNEESPACE: 46.5"</i>	24 48 29	class 125 cwt 100 lb cu ft 22	883	954
	C2672R-AVM - _ - _	single pedestal credenza inside arc on user side right box/box/file pedestal veneer modesty panel <i>KNEESPACE: 52.5"</i>	24 72 29	class 125 cwt 170 lb cu ft 35	2,406	2,600
	C2672L-AVM - _ - _	single pedestal credenza inside arc on user side left box/box/file pedestal veneer modesty panel <i>KNEESPACE: 52.5"</i>	24 72 29	class 125 cwt 170 lb cu ft 35	2,406	2,600

veneer
tops only

1NC-W natural cherry
2HC-W honey cherry
9BC-W burgundy cherry

FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**



model number
C2672R-AMM - __
- __


description
single pedestal credenza
inside arc on user side
right box/box/file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 160 lb
cu ft 35

list \$ zone 1
2,406

list \$ zone 2
2,600



model number
C2672L-AMM - __
- __


description
single pedestal credenza
inside arc on user side
left box/box/file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 160 lb
cu ft 35

list \$

zone 2
2,600



model number
C2672R-VM - __ - __
- __


description
single pedestal credenza
right box/box/file pedestal
veneer modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 175 lb
cu ft 35

list \$

zone 2
2,347



model number
C2672L-VM - __ - __
- __


description
single pedestal credenza
left box/box/file pedestal
veneer modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 175 lb
cu ft 35

list \$

zone 2
2,347



model number
C2672R-MM - __ - __
- __


description
single pedestal credenza
right box/box/file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 165 lb
cu ft 35

list \$

zone 2
2,347



model number
C2672L-MM - __ - __
- __


description
single pedestal credenza
left box/box/file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 52.5"

freight
class 125
cwt 165 lb
cu ft 35

list \$

zone 2
2,347



model number
C2672R-2FVM - __
- __


description
single pedestal credenza
right lateral file pedestal
veneer modesty panel

d w h
24 72 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$

zone 2
2,454



model number
C2672L-2FVM - __
- __


description
single pedestal credenza
left lateral file pedestal
veneer modesty panel

d w h
24 72 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$

zone 2
2,454



model number
C2672R-2FMM - __
- __

description
single pedestal credenza
right lateral file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 34.25"

freight
class 125
cwt 225 lb
cu ft 35

list \$

zone 2
2,454

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty


edge

M

progeny

2600 series

| wood top, veneer chassis, veneer drawer fronts



model number
C2672L-2FMM - __
- __


description
single pedestal credenza
left lateral file pedestal
metal modesty panel

d w h
24 72 29
KNEESPACE: 34.25"

freight
class 125
cwt 225 lb
cu ft 35

list \$ zone 1
2,273

list \$ zone 2
2,454



model number
C2666R-VM - __ - __
- __


description
single pedestal credenza
right box/box/file pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 52.5"

freight
class 125
cwt 175 lb
cu ft 35

list \$

zone 2
2,269



model number
C2666L-VM - __ - __
- __


description
single pedestal credenza
left box/box/file pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 52.5"

freight
class 125
cwt 175 lb
cu ft 35

list \$

zone 2
2,269



model number
C2666R-MM - __ - __
- __


description
single pedestal credenza
right box/box/file pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 52.5"

freight
class 125
cwt 165 lb
cu ft 35

list \$

zone 2
2,269



model number
C2666L-MM - __ - __
- __


description
single pedestal credenza
left box/box/file pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 52.5"

freight
class 125
cwt 165 lb
cu ft 35

list \$

zone 2
2,269



model number
C2666R-2FVM - __
- __


description
single pedestal credenza
right lateral file pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$

zone 2
2,406



model number
C2666L-2FVM - __
- __


description
single pedestal credenza
left lateral file pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$

zone 2
2,406



model number
C2666R-2FMM - __
- __


description
single pedestal credenza
right lateral file pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$

zone 2
2,406



model number
C2666L-2FMM - __
- __

description
single pedestal credenza
left lateral file pedestal
metal modesty panel

d w h
24 66 29
KNEESPACE: 34.25"

freight
class 125
cwt 235 lb
cu ft 35

list \$


zone 2
2,406

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry

FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**



model number
C2666R-CVM - _ - _


description
single pedestal credenza
right CPU pedestal
veneer modesty panel

d w h
24 66 29
KNEESPACE: 52.5"

freight
class 125
cwt 165 lb
cu ft 35

list \$ zone 1
2,211

list \$ zone 2
2,389



C2666L-CVM - _ - _


single pedestal credenza
left CPU pedestal
veneer modesty panel

24 66 29
KNEESPACE: 52.5"

class 125
cwt 165 lb
cu ft 35

2,211

2,389



C2666R-CMM - _ - _


single pedestal credenza
right CPU pedestal
metal modesty panel

24 66 29
KNEESPACE: 52.5"

class 125
cwt 165 lb
cu ft 35

2,211

2,389



C2666L-CMM - _ - _


single pedestal credenza
left CPU pedestal
metal modesty panel

24 66 29
KNEESPACE: 52.5"

class 125
cwt 165 lb
cu ft 35

2,211

2,389



OU2672 - _


72" wide overhead storage unit
four hinged doors
wire management standard

17.25 72 42.5
OPENING: 26.25"

class 125
cwt 205 lb
cu ft 40

2,639

2,852



OU2666 - _


66" wide overhead storage unit
four hinged doors
wire management standard

17.25 66 42.5
OPENING: 26.25"

class 125
cwt 175 lb
cu ft 38

2,501

2,702



OD2672 - _


72" wide overhead storage unit
open center, one hinged door
on each end
wire management standard

17.25 72 42.5
OPENING: 26.25"

class 125
cwt 165 lb
cu ft 38

2,485

2,685



OD2666 - _

66" wide overhead storage unit
open center, one hinged door
on each end
wire management standard

17.25 66 42.5
OPENING: 26.25"

class 125
cwt 165 lb
cu ft 38

2,321

2,505



OU2636 - _

overhead with two doors

17.25 36 42.5

class 125
cwt 115 lb
cu ft 19

1,559

1,702

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty


edge

M

progeny

2600 series

| wood top, veneer chassis, veneer drawer fronts



model number
OU2648 - _


description
overhead storage unit
with three doors

d w h
17.25 48 42.5

freight
class 125
cwt 150 lb
cu ft 26

list \$ zone 1
2,010

list \$ zone 2
2,123



OUS2660 - _


60" wide overhead storage unit
four hinged doors on each end
adjustable dividers can be placed
either horizontally or vertically
wire management standard

17.25 60 42.5
OPENING: 13.125"

class 125
cwt 235 lb
cu ft 28

3,011

3,253



OUS2648 - _

48" wide overhead storage unit
three hinged doors
adjustable dividers can be placed
either horizontally or vertically
wire management standard

17.25 48 42.5
OPENING: 12.125"

class 125
cwt 195 lb
cu ft 23

2,258

2,371



OUS2636 - _


36" wide overhead storage unit
two hinged doors
adjustable dividers can be placed
either horizontally or vertically

17.25 36 42.5
OPENING: 10.375"

class 125
cwt 130 lb
cu ft 18

1,806

1,951



HS2660 - _


60" wide hutch riser
adjustable dividers can be placed
either horizontally or vertically

16.5 60 28.6
OPENING: 13.125"

class 125
cwt 170 lb
cu ft 20

1,804

1,949



HS2648 - _


48" wide hutch riser
adjustable dividers can be placed
either horizontally or vertically

16.5 48 28.6
OPENING: 12.125"

class 125
cwt 130 lb
cu ft 16

1,510

1,632



CUH2642 - _

corner unit hutch
arc shelf
(SHIPPED KD)

16.5 42 42.5

class 85
cwt 145 lb
cu ft 9

1,982

2,140



HR2642 - _


hutch radius shelf
three fixed shelves

16.5 16.5 42.5

class 125
cwt 50 lb
cu ft 9

774

835



VT2645R - _ - _

vertical tower
adjustable shelving with
curved glass door
hinge on right/knob on left

24 18 45

class 125
cwt 115 lb
cu ft 14

1,709

1,847

ADDITIONAL SHELVES \$77 EACH

veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry


FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



model number
VT2645L - __ - __

description
vertical tower
adjustable shelving with
curved glass door
hinge on left/knob on right

ADDITIONAL SHELVES \$77 EACH

d w h
24 18 45

freight
class 125
cwt 115 lb
cu ft 14

list \$ zone 1
1,709

list \$ zone 2
1,847



USU72 - __

underside paper storage unit
mounts under OU2672 or OD2672
(does not prevent use of task light
or tack boards)

FACTORY INSTALLED ONLY

15.6 70.5 3.75

class 125
cwt 10 lb
cu ft

413

445



USU66 - __

underside paper storage unit
mounts under OU2666 or OD2666
(does not prevent use of task light
or tack boards)

FACTORY INSTALLED ONLY

15.6 64.5 3.75

class 125
cwt 10 lb
cu ft

413

445



AV26722F - __

tv cabinet
pocket doors
pull-out swivel tv tray upper
lateral file below

24 36 72

class 125
cwt 340 lb
cu ft 43

4,953

5,349



AV2672HW - __

tv cabinet
pocket doors
pull-out swivel tv tray upper
hinged doors with adjustable shelf
below

ADDITIONAL SHELVES \$77 EACH

24 36 72

class 125
cwt 290 lb
cu ft 43

4,785

5,170



HW26722F - __

storage cabinet
hinged door upper
two adjustable shelves
lateral file below

ADDITIONAL SHELVES \$77 EACH

24 36 72

class 125
cwt 340 lb
cu ft 43

4,323

4,669



HW2672HW - __

hinged door cabinet (upper and lower)
two adjustable shelves above
one adjustable shelf below

ADDITIONAL SHELVES \$77 EACH


24 36 72

ONE PIECE UNIT

class 125
cwt 270 lb
cu ft 43

4,140

4,477



WD2674 - __ - __

wardrobe cabinet
one side coat storage
one side adjustable shelving
storage shelf above


ADDITIONAL SHELVES \$77 EACH

24 36.5 74

class 125
cwt 275 lb
cu ft 42

3,495

3,773



WD2674-18 - __ - __
(L or R)

wardrobe cabinet

18 24 74

class 125
cwt 170 lb
cu ft 23

2,513

2,725

top


W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge

M



model number
VT2674R - __ - __

description
vertical tower
adjustable shelving above with
curved glass door
hinge on right/knob on left
file/file storage pedestal


ADDITIONAL SHELVES \$77 EACH

d w h
24 18 74

freight
class 125
cwt 235 lb
cu ft 29

list \$ zone 1
2,863

list \$ zone 2
3,092



VT2674L - __ - __

vertical tower
adjustable shelving above with
curved glass door
hinge on left/knob on right
file/file storage pedestal

ADDITIONAL SHELVES \$77 EACH

24 18 74

class 125
cwt 235 lb
cu ft 29

2,863

3,092



4FD2637 - __ - __

4 drawer lateral file
flat ends on top to set next to modular
credenzas and other units

20.25 36.5 54

class 125
cwt 265 lb
cu ft 29

3,048

3,293



2FD2637 - __ - __


2 drawer lateral file
flat ends on top to set next to modular
credenzas and other units

20.25 36.5 29

class 125
cwt 170 lb
cu ft 16

2,071

2,236



HW2636 - __ - __

hinged door cabinet
with wood doors and
one adjustable shelf
flat ends on top to set next
to credenzas and other units


ADDITIONAL SHELVES \$77 EACH

20.25 36.5 29

class 125
cwt 150 lb
cu ft 16

1,963

2,128



HW2636-42 - __ - __


hutch with two doors

17.25 36 42.5

class 125
cwt 140 lb
cu ft 20

1,823

1,929



HO2636 - __ - __

open hutch with two shelves

16.5 36 42.5

class 125
cwt 90 lb
cu ft 19

1,244

1,416



26MP2F - __

mobile pedestal
file/file drawers with locking casters
for use under any 29" surface
black tray top

19 15.6 27.25

class 125
cwt 75 lb
cu ft 6

1,059

1,142



26MP3D - __

mobile pedestal
box/box/file drawers with locking
casters for use under any 29" surface
black tray top

19 15.6 27.25

class 125
cwt 75 lb
cu ft 6

1,231

1,330

veneer
tops only

1NC-W natural cherry
2HC-W honey cherry
9BC-W burgundy cherry

FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

progeny

| 2600 series

| wood top, veneer chassis, veneer drawer fronts



model number
BC2672 - _ - _

description
bookcase
three adjustable shelves
one fixed shelf in center

*SOLID WOOD SHELVES **\$23 EACH**
ADDITIONAL SHELVES **\$77 EACH***

d w h
12 36 72

freight
class 125
cwt 120 lb
cu ft 24

list \$ zone 1
1,398

list \$ zone 2
1,508



model number
BC2660 - _ - _

description
bookcase
two adjustable shelves
one fixed shelf in center

*SOLID WOOD SHELVES **\$23 EACH**
ADDITIONAL SHELVES **\$77 EACH***

d w h
12 36 60

freight
class 125
cwt 100 lb
cu ft 20

list \$ zone 1
1,311

list \$ zone 2
1,417



model number
BC2636 - _ - _

description
bookcase
two adjustable shelves


*SOLID WOOD SHELVES **\$23 EACH**
ADDITIONAL SHELVES **\$77 EACH***

d w h
12 36 36

freight
class 125
cwt 65 lb
cu ft 12

list \$ zone 1
934

list \$ zone 2
1,011



model number
T2638 - _ - _

description
coffee table

d w h
20.25 38 17

freight
class 125
cwt 65 lb
cu ft 3

list \$ zone 1
633

list \$ zone 2
683



model number
ET2624 - _ - _

description
lamp table

d w h
19.5 24 22

freight
class 125
cwt 60 lb
cu ft 2

list \$ zone 1
579

list \$ zone 2
627



model number
CTO2642 - _ - _
CX26-C

description
crescent conference table: top only
use with desk end, desk approach,
against wall or stand alone

black CX base with casters

diameter: 42
flat side: 36

freight
class 125
cwt 100 lb
cu ft 7

list \$ zone 1
1,270
713

list \$ zone 2
1,381
763

top

W veneer top

progeny modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge



veneer
tops only

1NC-Wnatural cherry
2HC-Whoney cherry
9BC-Wburgundy cherry

fake front \$512 upcharge

model number
M2672R-AVM - _ - _


description
executive "I" unit

d w h
84 72 29

freight
class 125
cwt 415 lb
cu ft 75

list \$ zone 1
5,414

list \$ zone 2
5,847



consists of:

D2672L-AVM
single pedestal desk
inside arc on user side
left file/file pedestal

R2648R-VM
single pedestal return
right box/box/file pedestal

veneer modesty panels on all above

d w h

36 72 29
APPROACH: 4"

quantity

1

24 48 29
KNEESPACE: 31.75"

1

model number
M2672L-AVM - _ - _


description
executive "I" unit

d w h
84 72 29

freight
class 125
cwt 415 lb
cu ft 75

list \$ zone 1
5,414

list \$ zone 2
5,847



consists of:

D2672R-AVM
single pedestal desk
inside arc on user side
right file/file pedestal

R2648L-VM
single pedestal return
left box/box/file pedestal

veneer modesty panels on all above

d w h

36 72 29
APPROACH: 4"

quantity

1

24 48 29
KNEESPACE: 31.75"

1

model number
M2672R-AMM - _ - _


description
executive "I" unit

d w h
84 72 29

freight
class 125
cwt 400 lb
cu ft 75

list \$ zone 1
5,414

list \$ zone 2
5,847



consists of:

D2672L-AMM
single pedestal desk
inside arc on user side
left file/file pedestal

R2648R-MM
single pedestal return
right box/box/file pedestal

metal modesty panels on all above

d w h

36 72 29
KNEESPACE: 4"

quantity

1


24 48 29
KNEESPACE: 31.75"

1

FBT2672-AVM-9BC-W

unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2672L-AMM - __ - __	executive "I" unit	84	72	29	class 125 cwt 400 lb cu ft 75	5,414	5,847



consists of:


D2672R-AMM
single pedestal desk
inside arc on user side
right file/file pedestal

R2648L-MM
single pedestal return
left box/box/file pedestal

metal modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 10"			
24	48	29	1
KNEESPACE: 31.75"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2672R-VM - __ - __	executive "I" unit	84	72	29	class 125 cwt 420 lb cu ft 75	5,180	5,596



consists of:


D2672L-VM
single pedestal desk
left file/file pedestal

R2648R-VM
single pedestal return
right box/box/file pedestal

veneer modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 4"			
24	48	29	1
KNEESPACE: 31.75"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2672L-VM - __ - __	executive "I" unit	84	72	29	class 125 cwt 420 lb cu ft 75	5,180	5,596



consists of:

D2672R-VM
single pedestal desk
right file/file pedestal

R2648L-VM
single pedestal return
left box/box/file pedestal

veneer modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 4"			
24	48	29	1
KNEESPACE: 31.75"			

top

W veneer top

progeny
modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge




progeny

2600 series

wood top, veneer chassis, veneer drawer fronts



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2672R-MM - __ - __	executive "I" unit	84	72	29	class 125 cwt 405 lb cu ft 75	5,180	5,596



consists of:


D2672L-MM
single pedestal desk
left file/file pedestal

R2648R-MM
single pedestal return
right box/box/file pedestal

metal modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 4"			
24	48	29	1
KNEESPACE: 31.75"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2672L-MM - __ - __	executive "I" unit	84	72	29	class 125 cwt 405 lb cu ft 75	5,180	5,596



consists of:


D2672R-MM
single pedestal desk
right file/file pedestal

R2648L-MM
single pedestal return
left box/box/file pedestal

metal modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 4"			
24	48	29	1
KNEESPACE: 31.75"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260R-AVM - __ - __	executive "I" unit	96	72	29	class 125 cwt 430 lb cu ft 79	5,846	6,315



consists of:

D2672L-AVM
single pedestal desk
inside arc on user side
left file/file pedestal

R2660R-VM
single pedestal return
right box/box/file pedestal

veneer modesty panels on all above

d	w	h	quantity
36	72	29	1
APPROACH: 4"			
24	60	29	1
KNEESPACE: 43.75"			

veneer
tops only


1NC-W natural cherry
2HC-W honey cherry
9BC-W burgundy cherry

fake front \$512 upcharge

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - chassis & top finish - top material

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260L-AVM - _ - _	executive "I" unit	96	72	29	class 125 cwt 430 lb cu ft 79	5,846	6,315




consists of:	d	w	h	quantity
D2672R-AVM single pedestal desk inside arc on user side right file/file pedestal	36	72	29	1
R2660L-VM single pedestal return left box/box/file pedestal	24	60	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260R-AMM - _ - _	executive "I" unit	96	72	29	class 125 cwt 415 lb cu ft 79	5,846	6,315



consists of:	d	w	h	quantity
D2672L-AMM single pedestal desk inside arc on user side left file/file pedestal	36	72	29	1
R2660R-MM single pedestal return right box/box/file pedestal	24	60	29	1
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260L-AMM - _ - _	executive "I" unit	96	72	29	class 125 cwt 415 lb cu ft 79	5,846	6,315



consists of:	d	w	h	quantity
D2672R-AMM single pedestal desk inside arc on user side right file/file pedestal metal modesty panel	36	72	29	1
R2660L-MM single pedestal return left box/box/file pedestal	24	60	29	1
metal modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260R-VM - _ - _	executive "I" unit	96	72	29	class 125 cwt 435 lb cu ft 79	5,612	6,064




consists of:	d	w	h	quantity
D2672L-VM single pedestal desk left file/file pedestal	36	72	29	1
R2660R-VM single pedestal return right box/box/file pedestal	24	60	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260L-VM - _ - _	executive "I" unit	96	72	29	class 125 cwt 000 lb cu ft 00	5,612	6,064



consists of:	d	w	h	quantity
D2672R-VM single pedestal desk right file/file pedestal	36	72	29	1
R2660L-VM single pedestal return left box/box/file pedestal	24	60	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260R-MM - _ - _	executive "I" unit	96	72	29	class 125 cwt 420 lb cu ft 79	5,612	6,064




consists of:	d	w	h	quantity
D2672L-MM single pedestal desk left file/file pedestal	36	72	29	1
R2660R-MM single pedestal return right box/box/file pedestal	24	60	29	1
metal modesty panels on all above				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
---------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - chassis & top finish - top material

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M267260L-MM - __ - __	executive "I" unit	96	72	29	class 125 cwt 420 lb cu ft 79	5,612	6,064




consists of:	d	w	h	quantity
D2672R-MM single pedestal desk right file/file pedestal	36	72	29	1
R2660L-MM single pedestal return left box/box/file pedestal	24	60	29	1
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2666R-VM - __ - __	executive "I" unit	84	66	29	class 125 cwt 410 lb cu ft 73	5,088	5,495



consists of:	d	w	h	quantity
D2666L-VM single pedestal desk left file/file pedestal	36	66	29	1
R2648R-VM single pedestal return right box/box/file pedestal	24	48	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2666L-VM - __ - __	executive "I" unit	84	66	29	class 125 cwt 395 lb cu ft 73	5,088	5,495



consists of:	d	w	h	quantity
D2666R-VM single pedestal desk right file/file pedestal	36	66	29	1
R2648L-VM single pedestal return left box/box/file pedestal	24	48	29	1
veneer modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2666R-MM - __ - __	executive "I" unit	84	66	29	class 125 cwt 395 lb cu ft 73	5,088	5,495




consists of:	d	w	h	quantity
D2666L-MM single pedestal desk left file/file pedestal	36	66	29	1
R2648R-MM single pedestal return right box/box/file pedestal	24	48	29	1
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M2666L-MM - __ - __	executive "I" unit	84	66	29	class 125 cwt 395 lb cu ft 73	5,088	5,495



consists of:	d	w	h	quantity
D2666R-MM single pedestal desk right file/file pedestal metal modesty panel	36	66	29	1
R2648L-MM single pedestal return left box/box/file pedestal	24	48	29	1
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-AVM - __ - __	executive "u" unit	114	72	29	class 125 cwt 540 lb cu ft 101	7,030	7,594




consists of:	d	w	h	quantity
DBT2672L-AVM bow front single pedestal desk inside arc on user side left file/file pedestal	42	72	29	1
B2648-VM bridge with open kneespace	24	48	29	1
C2672R-AVM single pedestal credenza, inside arc on user side, right box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
---------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-AVM - _	executive "u" unit	114	72	29	class 125 cwt 540 lb cu ft 101	7,030	7,594




consists of:	d	w	h	quantity
DBT2672R-AVM	42	72	29	1
bow front single pedestal desk	APPROACH: 10"			
inside arc on user side				
right file/file pedestal				
B2648-VM	24	48	29	1
bridge with open kneespace				
C2672L-AVM	24	72	29	1
single pedestal credenza, inside arc on	KNEESPACE: 30.5"			
user side, left box/box/file pedestal				
vener modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-AMM - _ - _	executive "u" unit	114	72	29	class 125 cwt 520 lb cu ft 101	7,030	7,594



consists of:	d	w	h	quantity
DBT2672L-AMM bow front single pedestal desk inside arc on user side left file/file pedestal B2648-MM	42	72	29	1
bridge with open kneespace C2672R-AMM	24	48	29	1
single pedestal credenza, inside arc on user side, right box/box/file pedestal metal modesty panels on all above	24	72	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-AMM - _ - _	executive "u" unit	114	72	29	class 125 cwt 520 lb cu ft 101	7,030	7,594



consists of:	d	w	h	quantity
DBT2672R-AMM bow front single pedestal desk inside arc on user side right file/file pedestal B2648-MM	42	72	29	1
bridge with open kneespace C2672L-AMM	24	48	29	1
single pedestal credenza, inside arc on user side, left box/box/file pedestal metal modesty panels on all above	24	72	29	1

top

W veneer top

progeny

modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge




progeny

2600 series

wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-VM - _	executive "u" unit	114	72	29	class 125 cwt 535 lb cu ft 101	6,564	7,089




consists of:	d	w	h	quantity
DBT2672L-VM bow front single pedestal desk left file/file pedestal	42	72	29	1
B2648-VM bridge with open kneespace C2672R-VM	24	48	29	1
single pedestal credenza right box/box/file pedestal	24	72	29	1
KNEESPACE: 30.5"				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-VM - _	executive "u" unit	114	72	29	class 125 cwt 535 lb cu ft 101	6,564	7,089



consists of:	d	w	h	quantity
DBT2672R-VM bow front single pedestal desk right file/file pedestal	42	72	29	1
B2648-VM bridge with open kneespace C2672L-VM	24	48	29	1
single pedestal credenza left box/box/file pedestal	24	72	29	1
KNEESPACE: 30.5"				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-MM - _	executive "u" unit	114	72	29	class 125 cwt 515 lb cu ft 101	6,564	7,089



consists of:	d	w	h	quantity
DBT2672L-MM bow front single pedestal desk left file/file pedestal	42	72	29	1
B2648-MM bridge with open kneespace C2672R-MM	24	48	29	1
single pedestal credenza right box/box/file pedestal	24	72	29	1
KNEESPACE: 30.5"				
metal modesty panels on all above				

veneer
tops only


1NC-W natural cherry
2HC-W honey cherry
9BC-W burgundy cherry

fake front \$512 upcharge

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - chassis & top finish - top material

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-MM - _ _	executive "u" unit	114	72	29	class 125 cwt 515 lb cu ft 101	6,564	7,089




consists of:	d	w	h	quantity
DBT2672R-MM bow front single pedestal desk	42	72	29	1
right file/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-2FVM	executive "u" unit	114	72	29	class 125 cwt 595 lb cu ft 101	6,882	7,415



consists of:	d	w	h	quantity
DBT2672L-3DVM bow front single pedestal desk	42	72	29	1
left box/box/file pedestal				
B2648-VM bridge with open kneespace	24	48	29	1
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-2FVM	executive "u" unit	114	72	29	class 125 cwt 595 lb cu ft 101	6,883	7,415



consists of:	d	w	h	quantity
DBT2672R-3DVM bow front single pedestal desk	42	72	29	1
right box/box/file pedestal				
B2648-VM bridge with open kneespace	24	48	29	1
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672R-2FMM	executive "u" unit	114	72	29	class 125 cwt 575 lb cu ft 101	6,883	7,415




consists of:	d	w	h	quantity
DBT2672L-3DMM bow front single pedestal desk	42	72	29	1
left box/box/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT2672L-2FMM	executive "u" unit	114	72	29	class 125 cwt 575 lb cu ft 101	6,883	7,415



consists of:	d	w	h	quantity
DBT2672R-3DMM bow front single pedestal desk	42	72	29	1
right box/box/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672L-2FMM single pedestal credenza	24	72	29	1
left lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-AVM	executive "u" unit	126	72	29	class 125 cwt 560 lb cu ft 103	7,063	7,629



consists of:	d	w	h	quantity
DBT2672L-AVM bow front single pedestal desk	42	72	29	1
inside arc on user side				
left file/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672R-AVM single pedestal credenza, inside arc on user side, right box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				


veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---

fake front \$512 upcharge

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-AVM - - -	executive "u" unit	126	72	29	class 125 cwt 560 lb cu ft 103	7,063	7,629




consists of:	d	w	h	quantity
DBT2672R-AVM bow front single pedestal desk inside arc on user side	42	72	29	1
right file/file pedestal B2660-VM	24	60	29	1
bridge with open kneespace C2672L-AVM	24	72	29	1
single pedestal credenza, inside arc on user side, left box/box/file pedestal				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-AMM - - -	executive "u" unit	126	72	29	class 125 cwt 540 lb cu ft 103	7,063	7,629



consists of:	d	w	h	quantity
DBT2672L-AMM bow front single pedestal desk inside arc on user side	42	72	29	1
left file/file pedestal B2660-MM	24	60	29	1
bridge with open kneespace C2672R-AMM	24	72	29	1
single pedestal credenza, inside arc on user side, right box/box/file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-AMM - - -	executive "u" unit	126	72	29	class 125 cwt 540 lb cu ft 103	7,063	7,629



consists of:	d	w	h	quantity
DBT2672R-AMM bow front single pedestal desk inside arc on user side	42	72	29	1
right file/file pedestal B2660-MM	24	60	29	1
bridge with open kneespace C2672L-AMM	24	72	29	1
single pedestal credenza, inside arc on user side, left box/box/file pedestal				
metal modesty panels on all above				

top

W veneer top

progeny
modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge




progeny

2600 series

wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-VM - - -	executive "u" unit	126	72	29	class 125 cwt 545 lb cu ft 103	6,597	7,125




consists of:	d	w	h	quantity
DBT2672L-VM bow front single pedestal desk left file/file pedestal	42	72	29	1
B2660-VM bridge with open kneespace C2672R-VM	24	60	29	1
single pedestal credenza right box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-VM - - -	executive "u" unit	126	72	29	class 125 cwt 545 lb cu ft 103	6,597	7,125



consists of:	d	w	h	quantity
DBT2672R-VM bow front single pedestal desk right file/file pedestal	42	72	29	1
B2660-VM bridge with open kneespace C2672L-VM	24	60	29	1
single pedestal credenza left box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-MM - - -	executive "u" unit	126	72	29	class 125 cwt 525 lb cu ft 103	6,597	7,125



consists of:	d	w	h	quantity
DBT2672L-MM bow front single pedestal desk left file/file pedestal	42	72	29	1
B2660-MM bridge with open kneespace C2672R-MM	24	60	29	1
single pedestal credenza right box/box/file pedestal	24	72	29	1
metal modesty panels on all above				

veneer
tops only


1NC-W natural cherry
2HC-W honey cherry
9BC-W burgundy cherry

fake front \$512 upcharge

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-MM - - -	executive "u" unit	126	72	29	class 125 cwt 525 lb cu ft 103	6,597	7,125




consists of:	d	w	h	quantity
DBT2672R-MM bow front single pedestal desk	42	72	29	1
right file/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-2FVM - - -	executive "u" unit	126	72	29	class 125 cwt 615 lb cu ft 103	6,915	7,450



consists of:	d	w	h	quantity
DBT2672L-3DVM bow front single pedestal desk	42	72	29	1
left box/box/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-2FVM - - -	executive "u" unit	126	72	29	class 125 cwt 615 lb cu ft 103	6,915	7,450



consists of:	d	w	h	quantity
DBT2672R-3DVM bow front single pedestal desk	42	72	29	1
right box/box/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260R-2FMM - - -	executive "u" unit	126	72	29	class 125 cwt 595 lb cu ft 103	6,915	7,450




consists of:	d	w	h	quantity
DBT2672L-3DVM bow front single pedestal desk	42	72	29	1
left box/box/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT267260L-2FMM - - -	executive "u" unit	126	72	29	class 125 cwt 595 lb cu ft 103	6,915	7,450



consists of:	d	w	h	quantity
DBT2672R-3DMM bow front single pedestal desk	42	72	29	1
right box/box/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672L-2FMM single pedestal credenza	24	60	29	1
left lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-AVM - - -	executive "u" unit	108	72	29	class 125 cwt 515 lb cu ft 99	6,683	7,219




consists of:	d	w	h	quantity
D2672L-AVM bow front single pedestal desk	36	72	29	1
inside arc on user side				
left file/file pedestal				
B2648-VM bridge with open kneespace	24	48	29	1
C2672R-AVM single pedestal credenza, inside arc on user side, right box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-AVM - _ - _	executive "u" unit	108	72	48	class 125 cwt 505 lb cu ft 99	6,683	7,219




consists of:	d	w	h	quantity
D2672R-AVM bow front single pedestal desk inside arc on user side right file/file pedestal B2648-VM bridge with open kneespace C2672L-AVM single pedestal credenza, inside arc on user side, left box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-AMM - _ - _	executive "u" unit	108	72	48	class 125 cwt 495 lb cu ft 99	6,683	7,219



consists of:	d	w	h	quantity
D2672L-AVM bow front single pedestal desk inside arc on user side left file/file pedestal B2648-VM bridge with open kneespace C2672R-AVM single pedestal credenza, inside arc on user side, right box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-AMM - _ - _	executive "u" unit	108	72	48	class 125 cwt 495 lb cu ft 99	6,683	7,219



consists of:	d	w	h	quantity
D2672R-AVM bow front single pedestal desk inside arc on user side right file/file pedestal B2648-VM bridge with open kneespace C2672L-AVM single pedestal credenza, inside arc on user side, left box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-VM - _ - _	executive "u" unit	108	72	29	class 125 cwt 525 lb cu ft 99	6,216	6,716




consists of:	d	w	h	quantity
D2672L-VM single pedestal desk left file/file pedestal B2648-VM bridge with open kneespace C2672R-VM single pedestal credenza right box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-VM - _ - _	executive "u" unit	108	72	29	class 125 cwt 505 lb cu ft 99	6,216	6,716



consists of:	d	w	h	quantity
D2672R-VM single pedestal desk right file/file pedestal B2648-VM bridge with open kneespace C2672L-VM single pedestal credenza left box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-MM - _ - _	executive "u" unit	108	72	29	class 125 cwt 525 lb cu ft 99	6,216	6,716




consists of:	d	w	h	quantity
D2672L-MM single pedestal desk left file/file pedestal B2648-MM bridge with open kneespace C2672R-MM single pedestal credenza right box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	48	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
---------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - chassis & top finish - top material

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-MM - _ - _	executive "u" unit	108	72	29	class 125 cwt 505 lb cu ft 99	6,216	6,716




consists of:	d	w	h	quantity
D2672R-MM single pedestal desk	36	72	29	1
right file/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-2FVM - _ - _	executive "u" unit	108	72	29	class 125 cwt 585 lb cu ft 99	6,534	7,041



consists of:	d	w	h	quantity
D2672L-3DVM single pedestal desk	36	72	29	1
left box/box/file pedestal				
B2648-VM bridge with open kneespace	24	48	29	1
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-2FVM - _ - _	executive "u" unit	108	72	29	class 125 cwt 585 lb cu ft 99	6,534	7,041



consists of:	d	w	h	quantity
D26762R-3DVM single pedestal desk	36	72	29	1
right box/box/file pedestal				
B2648-VM bridge with open kneespace	24	48	29	1
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672R-2FMM - _ - _	executive "u" unit	108	72	29	class 125 cwt 565 lb cu ft 99	6,534	7,041




consists of:	d	w	h	quantity
D2672L-3DMM single pedestal desk	36	72	29	1
left box/box/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM2672L-2FMM - _ - _	executive "u" unit	108	72	29	class 125 cwt 565 lb cu ft 99	6,534	7,041



consists of:	d	w	h	quantity
D2672R-3DMM single pedestal desk	36	72	29	1
right box/box/file pedestal				
B2648-MM bridge with open kneespace	24	48	29	1
C2672L-2FMM single pedestal credenza	24	72	29	1
left lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-AVM - _ - _	executive "u" unit	120	72	29	class 125 cwt 535 lb cu ft 101	6,716	7,254




consists of:	d	w	h	quantity
D2672L-AVM single pedestal desk	36	72	29	1
inside arc on user side				
left file/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672R-AVM single pedestal credenza, inside arc on user side, right box/box/file pedestal	24	72	29	1
veneer modesty panels on all above				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-AVM - _	executive "u" unit	120	72	29	class 125 cwt 535 lb cu ft 101	6,716	7,254




consists of:	d	w	h	quantity
D2672R-AVM single pedestal desk inside arc on user side right file/file pedestal B2660-VM bridge with open kneespace C2672L-AVM single pedestal credenza, inside arc on user side, left box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-AMM	executive "u" unit	120	72	29	class 125 cwt 515 lb cu ft 101	6,716	7,254



consists of:	d	w	h	quantity
D2672L-AMM single pedestal desk inside arc on user side left file/file pedestal B2660-MM bridge with open kneespace C2672R-AMM single pedestal credenza, inside arc on user side, right box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-AMM	executive "u" unit	120	72	29	class 125 cwt 515 lb cu ft 101	6,716	7,254



consists of:	d	w	h	quantity
D2672R-AMM single pedestal desk inside arc on user side right file/file pedestal B2660-MM bridge with open kneespace C2672L-AMM single pedestal credenza, inside arc on user side, left box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-VM - _	executive "u" unit	120	72	29	class 125 cwt 545 lb cu ft 101	6,249	6,751




consists of:	d	w	h	quantity
D2672L-VM single pedestal desk left file/file pedestal B2660-VM bridge with open kneespace C2672R-VM single pedestal credenza right box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-VM - _	executive "u" unit	120	72	29	class 125 cwt 545 lb cu ft 101	6,249	6,751



consists of:	d	w	h	quantity
D2672R-VM single pedestal desk right file/file pedestal B2660-VM bridge with open kneespace C2672L-VM single pedestal credenza left box/box/file pedestal veneer modesty panels on all above	36	72	29	1
	APPROACH: 4"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-MM - _	executive "u" unit	120	72	29	class 125 cwt 525 lb cu ft 101	6,249	6,751




consists of:	d	w	h	quantity
D2672L-MM single pedestal desk left file/file pedestal B2660-MM bridge with open kneespace C2672R-MM single pedestal credenza right box/box/file pedestal metal modesty panels on all above	36	72	29	1
	APPROACH: 10"			
	24	60	29	1
	24	72	29	1
	KNEESPACE: 30.5"			

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry	fake front \$512 upcharge
---------------------	---	---------------------------

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-MM - _	executive "u" unit	120	72	29	class 125 cwt 525 lb cu ft 101	6,249	6,751
- _							




consists of:	d	w	h	quantity
D2672R-MM single pedestal desk	36	72	29	1
right file/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-2FVM	executive "u" unit	120	72	29	class 125 cwt 615 lb cu ft 101	6,567	7,076
- _ - _							



consists of:	d	w	h	quantity
D2672L-3DVM single pedestal desk	36	72	29	1
left box/box/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260L-2FVM	executive "u" unit	120	72	29	class 125 cwt 615 lb cu ft 101	6,567	7,076
- _ - _							



consists of:	d	w	h	quantity
D2672R-3DVM single pedestal desk	36	72	29	1
right box/box/file pedestal				
B2660-VM bridge with open kneespace	24	60	29	1
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panels on all above				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-2FMM	executive "u" unit	120	72	29	class 125 cwt 595 lb cu ft 101	6,567	7,076
- _ - _							




consists of:	d	w	h	quantity
D2672L-3DMM single pedestal desk	36	72	29	1
left box/box/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM267260R-2FMM	executive "u" unit	120	72	29	class 125 cwt 595 lb cu ft 101	6,567	7,076
- _ - _							



consists of:	d	w	h	quantity
D2672R-3DMM single pedestal desk	36	72	29	1
right box/box/file pedestal				
B2660-MM bridge with open kneespace	24	60	29	1
C2672L-2FMM single pedestal credenza	24	72	29	1
left lateral file pedestal				
metal modesty panels on all above				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672R-VM - _ - _	executive "u" unit	102	72	29	class 125 cwt 385 lb cu ft 50	5,086	5,494
- _ - _							



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672R-VM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
veneer modesty panel				


veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---

fake front \$512 upcharge

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672L-VM - _ - _	executive “u” unit	102	72	29	class 125 cwt 385 lb cu ft 50	5,086	5,494




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672L-VM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
veneer modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672R-MM - _ - _	executive “u” unit	102	72	29	class 125 cwt 375 lb cu ft 50	5,086	5,494



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2673R-MM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
metal modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672L-MM - _ - _	executive “u” unit	102	72	29	class 125 cwt 375 lb cu ft 50	5,086	5,494



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panel				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672R-2FVM - _ - _	executive “u” unit	102	72	29	class 125 cwt 445 lb cu ft 50	5,186	5,601




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672L-2FVM - _ - _	executive “u” unit	102	72	29	class 125 cwt 445 lb cu ft 50	5,186	5,601



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panel				


model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672R-2FMM - _ - _	executive “u” unit	102	72	29	class 125 cwt 435 lb cu ft 50	5,186	5,601



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panel				


veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE2672L-2FMM - _	executive "u" unit	102	72	29	class 125 cwt 435 lb cu ft 50	5,186	5,601
- _							




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672L-2FMM single pedestal credenza	24	72	29	1
left lateral file pedestal				
metal modesty panel				
KNEESPACE: 10.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260R-VM - _	executive "u" unit	114	72	29	class 125 cwt 405 lb cu ft 52	5,119	5,529
- _							



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672R-VM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
veneer modesty panel				
KNEESPACE: 30.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260L-VM - _	executive "u" unit	114	72	29	class 125 cwt 395 lb cu ft 52	5,119	5,529
- _							




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2660-MM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
veneer modesty panel				
KNEESPACE: 30.5"				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---

edge




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260R-MM - _	executive "u" unit	114	72	29	class 125 cwt 395 lb cu ft 52	5,119	5,529
- _							




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2660-MM bridge with open kneespace	24	60	29	1
metal modesty panel				
C2672R-MM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
metal modesty panel				
KNEESPACE: 30.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260L-MM - _	executive "u" unit	114	72	29	class 125 cwt 395 lb cu ft 52	5,119	5,529
- _							



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2660-MM bridge with open kneespace	24	60	29	1
metal modesty panel				
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panel				
KNEESPACE: 30.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260R-2FVM	executive "u" unit	114	72	29	class 125 cwt 465 lb cu ft 52	5,219	5,636
- _ - _							



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panel				
KNEESPACE: 10.5"				


veneer	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
--------	---

tops only

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260L-2FVM - - -	executive "u" unit	114	72	29	class 125 cwt 465 lb cu ft 52	5,219	5,636




consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column	24	60	29	1
B2660-VM bridge with open kneespace veneer modesty panel	24	72	29	1
C2672L-2FVM single pedestal credenza left lateral file pedestal veneer modesty panel	KNEESPACE: 10.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260R-2FMM - - -	executive "u" unit	114	72	29	class 125 cwt 455 lb cu ft 52	5,219	5,636



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column	24	60	29	1
B2660-MM bridge with open kneespace metal modesty panel	24	72	29	1
C2672R-2FMM single pedestal credenza right lateral file pedestal metal modesty panel	KNEESPACE: 10.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UE267260L-2FMM - - -	executive "u" unit	114	72	29	class 125 cwt 455 lb cu ft 52	5,219	5,636



consists of:	d	w	h	quantity
E2672 double fan flare top	24-36	72	29	1
black support column	24	60	29	1
B2660-MM bridge with open kneespace metal modesty panel	24	72	29	1
C2672L-2FMM single pedestal credenza left lateral file pedestal metal modesty panel	KNEESPACE: 10.5"			

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672R-VM - - -	executive "u" unit	96	72	29	class 125 cwt 385 lb cu ft 50	5,009	5,411




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column	24	48	29	1
B2648-VM bridge with open kneespace veneer modesty panel	24	72	29	1
C2672R-VM single pedestal credenza right box/box/file pedestal veneer modesty panel	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672L-VM - - -	executive "u" unit	96	72	29	class 125 cwt 385 lb cu ft 50	5,009	5,411



consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column	24	48	29	1
B2648-VM bridge with open kneespace veneer modesty panel	24	72	29	1
C2672L-VM single pedestal credenza left box/box/file pedestal veneer modesty panel	KNEESPACE: 30.5"			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672R-MM - - -	executive "u" unit	96	72	29	class 125 cwt 375 lb cu ft 50	5,009	5,411




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column	24	48	29	1
B2648-MM bridge with open kneespace metal modesty panel	24	72	29	1
C2672R-MM single pedestal credenza right box/box/file pedestal metal modesty panel	KNEESPACE: 30.5"			

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672L-MM - _	executive "u" unit	96	72	29	class 125 cwt 375 lb cu ft 50	5,009	5,411
- _							




consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panel				
KNEESPACE: 30.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672R-2FVM - _	executive "u" unit	96	72	29	class 125 cwt 445 lb cu ft 50	5,109	5,518
- _							



consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panel				
KNEESPACE: 10.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672L-2FVM - _	executive "u" unit	96	72	29	class 125 cwt 445 lb cu ft 50	5,109	5,518
- _							




consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2648-VM bridge with open kneespace	24	48	29	1
veneer modesty panel				
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panel				
KNEESPACE: 10.5"				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672R-2FMM - _ - _	executive "u" unit	96	72	29	class 125 cwt 435 lb cu ft 50	5,109	5,518




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672R-2FMM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panel				
KNEESPACE: 10.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES2672L-2FMM - _ - _	executive "u" unit	96	72	29	class 125 cwt 435 lb cu ft 50	5,109	5,518



consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2648-MM bridge with open kneespace	24	48	29	1
metal modesty panel				
C2672L-2FMM single pedestal credenza	24	72	29	1
left lateral file pedestal				
metal modesty panel				
KNEESPACE: 10.5"				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260R-VM - _ - _	executive "u" unit	108	72	29	class 125 cwt 385 lb cu ft 52	5,042	5,446




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672R-VM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
veneer modesty panel				
KNEESPACE: 30.5"				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---

FBT2672-AVM-9BC-W


unit identification (type), top dimension - chassis option - **chassis & top finish** - **top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260L-VM - _	executive “u” unit	108	72	29	class 125 cwt 385 lb cu ft 52	5,042	5,446




consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672L-VM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
veneer modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260R-MM - _	executive “u” unit	108	72	29	class 125 cwt 375 lb cu ft 52	5,042	5,446



consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2660-MM bridge with open kneespace	24	60	29	1
metal modesty panel				
C2672R-MM single pedestal credenza	24	72	29	1
right box/box/file pedestal				
metal modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260L-MM - _	executive “u” unit	108	72	29	class 125 cwt 375 lb cu ft 52	5,042	5,446



consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2660-MM bridge with open kneespace	24	60	29	1
metal modesty panel				
C2672L-MM single pedestal credenza	24	72	29	1
left box/box/file pedestal				
metal modesty panel				

top	W veneer top	progeny	modesty options: MM - graphite metal modesty SM - silver metal modesty VM - veneer modesty
-----	--------------	---------	---


edge



progeny | 2600 series | wood top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260R-2FVM - _ - _	executive “u” unit	108	72	29	class 125 cwt 465 lb cu ft 52	5,142	5,553




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
veneer modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260L-2FVM - _ - _	executive “u” unit	108	72	29	class 125 cwt 465 lb cu ft 52	5,142	5,553



consists of:	d	w	h	quantity
E2672R single fan flare top	24-30	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
veneer modesty panel				
C2672L-2FVM single pedestal credenza	24	72	29	1
left lateral file pedestal				
veneer modesty panel				

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260R-2FMM - _ - _	executive “u” unit	108	72	29	class 125 cwt 455 lb cu ft 52	5,142	5,553




consists of:	d	w	h	quantity
E2672L single fan flare top	24-30	72	29	1
black support column				
B2660-VM bridge with open kneespace	24	60	29	1
metal modesty panel				
C2672R-2FVM single pedestal credenza	24	72	29	1
right lateral file pedestal				
metal modesty panel				

veneer tops only	1NC-W natural cherry 2HC-W honey cherry 9BC-W burgundy cherry
---------------------	---



model number	description		d	w	h	freight	list \$ zone 1	list \$ zone 2
UES267260R-2FMM " " "	executive "u" unit		108	72	29	class 125 cwt 455 lb cu ft 52	5,142	5,553



consists of:

- E2672R
single fan flare top
- black support column
- B2660-MM
bridge with open kneespace
- metal modesty panel
- C2672L-2FMM
single pedestal credenza
- left lateral file pedestal
- metal modesty panel

d	w	h	quantity
24-30	72	29	1
24	60	29	1
24	72	29	1

KNEESPACE: 10.5"

top

W veneer top

progeny modesty options:
MM - graphite metal modesty
SM - silver metal modesty
VM - veneer modesty

edge



veneer
tops only

1NC-Wnatural cherry
2HC-W honey cherry
9BC-Wburgundy cherry