

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

- Date
- Purchase Order Number
- Bill to Address
- Ship to Address
- Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
- Complete Model Numbers (include finish & fabric numbers)
- Net Price
- Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between


Inwood and the customer, superseding all previous communications regarding the order. **NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.**

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1 □

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 □

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**
Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- **fuel surcharges**
We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Environments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Environments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office Environments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Environments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office Environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office Environments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment.

When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office Environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower	\$248
to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
- box, file drawer or center drawer	\$56
- hinged door, single	\$56
- hinged door, double	\$58
to key items alike from factory per unit	\$31
to add extra lock per set (including set of keys)	\$21
extra set of keys (two)	\$21
to add grommets in any special location	\$128
to move standard placement of grommet on unit	\$56
grommets (cover only)	\$21
to add extra shelf for bookcase	\$77
to make shelves solid wood (per shelf)	\$23
for typing height return	\$197
for non-standard Inwood pulls	
(to change to another series per unit)	\$71
special finishes (6 item minimum)	
- non-Inwood finishes	20%
- standard Inwood finishes	15%



magnus 1200 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly.

veneers:

All exposed surfaces are plain sliced American Black Walnut. Veneers are carefully book-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain genuine Walnut.

top work surfaces:

High pressure laminate tops are 1 1/4" thick, 3-ply construction; consisting of high-pressure laminate work surface and a 45 lb density flake board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Top rims are solid hardwood with a traditional edge shape.

pedestal construction:

3/4" thick 3-ply panel with 1 1/16" veneer wrapped mdf posts with softened edges. American Black Walnut veneer on all exposed surfaces and a 45 lb density flake board core. Each pedestal in desk units has a 3-ply dictation arm slide mounted above the drawers. In the desk and credenza units each pedestal has one file drawer over one box drawer. The base is constructed and shaped in veneer wrapped mdf; adjustable leveling glides are mounted in each corner of the base. All joints are reinforced with concealed wood glue blocks.

drawers:

Drawers are 3/4" thick, 3-ply construction drawer fronts with vertical book matched Walnut veneer. Drawer edges are wrapped on top and sides with matching Walnut. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear coat lacquer sealer to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation. Pedestals have one file drawer and one box drawer each. Drawer hardware is an Antique Brass English bail pull. Each desk is standard with a center drawer with a high grade Sterling suspension and a solid wood pen and pencil tray.

locking:

Kneespace pedestal locks which activate the center drawer lock mechanism. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.


finish:

All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave an open grain natural look to the furniture, and are available in the following finishes: (3L) walnut, (25M) mahogany, (4L) dark mahogany, and (25C) cherry.


magnus

desks


letter
front to back



letter
side to side




letter/legal
combination




**returns
and
credenzas**


letter
front to back



letter
side to side




legal
side to side




lateral files


letter
side to side



letter
front to back



legal
side to side



CF1272-3L-P

unit identification (type) & top dimension - chassis & top finish - top material



	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	CF1272 - __	conference desk double pedestal desk center drawer arm slide and file/box drawer in both pedestals	36 72 29 <i>APPROACH: 6"</i> <i>KNEESPACE: 28"</i>	class 125 cwt 265 lb cu ft 53	2,052	2,216
	F126630 - __	double pedestal desk center drawer arm slide and file/box drawer in both pedestals	30 66 29 <i>KNEESPACE: 32.5"</i>	class 125 cwt 285 lb cu ft 40	2,014	2,174
	F1260 - __	double pedestal desk center drawer arm slide and file/box drawer in both pedestals	30 60 29 <i>KNEESPACE: 23.5"</i>	class 125 cwt 255 lb cu ft 37	1,879	2,102
	T1272 - __	table desk locking center drawer square legs	36 72 29 <i>KNEESPACE: 66"</i>	class 85 kd cwt 135 lb cu ft 14	1,555	1,673
	T1272TL - __	table desk locking center drawer turned legs	36 72 29 <i>KNEESPACE: 66"</i>	class 85 kd cwt 135 lb cu ft 14	1,691	1,823
	T1260 - __	table desk locking center drawer square legs	30 60 29 <i>KNEESPACE: 54"</i>	class 85 kd cwt 110 lb cu ft 9	1,166	1,255
	T1260TL - __	table desk locking center drawer turned legs	30 60 29 <i>KNEESPACE: 54"</i>	class 85 kd cwt 110 lb cu ft 9	1,233	1,389
	CR1272 - __	kneespace credenza file/box pedestal on each side	20 72 29 <i>KNEESPACE: 30"</i>	class 125 cwt 205 lb cu ft 28	1,537	1,656
	CR1272D - __	credenza file/box pedestal on each side sliding doors in center area with one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i>	20 72 29	class 125 cwt 235 lb cu ft 28	2,053	2,320

top P laminate top










edge












	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	CR127224 - __	computer depth credenza file/box pedestal on each side	24 72 29	class 125 cwt 220 lb cu ft 34	1,591	1,714
	CR1266 - __	kneespace credenza file/box pedestal on each side	20 66 29 <i>KNEESPACE: 30"</i>	class 125 cwt 170 lb cu ft 26	1,455	1,618
	CR1266D - __	storage credenza file/box pedestal on each side sliding doors in center area with one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i>	20 66 29	class 125 cwt 210 lb cu ft 26	2,015	2,278
	CR1266KB - __	kneespace credenza with keyboard file/box pedestal on each side <i>ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29"</i>	20 66 29 <i>KNEESPACE: 30"</i>	class 125 cwt 180 lb cu ft 26	1,757	1,945
	CR126624 - __	computer depth credenza file/box pedestal on each side	24 66 29	class 125 cwt 215 lb cu ft 30	1,575	1,696
	D1272R - __	single pedestal desk right file/box pedestal includes center drawer	36 72 29	class 125 cwt 215 lb cu ft 53	1,931	2,086
	D1272L - __	single pedestal desk left file/box pedestal includes center drawer	36 72 29	class 125 cwt 215 lb cu ft 53	1,931	2,081
	D1266R - __	single pedestal desk right file/box pedestal includes center drawer	36 66 29	class 125 cwt 205 lb cu ft 48	1,811	1,956
	D1266L - __	single pedestal desk left file/box pedestal includes center drawer	36 66 29	class 125 cwt 205 lb cu ft 48	1,811	1,956

laminated tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut



	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	D126630R - __	single pedestal desk right file/box pedestal includes center drawer	30	66	29	class 125 cwt 195 lb cu ft 40	1,760	1,951
	D126630L - __	single pedestal desk left file/box pedestal includes center drawer	30	66	29	class 125 cwt 195 lb cu ft 40	1,760	1,951
	D1260R - __	single pedestal desk right file/box pedestal includes center drawer	30	60	29	class 125 cwt 180 lb cu ft 37	1,411	1,518
	D1260L - __	single pedestal desk left file/box pedestal includes center drawer	30	60	29	class 125 cwt 180 lb cu ft 37	1,411	1,518
	D1242R - __	single pedestal desk right file/box pedestal includes center drawer <i>KNEESPACE: 23.5"</i>	30	42	29	class 125 cwt 165 lb cu ft 26	1,389	1,496
	D1242L - __	single pedestal desk left file/box pedestal includes center drawer <i>KNEESPACE: 23.5"</i>	30	42	29	class 125 cwt 165 lb cu ft 26	1,389	1,496
	R1248R-EH - __	single pedestal return right file/box pedestal	24	48	29	class 125 cwt 165 lb cu ft 25	1,134	1,226
	R1248L-EH - __	single pedestal return left file/box pedestal	24	48	29	class 125 cwt 165 lb cu ft 25	1,134	1,226
	R124820R-EH - __	single pedestal return right file/box pedestal for use with P1260	20	48	29	class 125 cwt 160 lb cu ft 25	1,134	1,226

	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	R124820L-EH - __	single pedestal return left file/box pedestal for use with D1260	20	48	29	class 125 cwt 160 lb cu ft 25	1,134	1,226
	B1248-EH - __	bridge open kneespace	20	48	29	class 125 cwt 65 lb cu ft 3	391	423
	C1272R - __	single pedestal credenza right file/box pedestal	20	72	29	class 125 cwt 180 lb cu ft 28	2,032	2,195
	C1272L - __	single pedestal credenza left file/box pedestal	20	72	29	class 125 cwt 180 lb cu ft 28	2,032	2,195
	C1272R-2F - __	single pedestal credenza right lateral file pedestal	20	72	29	class 125 cwt 225 lb cu ft 28	2,358	2,521
	C1272L-2F - __	single pedestal credenza left lateral file pedestal	20	72	29	class 125 cwt 225 lb cu ft 28	2,358	2,521
	C1266R - __	single pedestal credenza right file/box pedestal	20	66	29	class 125 cwt 170 lb cu ft 26	1,581	1,646
	C1266L - __	single pedestal credenza left file/box pedestal	20	66	29	class 125 cwt 170 lb cu ft 26	1,581	1,646
	WH1266 - __	66" wide wall hung overhead unit four hinged doors	16	66	16	class 125 cwt 110 lb cu ft 13	1,806	1,939

top P laminate top

edge



laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut



	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	WH1248 - __	48" wide wall hung overhead unit three hinged doors	16 48 16	class 125 cwt 90 lb cu ft 10	1,361	1,461
	WH1236 - __	36" wide wall hung overhead unit two hinged doors	16 36 16	class 125 cwt 75 lb cu ft 7	923	990
	FH1272 - __	72" wide overhead storage unit two full hinged doors two half hinged doors two wire management grommets	17.5 71 43.25 <i>OPENING: 24.25"</i>	class 125 cwt 260 lb cu ft 40	2,447	3,196
	FH1266 - __	66" wide overhead storage unit two full hinged doors two half hinged doors two wire management grommet	17.5 65 43.25 <i>OPENING: 24.25"</i>	class 125 cwt 247 lb cu ft 38	2,356	3,082
	OU1272 - __	72" wide overhead storage unit four hinged doors three wire management grommets	17.5 70.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 190 lb cu ft 40	2,366	2,556
	OU1266 - __	66" wide overhead storage unit four hinged doors three wire management grommets	17.5 64.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 180 lb cu ft 38	2,073	2,445
	OD1272 - __	72" wide overhead storage unit with open center one hinged door on each end three wire management grommets	17.5 70.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 200 lb cu ft 40	2,122	2,292
	OD1266 - __	66" wide open overhead storage unit with open center three wire management grommets	17.5 64.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 175 lb cu ft 38	1,902	2,055
	OO1272 - __	72" wide open overhead storage unit with open center three wire management grommets	17.5 64.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 195 lb cu ft 40	1,668	1,801

top P laminate top

edge



	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	OO1266 - __	66" wide open overhead storage unit with open center three wire management grommets	17.5 64.8 43.25 <i>OPENING: 25.63"</i>	class 125 cwt 175 lb cu ft 38	1,658	1,791
	H1229 - __	open hutch w/ two adjustable shelves <i>SET UNIT ON HW1230 OR 2FD1230</i>	13 29 43.25	class 125 cwt 65 lb cu ft 12	916	987
	H1257 - __	double open hutch <i>SET UNIT ON 4FD1260</i> <i>ADDITIONAL SHELVES \$77 EACH</i>			1,795	1,922
	HW12722F - __	storage cabinet hinged doors with adjustable shelf upper, lateral file below <i>ADDITIONAL SHELVES \$77 EACH</i>	24 36 72	class 125 cwt 320 lb cu ft 43	4,323	4,669
	HW1272HW - __	storage cabinet hinged doors with adjustable shelf upper and lower <i>ADDITIONAL SHELVES \$77 EACH</i>	24 36 72	class 125 cwt 270 lb cu ft 43	4,140	4,477
	HW1230 - __	hinged door cabinet two wood doors one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i>	20 30 29	class 125 cwt 105 lb cu ft 13	1,028	1,085
	WD1272 - __	wardrobe two hinged doors, hanging rod three adjustable shelves <i>ADDITIONAL SHELVES \$77 EACH</i>	24 36 72 <i>INSIDE DIMENSIONS:</i> 21 33 69	class 125 cwt 280 lb cu ft 42	2,995	3,234
	WD1272-18 - __ (L or R)	wardrobe hinged door <i>INSIDE DIMENSIONS:</i>	24 18 72	class 125 cwt 170 lb cu ft 23	2,230	2,442
	AV12722F - __	tv cabinet with pocket doors and pull out/swivel tv tray upper, lateral file below	24 36 72	class 125 cwt 340 lb cu ft 43	4,953	5,349
	AV1272HW - __	tv cabinet with pocket doors and pull out/swivel tv tray upper, hinged doors with adjustable shelf below <i>ADDITIONAL SHELVES \$77 EACH</i>	24 36 72	class 125 cwt 290 lb cu ft 43	4,785	5,170

laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut

CF1272-3L-P

unit identification (type) & top dimension - chassis & top finish - top material



	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	4FD1260 - __	lateral file/four drawers two drawer side by side under common top letter and legal capacity	20	60	29	class 125 cwt 225 lb cu ft 26	2,429	2,653
	2FD1230 - __	lateral file letter and legal capacity	20	30	29	class 125 cwt 100 lb cu ft 13	1,213	1,328
	BW1271 - __	double bookcase wood doors two adjustable shelves in each side freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	71	47.5	class 125 cwt 235 lb cu ft 41	2,943	3,179
	BW1236 - __	bookcase wood doors two adjustable shelves freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	36	47.5	class 125 cwt 120 lb cu ft 21	1,509	1,629
	BG1271 - __	double bookcase wire grill doors two adjustable shelves in each side freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	71	47.5	class 125 cwt 235 lb cu ft 41	3,554	3,872
	BG1236 - __	bookcase wire grill doors two adjustable shelves freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	36	47.5	class 125 cwt 120 lb cu ft 21	1,854	2,003
	BD1271 - __	double bookcase glass doors two adjustable shelves freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	71	47.5	class 125 cwt 235 lb cu ft 41	3,084	3,331
	BD1236 - __	bookcase glass doors two adjustable shelves in each side freestanding with base SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	17	36	47.5	class 125 cwt 120 lb cu ft 21	1,579	1,773
	BC1284 - __	bookcase four adjustable shelves one fixed shelf in center SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	84	class 125 cwt 145 lb cu ft 28	1,509	1,627

top P laminate top

edge




	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	BC1272 - __	bookcase three adjustable shelves one fixed shelf in center SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	72	class 125 cwt 135 lb cu ft 24	1,351	1,461
	BC1260 - __	bookcase two adjustable shelves one fixed shelf in center SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	60	class 125 cwt 110 lb cu ft 20	1,126	1,214
	BC1248 - __	bookcase one adjustable shelf one fixed shelf SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	48	class 125 cwt 96 lb cu ft 16	960	1,036
	BC1236 - __	bookcase two adjustable shelves SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	36	class 125 cwt 85 lb cu ft 12	817	882
	BC1230 - __	bookcase one adjustable shelf SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	30	class 125 cwt 80 lb cu ft 11	718	777

laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1272R-EH - __	executive "I" unit	84	72	29	class 125 cwt 370 lb cu ft 82	3,065	3,310




consists of:		d	w	h	quantity
D1272L-__-P	single pedestal desk center drawer, arm slide left file/box pedestal	36	72	29	1
R1248R-EH-__-P	single pedestal return right file/box pedestal	24	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1272L-EH - __	executive "I" unit	84	72	29	class 125 cwt 370 lb cu ft 82	3,065	3,310



consists of:		d	w	h	quantity
D1272L-__-P	single pedestal desk center drawer, arm slide right file/box pedestal	36	72	29	1
R1248L-EH-__-P	single pedestal return left file/box pedestal	24	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1266R-EH - __	executive "I" unit	84	66	29	class 125 cwt 345 lb cu ft 69	2,945	3,182




consists of:		d	w	h	quantity
D1266L-__-P	single pedestal desk 6" overhang on approach side center drawer, arm slide, left file/box pedestal	36	66	29	1
R1248R-EH-__-P	single pedestal return right file/box pedestal	24	48	29	1

top P laminate top

edge




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1266L-EH - __	executive "I" unit	84	66	29	class 125 cwt 345 lb cu ft 65	2,945	3,182




consists of:		d	w	h	quantity
D1266R-__-P	single pedestal desk 6" overhang on approach side center drawer, arm slide, right file/box pedestal	36	66	29	1
R1248L-EH-__-P	single pedestal return left file/box pedestal	24	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M126630R-EH - __	executive "I" unit	78	66	29	class 125 cwt 360 lb cu ft 65	2,894	3,177



consists of:		d	w	h	quantity
D126630L-__-P	single pedestal desk center drawer, arm slide left file/box pedestal	30	66	29	1
R1248R-EH-__-P	single pedestal return right file/box pedestal	24	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M126630L-EH - __	executive "I" unit	78	66	29	class 125 cwt 360 lb cu ft 65	2,894	3,177




consists of:		d	w	h	quantity
D126630R-__-P	single pedestal desk center drawer, arm slide right file/box pedestal	30	66	29	1
R1248L-EH-__-P	single pedestal return left file/box pedestal	24	48	29	1

laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1200R-EH - __	executive "l" unit	78	60	29	class 125 cwt 305 lb cu ft 53	2,545	2,744




consists of:	d	w	h	quantity
D1260L-__-P single pedestal desk center drawer, arm slide, left file/box pedestal	30	60	29	1
R124820R-EH-__-P single pedestal return right file/box pedestal	20	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1200L-EH - __	executive "l" unit	78	60	29	class 125 cwt 305 lb cu ft 53	2,545	2,744



consists of:	d	w	h	quantity
D1260R-__-P single pedestal desk center drawer, arm slide, right file/box pedestal	30	60	29	1
R124820L-EH-__-P single pedestal return left file/box pedestal	20	48	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFUM1272R-EH - __	executive "u" unit	104	72	29	class 125 cwt 465 lb cu ft 77	4,354	4,704



consists of:	d	w	h	quantity
D1272L-__-P single pedestal desk center drawer, arm slide, left file/box pedestal	36	72	29	1
B1248-EH-__-P bridge with open kneespace	20	48	29	1
C1272R-EH-__-P single pedestal credenza right file/box pedestal	20	72	29	1


top P laminate top

edge




bridges custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. 27" high typing height bridge available- add \$197 list and specify "TH" in place "EH".

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFUM1272L-EH - __	executive "u" unit	104	72	29	class 125 cwt 465 lb cu ft 77	4,354	4,704




consists of:	d	w	h	quantity
D1272R-__-P single pedestal desk center drawer, arm slide, right file/box pedestal	36	72	29	1
B1248-EH-__-P bridge with open kneespace	20	48	29	1
C1272L-EH-__-P single pedestal credenza left file/box pedestal	20	72	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFUM1272R-EH2F - __	executive "u" unit	104	72	29	class 125 cwt 570 lb cu ft 77	4,680	5,030



consists of:	d	w	h	quantity
D1272L-__-P single pedestal desk center drawer, arm slide, left file/box pedestal	36	72	29	1
B1248-EH-__-P bridge with open kneespace	20	48	29	1
C1272R-2F-__-P single pedestal credenza right lateral file pedestal	20	72	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFUM1272L-EH2F - __	executive "u" unit	104	72	29	class 125 cwt 570 lb cu ft 77	4,680	5,030




consists of:	d	w	h	quantity
D1272R-__-P single pedestal desk center drawer, arm slide, right file/box pedestal	36	72	29	1
B1248-EH-__-P bridge with open kneespace	20	48	29	1
C1272L-2F-__-P single pedestal credenza left lateral file pedestal	20	72	29	1

laminates tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut

CF1272-3L-P


unit identification (type) & top dimension - **chassis & top finish - top material**

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM1266R-EH - __	executive "u" unit	98	66	29	class 125 cwt 430 lb cu ft 76	3,732	4,020



consists of:		d	w	h	quantity
D126630L-__-P	single pedestal desk center drawer, arm slide, left file/box pedestal	30	66	29	1
B1248-EH-__-P	bridge with open kneespace	20	48	29	1
C1266R-__-P	single pedestal credenza right file/box pedestal	20	66	29	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM1266L-EH - __	executive "u" unit	98	66	29	class 125 cwt 430 lb cu ft 76	3,732	4,020



consists of:		d	w	h	quantity
D126630R-__-P	single pedestal desk center drawer, arm slide, right file/box pedestal	30	66	29	1
B1248-EH-__-P	bridge with open kneespace	20	48	29	1
C1266L-__-P	single pedestal credenza left file/box pedestal	20	66	29	1

top P laminate top

edge



bridges custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. 27" high typing height bridge available- add \$197 list and specify "TH" in place "EH".

magnus | 1200 series | laminate top, veneer chassis, veneer drawer fronts



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TD1272 - __	desk top transaction counter for use with 72" desk only	12	72	15.25	class 125 cwt 90 lb cu ft 6	930	999

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TD1266 - __	desk top transaction counter for use with 66" desk only	12	66	15.25	class 125 cwt 84 lb cu ft 6	930	999

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TD126630 - __	desk top transaction counter for use with 30" x 66" desk only	12	66	15.25	class 125 cwt 84 lb cu ft 6	930	999

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TD1260 - __	desk top transaction counter for use with 30" x 60" desk only	12	60	15.25	class 125 cwt 84 lb cu ft 6	930	999

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TM1272R - __	desk top transaction/reception gallery for use with executive height 72" "I" unit	12	72	15.25	class 125 cwt 100 lb cu ft 6	1,375	1,478
	GALLERY	84	72	14			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TM1272L - __	desk top transaction/reception gallery for use with executive height 72" "I" unit	12	72	15.25	class 125 cwt 100 lb cu ft 6	1,375	1,478
	GALLERY	84	72	14			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TM1266R - __	desk top transaction/reception gallery for use with executive height 66" "I" unit	12	66	15.25	class 125 cwt 94 lb cu ft 6	1,375	1,478
	GALLERY	84	66	14			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TM1266L - __	desk top transaction/reception gallery for use with executive height 66" "I" unit	12	66	15.25	class 125 cwt 94 lb cu ft 6	1,375	1,478
	GALLERY	84	66	14			

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TM126630R - __	desk top transaction/reception gallery for use with 30" x 66" "I" unit	12	66	15.25	class 125 cwt 94 lb cu ft 6	1,375	1,478
	GALLERY	78	66	14			

laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut

CF1272-3L-P

unit identification (type) & top dimension - **chassis & top finish - top material**



	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	TM126630L - _	desk top transaction/reception gallery for use with 30" x 66" "I" unit	12	66	15.25	class 125 cwt 94 lb cu ft 6	1,375	1,478
		GALLERY	78	66	14			
	TM1260R - _	desk top transaction/reception gallery for use with 60" right "I" unit	12	60	15.25	class 125 cwt 90 lb cu ft 6	1,375	1,478
		GALLERY	78	60	14			
	TM1260L - _	desk top transaction/reception gallery for use with 60" left "I" unit	12	60	15.25	class 125 cwt 90 lb cu ft 6	1,375	1,478
		GALLERY	78	60	14			
	TU1272R - _	desk top transaction/reception gallery for use with 72" right executive "u" unit only	12	72	15.25	class 125 cwt 150 lb cu ft 8	1,858	2,001
		GALLERY	104	72	14			
	TU1272L - _	desk top transaction/reception gallery for use with 72" left executive "u" unit only	12	72	15.25	class 125 cwt 150 lb cu ft 8	1,858	2,001
		GALLERY	104	72	14			
	TU1266R - _	desk top transaction/reception gallery for use with 66" right executive "u" unit only	12	66	15.25	class 125 cwt 140 lb cu ft 8	1,858	2,001
		GALLERY	104	66	14			
	TU1266L - _	desk top transaction/reception gallery for use with 66" left executive "u" unit only	12	66	15.25	class 125 cwt 140 lb cu ft 8	1,858	2,001
		GALLERY	104	66	14			
	T1248-29 - _	sofa table	18	48	29	class 85 kd cwt 50 lb cu ft 3	653	706
		CAN SHIP UPS						
	T1248 - _	lamp table	18	48	17	class 85 kd cwt 40 lb cu ft 3	470	506
		CAN SHIP UPS						

top P laminate top

edge



	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	ET1228 - _	end table	28	15	22	class 150 kd cwt 26 lb cu ft 2	362	389
		CAN SHIP UPS						
	ET1228S - _	end table with shelf	28	15	22	class 85 kd cwt 30 lb cu ft 2	482	521
		CAN SHIP UPS						
	T1230-29 - _	lamp table	30	30	29	class 85 kd cwt 50 lb cu ft 3	612	662
		CAN SHIP UPS						
	T1230-22 - _	lamp table	30	30	22	class 85 kd cwt 45 lb cu ft 3	430	464
		CAN SHIP UPS						
	T1230-17 - _	lamp table	30	30	17	class 85 kd cwt 46 lb cu ft 3	396	427
		CAN SHIP UPS						
	T1230S - _	lamp table with shelf	30	30	22	class 85 kd cwt 64 lb cu ft 3	645	696
		CAN SHIP UPS						
	W1214 - _	waste receptacle	14	14	14.5	class 200 cwt 9 lb cu ft 2	285	307
		CAN SHIP UPS						
	CO1272 - _	costumer			72	class 85 kd cwt 15 lb cu ft .5	239	258
		CAN SHIP UPS						
	CO1266 - _	costumer			66	class 85 kd cwt 10 lb cu ft .5	167	180
		CAN SHIP UPS						

laminate tops only
3L-P walnut laminate
4L-P dark mahogany on walnut
25M-P mahogany on walnut
25C-P cherry finish on walnut