August 2, 2004 Updated August 31, 2007 800-424-2432







Refer to KI Terms & Conditions document or visit ki.com.

True® Desking System Specifications	True® Desking System Specifications	2
True® Desking System Typicals	True® Desking System Typicals	4
True® Desking System	Rectangular Desk	6
	Bow Front Desk	10
	Corner Desk	12
	Square Shoe Desk	20
	D-Shaped Desk	28
	P-Shaped Desk	36
	Piano Desk	44
	Transitional Desk	52
	Add-On Worksurfaces	56
	Transaction Worksurfaces	58
True® Desking System Components	Privacy Screens - Exposed Frame	62
	Privacy Screens - Upholstered	66
	Worksurface Dividers	74
	Tool Rails	76
	Paper Management	78
	Balance® Overhead Storage	82
	Balance® Task Lights	88
	Universal Overhead Storage	90
	Universal Overhead Shelves and Divider	98
	Universal Overhead and Shelves Task Lights	100
True® Desking System Accessories	Center Drawer and Keyboards	102
Worksurface Accessories	Corner Worksurface Keyboard Trays w/Extended Arms	106
	Keyboard Trays with Standard Arms	108
True® Desking System Accessories	CPU Sling	112
	Grommets	114
	Corner Power Infeed Leg	116
	Modesty Panel Inserts	118
	Worksurface Accessories	120
	Backpacks	122
True® Desking System Data/Comm.	Accessories	126
True® Desking System Electrical	Electrical	128
700 Series® Pedestals	Mobile and Freestanding	138
700 Series® Credenza Files	Credenza Files and Cupboards	142
700 Series® Curve Pedestals	Mobile and Freestanding	144
700 Series® Accessories	Pedestal Accessories	148
E-Series® Pedestals	Mobile	152
	Freestanding	154
Index	Index	156

True® Desking System Specifications

Basic Worksurfaces

Worksurfaces shall define the shape of the workstation and provide support for overhead storage, hanging pedestals, electrical componentry, and privacy screens.

Rectangular Worksurfaces

Laminated worksurfaces shall be constructed from 1-1/8" medium density fiberboard with a .030 high-pressure laminate surface or veneer and a .030 phenolic backing sheet with a choice of three edge styles: PVC, PVC with knife edge along front, or 3/8" wood. PVC edge shall be available in multiple colors. The knife edge shall only be applied to the front edge of the worksurface and extend 2" beyond the desk frame. The wood edge shall be constructed from natural red oak and be available in a clear finish (standard) or in a maple wood band with additional stains. Worksurfaces shall be available in 24", 30", 36", 42", 48", 54", 60", 66", and 72" widths, 24" and 30" depths, and 29"

Rectangular worksurfaces up to 60" wide shall include two triangular worksurface grommets and covers, located in the back corners of each worksurface. 66" and 72" wide worksurfaces shall have an optional third triangular worksurface grommet and cover located near the back center of the desk. Grommets shall be molded from polycarbonate and available in colors or translucent. Worksurfaces that are 60", 66", and 72" wide shall have an integrated steel reinforcement to allow adequate support for load bearing. All worksurfaces shall have predrilled holes for attachment to the desk frame.

Two leg supports shall support the worksurface and be formed of 16-gauge steel, overall dimensions shall be 6.00 x 6.00 x 27.25, with 16-gauge internal reinforcements resistance welded for additional strength. The leg assemblies shall be attached to the underside of the worksurface from above by use of threaded inserts. A steel leg cover on inside of desk shall be standard and removable without tools. A glide shall be attached to the bottom of the leg for up to 1" of adjustability. Two 3.25" x 2.25" grommets and covers molded from polycarbonate shall be standard on the top of each leg side.

The modesty panel beam shall be formed of 18-gauge steel, overall dimensions are 3.00 x 9.00 x length determined by size of worksurface. The modesty panel beam shall be attached to leg supports and the underside of the worksurface, will provide support for the worksurface and allow electrical and data cable to be run along the width of the desk. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and modesty panel beam and snap into place for easier assembly.

An optional lower modesty panel shall be

formed of 18-gauge steel, overall dimensions are 1.00 x 18.00 x length determined by size of worksurface. The lower modesty panel shall be attached to the leg supports and provide full enclosure of the desk back from floor to the modesty panel beam.

Two end panels shall support the worksurface and be formed of 18-gauge steel with an 18-gauge steel reinforcement resistance welded for strength. The end panel shall have a honeycomb core for additional strength and noise reduction. Overall dimensions shall be 1.25 x 27.00 x depth determined by worksurface size or configuration. Standard depths shall be 9" for transitional depth, 18" for 24" worksurfaces and 24" for 30 worksurfaces. End panel assembly shall be attached to the underside of the worksurface and leg assembly. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and end panel and snap into place for easier assembly. A glide shall be attached to the bottom of the end panel for up to 1" of adjustability.

All steel desk components shall be powdercoated or otherwise finished.

Rectangular Reduction Worksurface

Rectangular reduction worksurfaces shall have the same basic construction as the rectangular worksurfaces. Worksurfaces shall have two curving arcs along the front edge that transition from a depth of 30" on one end and 24" on the opposite end.

Bow Front Worksurface

Bow front worksurfaces shall have the same basic construction as the rectangular worksurfaces. These worksurfaces shall have a depth of 30" or 36" with a radius edge that extends 6" from the desk support structure on the visitor side. Worksurfaces shall only be available in 60", 66", and 72" widths, without the center grommet and cover.

Corner Worksurface

Corner worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional leg support, modesty panel beam, and optional lower modesty panel. Depths of 24" and 30" and widths of 42" and 48" shall be standard. Worksurfaces shall have three grommets and covers, one per corner, located in the back corners of each worksurface as standard.

P-Shaped and Piano Shaped Worksurfaces

P-shaped and piano shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded front end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. The modesty panel shall be constructed from 18-gauge steel and extend 9" from the underside of the

worksurface. Worksurfaces shall be available in 60", 66" and 72" depths and 48" wirths

D-Shaped Worksurfaces

D-shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. Worksurfaces shall be available in 24", 30" or 36" widths and 48", 54", 60", 66" and 72" depths

Round Add-On Worksurface

Round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 36" diameter with a 24" flat and 42" diameter with a 30" flat. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Two steel splice plates and hardware shall be included to attach the round add on worksurface to a rectangular worksurface.

Half Round and Quarter Round Add-On Worksurfaces

Half round and quarter round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 48" diameter and 60" diameter. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Four steel splice plates and hardware shall be included to attach the half round add on worksurface to two back to back rectangular worksurfaces. Four steel splice plates and hardware shall be included to attach the quarter round add on worksurface to two rectangular worksurfaces that are perpendicular to each other.

Transaction Worksurface

Transaction worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. Worksurfaces shall attach via two support stanchions to rectangular worksurfaces and three support stanchions to corner worksurfaces. The worksurfaces shall be available in 16" depth with a 4" overhang in overall sizes that match the base rectangular and corner workstations. Worksurfaces shall be available in 31" wheelchair accessible height or 42" stand-up height.

Backpack Wire Trough Component Kit

Backpack wire trough components shall allow for lay-in wiring along the back of workstation. The kit shall consist of a pair of trough mounting brackets attached to the leg supports and constructed from 16-gauge steel, three 1.25" x .92" wire troughs con-

structed from 18-gauge steel that span the width of a desk, and a cover constructed from 18-gauge steel capable of being opened without the use of any tools.

Applicable end trim, corner, and splice components shall also be available for the cover.

Electrical

Power shall be supplied through a UL listed 10-wire system available in two different configurations that are not interchangeable: 6 hot wires, 2 neutral wires, and 2 ground wires or 4 hot wires, 4 neutral wires, and 2 ground wires. The system shall have a rated capacity of 120 VAC @ 20 amps.

A rigid one-piece wireway shall be attached to the inside of the modesty panel beam by two 16-gauge steel brackets and hardware and be covered by an 18-gauge steel cover. The wireway design shall allow for easy connection of the wireway of one desk to another through the use of a jumper. All desks 30" and wider shall be ready to accept electrical components.

The receptacles for the system shall be snap fit into the wireways and be rated for 15 amps.

The electrical system shall allow for a method of passing power from one powered desk through the modesty panel beam of a non-powered desk and connected to the wireway of a third desk. This power pass through shall attach with snap fit connections.

The electrical system shall allow power to infeed from the top of the desk through the triangular grommet in the worksurface. The top infeed kit shall include 12' of flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other, a 7' or 10' extruded aluminum power pole and cover, and ceiling trim. The interior of the power pole shall be divided into two cavities for power and communication cable management.

The electrical system shall allow for power to infeed from the base of the desk through the lower leg grommet or leg cover. The base infeed kit shall include 6' of plastic covered flexible conduit that transitions into flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other. A relocatable power tap (RPT) shall provide above worksurface power to the support stanchions from an installed 10-wire electrical system or use of the building outlets. Two RPT's, each containing two 15 amp outlets, shall be mountable per stanchion. Cord lengths shall be available in 36" or 96".

A steel bracket shall be available to attach to the underside of the modesty panel beam near the worksurface. It shall have a 1.38" x 2.70" opening to accept several different manufacturers data faceplates and the RPT.



True® Desking System Specifications

Pedestal Storage

Pedestal storage for True® shall be provided by Kl's 700 Series®, 700 Series® Curve, and E-Series® Pedestals. 3 pedestals shall be available in 2 depths, 17-5/8" that may be used with any depth worksurface, 21-5/8" for maximum storage under a 30" worksurface. Multiple drawer combinations shall be available.

The 12" file drawer sizes shall have full extension slide arm suspensions for full access to storage space. The 3" pencil drawers and 6" box drawers shall have 3/4" extension, steel ball-bearing suspension. Locks shall be included in each pedestal. Specific keying combinations shall be available. See Key Options.

Mobile Pedestals

Mobile pedestals shall have a finished top and 4 twin wheel hooded casters. Front casters shall be locking and back casters shall be non-locking. A counterbalance weight shall be included with each unit.

Freestanding Pedestals

Freestanding pedestals shall have a finished top and 4 adjustable glides. They shall be placed under a worksurface or anywhere else in the office. A counterbalance is optional.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary.

Sliding Keyboard Drawer

Sliding keyboard drawer shall attach to the underside of a worksurface. The keyboard drawer shall be molded plastic mounted to steel ball bearing slides with installed height adjustments at 3", 3-1/2" and 4" below the worksurface. Accommodates keyboards up to 9" x 22" and has a molded palm rest.

Sliding Keyboard Drawer with Mouse Trav

Sliding keyboard drawer with mouse tray shall attach to the underside of a worksurface. The keyboard drawer shall be molded plastic mounted to steel ball bearing slides with installed height adjustments at 3", 3-1/2" and 4" below the worksurface.

Accommodates keyboards up to 9" x 22" and has a molded palm rest. The non-handed mouse tray shall extend to the left or right and provide a 9" wide by 8-1/2" deep surface

Fully Adjustable Keyboard Tray

Fully adjustable keyboard trays shall attach to the underside of a worksurface. They shall feature a 5-1/2" vertical adjustment, 359° swivel and a tilt range of 10° positive and 15° negative. The keyboard tray shall slide back to store below the worksurface. Accommodates keyboards up to 9" by 22".

Fully Adjustable Keyboard Tray with Mouse Tray

Fully adjustable keyboard trays shall attach to the underside of a worksurface. They shall feature a 5-1/2" vertical adjustment, 359° swivel and a tilt range of 10° positive and 15° negative. The keyboard tray shall slide back to store below the worksurface. The surface accommodates keyboards up to 9" by 22" and the non-handed mouse tray extends 9" to the left or right.

CPU Sling

Vertical CPU sling that supports and stores the CPU beneath the worksurface available with a 360° swivel and 5-1/2" travel range. The CPU sling is constructed of a steel mounting plate with 17-3/4" track which attaches to the underside of the worksurface. Front and back bumpers are included to prevent over travel. CPU sling is held by an adjustable strap to accomodate most computers and has a positive locking clamp.

Adjustable/Securable CPU Holder

The CPU holder shall accommodate a range of CPU's from 2" to 10-1/2" thick and 11" to 21" tall. Optional security kit available that prevents tampering or removal of the CPU.

Privacy Screens

Privacy screens shall be available to provide sit down or stand up privacy within the True® workstation. Screens shall be 3/4" or 1" thick, 18-1/4", 21" or 38" high and available in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths to fit all worksurfaces. The 66" and 72" widths shall consist of a pair of screens (1) 30" plus (1) 36" screens for 72" applications and (2) 36" screens for 72" applications. The screens shall include mounting brackets for attachment to either the overhead supports, the underside of the worksurface, the top of the worksurface, or with a combination of attachment to an overhead support and a worksurface top.

Two privacy screen construction methods shall be available: two 1/2" industrial insulation boards, covered with fabric and glued together or an exposed, powder-coated aluminum frame. The exposed frame construction shall allow for different core materials to be inserted

Overhead Support Stanchions

The overhead support stanchions shall be formed of 16-gauge steel, with overall dimensions of 6.00" x 6.00" x 19.50". A reinforcement plate constructed of 16-gauge steel shall be welded in place to provide additional strength and have 4 cutouts to

accommodate either commercially available data plates or two RPT's. Support stanchions shall be designed to hinge open to allow access to the inside of the overhead support stanchions. A flexible rubber trim piece shall allow power or data cables to be run from the worksurface into the overhead support stanchions with the covers closed.

Overhead Storage

Overhead storage shall consist of the Balance® overhead and Universal overhead and shelves. Overhead storage shall attach to worksurface with two or three overhead support stanchions, depending on size. 24", 30", 36", 42", 48", 54", 60", 66" and 72" sizes shall be available. 66" overhead shall consist of a 30" and 36" overhead combination. 72" overheads shall consist of a pair of 36" overheads.

Shelf dividers shall be power-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be 17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a PVC extrusion handle. Locks shall be randomly assigned or keyed per customer requests.

The end panels shall be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel. The front edge of the shelf shall be a PVC extrusion that also provides space for a concealed flush mount task light.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid PVC with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized between the upper and lower doors for security.

The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

Task Lights

Task lights shall be offered in one standard level of efficiency and cost. The standard light shall have a magnetic high power ballast with rapid start, cool white T-8 fluorescent lamp. Task lights shall attach to the

underside of the shelf on overhead cabinets.

Paper Management System

The paper management system shall address the storage and movement of files, binders, and documents. Components shall be available with integrated hooks for attachment to the work bar.

The paper management system shall include the following components: Tool Rail, Paper Tray, Diagonal Storage Unit, Vertical Storage Unit, Hanging File Folder Holder, Telephone Caddy, CD Holder, Accessory Tray, and a Pencil Cup.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

ANSI/BIFMA

True® desking shall meet or exceed the required ANSI/BIFMA X5.5-1998 desk systems test.


Quality

All True® desking components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities.

UL Listed

True® desks shall be listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate True® desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials.

True® Desking System Typicals



- 30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels
- 700 Series Freestanding Pedestal Box/Box/File


TR3060/P-74P-S-NCG S7P/1524FBBF Total Price

Price \$1,043 \$549 \$1,592



- 30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels
 24" x 28" Rectangular Desk with Full Modesty Panel,
- 74P Edge, Left Transitional End Panel
- 700 Series Freestanding Pedestal Box/Box/File


Model No.	Price
TR3060/F-74P-S-NCG	\$1,266
TR2448/F-74P-L	\$1,095
S7P/1524FBBF	\$549
Total Price	\$2.910



- 30" x 60" x 48" x 30" Square Shoe Desk with Full/Full Modesty Panel, 74P Edge, Right Transitional End Panel
- 30" x 48" x 66" Piano Shaped Desk with Full Modesty Panel and Guest Modesty Panel, 74P Edge, Both Transitional End Panels
- 700 Series Freestanding Pedestal Box/Box/File

TR30604830/F/FS-74P-R-NCG TI304866/F/G-74P-B S7P/1524FBBF Total Price


Price \$1,864 \$1,740 \$549 \$4,153



- . 30" x 60" Rectangular Desk with Full Modesty Panel,
- 74P Edge, Standard End Panels
 24" x 42" Rectangular Desk with Full Modesty Panel, 3mm PVC Edge, Left Transitional End Panel
 30"W x 20"H Privacy Screen, Mounted Behind the
- Worksurface, Upholstered

 42"W x 20"H Privacy Screen, Mounted Behind the
- Worksurface, Upholstered 66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered
- 700 Series Freestanding Pedestal Box/Box/File
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR3060/F-74P-S-NCG	\$1,266
TR2442/F-74P-L	\$1,050
TBW2030	\$177
TBW2042	\$257
TBW2066	\$396
S7P/1524FBBF	\$549
S7P/1520FBBF	\$522
Total Price	\$4,217



- 30" x 60" Rectangular Desk with Partial Modesty Panel, 374P Edge, Standard End Panels with Center
- 3/4P Edge, Standard Erio Pariets with Center Grommet to Mount Overhead Shelf 24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 48"W x 20"H Privacy Screen, Mounted Behind the Modesurface Upholstered
- Worksurface, Upholstered 60"W x 19"H Privacy Screen, Mounted Between
- Stanchions, Upholstered
- 60"W Universal Overhead Regular Shelf Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File
- 700 Series Freestanding Pedestal File/File

Price
\$1,0430
\$1,095
\$177
\$293
\$348
\$526
\$549
\$496
\$4,527


True® Desking System Typicals






- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
 72"W Balance Solid Color Overhead Cabinet
 Mayuted on Standards
- Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File
- 700 Series Freestanding Pedestal File/File

Model No.	Price
TR3072/F-74P-S-YCG	\$1,387
TBS72/U	\$424
BLCS72/TR	\$1,718
S7P/1524FBBF	\$549
S7P/1524FFF	\$522
Total Price	\$4,600




- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel
- 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
- 72"W Balance Solid Color Overhead Cabinet Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR3072/F-74P-S-YCG	\$1,387
TR2460/F-74P-L	\$1,192
TBS72/U	\$424
BLCS72/TR	\$1,718
S7P/1524FBBF	\$549
Total Price	\$5,270



- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel
- 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
- 60"W Balance Solid Color Overhead Cabinet Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR2460/F-74P-R	\$1,192
TS24487224/F/FS-74P-L-NCG	\$1,843
TBS60/U	\$348
BLCS60/TR	\$1,066
S7P/1520FBBF	\$522
Total Price	\$4,971



- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered 48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 72"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 60"W Ralance Solid Color Overhead Cabinet

- 60"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions 72"W Universal Overhead Regular Shelf

Mounted on Stanchions

• 700 Series Freestanding Pedestal - Box/Box/File

Wodel No.	Price
TR2460/F-74P-R	\$1,192
TS24487224/F/FS-74P-L-NCG	\$1,843
TBS60/U	\$348
TBW2048	\$293
TBW2072	\$435
BLCS60/TR	\$1,066
URSR72/TR	\$801
S7P/1520FBBF	\$522
Total Price	\$6,500

Rectangular Desk

MODEL NUMBER Basic Edge End Center Grom Surface Edge Desk D x W MODEL Model Style Panel Grom. Color Finish Color Color Rectangular Desk with Full Modesty 24 x 24" TR2424/F NCG 24 x 30" TR2430/F NCG · Consists of top, two legs, modesty panel, 24 x 36" TR2436/F NCG filler panel (full modesty panel), two end panels (optional transitional size), ganging 24 x 42" TR2442/F NCG plates, and all required assembly hardware (B) Both transitional 24 x 48" TR2448/F NCG Each leg has two cable access grommet locations 24 x 54" TR2454/F NCG . Top has two cable access grommets above 24 x 60" TR2460/F NCG the legs (66" and 72" wide have optional third middle grommet used for mounting 24 x 66" TR2466/F stanchions and not intended for routing 24 x 72" TR2472/F Top grommets allow for attachment of TR3024/F 30 x 24" NCG (L) Left transitional overhead storage units or privacy screens 30 x 30" NCG TR3030/F . Modesty panel allows for optional 10-wire electrical system (see Electrical section) 30 x 36" TR3036/F NCG · Pricing is for two transitional end panels 30 x 42" TR3042/F NCG see "HOW TO BUILD A MODEL NUMBER" below for more options 30 x 48" TR3048/F NCG 30 x 54" TR3054/F NCG (R) Right transitional 30 x 60" TR3060/F NCG 30 x 66" TR3066/F 30 x 72" TR3072/F (S) Two full end panels TRUE

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style.

 KN is not recommended in L-Shaped configurations.

 74P = 74P edge

edge color.

Select end panel.

B = Two transitional end panels
L = Left transitional end panel;

add \$42

R = Right transitional end panel;

add \$42

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet

YCG = Yes center grommet

"YCG" option only available on 66" and
72" wide desks. "YCG" is needed to
mount overheads, transaction surfaces or
stanchion mounted privacy screens.

- Select leg and grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color.

 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 binder.

True® Desking System Rectangular Desk

•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
57#	\$ 915	\$ 994	\$ 1136	\$ 1217	
84#	929	1010	1155	1238	
93#	954	1036	1184	1268	
100#	1008	1093	1248	1336	
108#	1053	1140	1298	1387	
115#	1095	1185	1347	1439	
128#	1150	1243	1409	1504	
136#	1203	1299	1473	1572	
144#	1272	1373	1554	1657	
89#	940	1021	1169	1252	
97#	953	1036	1185	1269	
107#	985	1071	1224	1311	
116#	1030	1118	1277	1367	
125#	1085	1175	1338	1431	
133#	1126	1219	1386	1481	
142#	1182	1278	1451	1549	
152#	1224	1322	1500	1601	
160#	1303	1406	1593	1700	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Rectangular Desk

MODEL NUMBER Basic Edge Fnd Center Grom Surface Edge Desk D x W MODEL Model Style Panel Grom. Color **Rectangular Desk with Partial Modesty** 24 x 24" TR2424/P NCG 24 x 30" TR2430/P NCG · Consists of top, two legs, modesty panel, 24 x 36" TR2436/P NCG two end panels (optional transitional size), ganging plates, and all required assembly 24 x 42" TR2442/P NCG hardware (B) Both transitional 24 x 48" TR2448/P NCG · Each leg has two upper cable access grommet locations 24 x 54" TR2454/P NCG • Top has two cable access grommets above 24 x 60" TR2460/P NCG the legs (66" and 72" wide have optional third middle grommet used for mounting 24 x 66" TR2466/P stanchions and not intended for routing 24 x 72" TR2472/P Top grommets allow for attachment of 30 x 24" TR3024/P NCG (L) Left transitional overhead storage units 30 x 30" NCG TR3030/P . Modesty panel allows for optional 10-wire electrical system (see Electrical section) 30 x 36" TR3036/P NCG · Pricing is for two transitional end panels 30 x 42" TR3042/P NCG see "HOW TO BUILD A MODEL NUMBER" below for more options 30 x 48" TR3048/P NCG 30 x 54" TR3054/P NCG (R) Right transitional 30 x 60" TR3060/P NCG 30 x 66" TR3066/P 30 x 72" TR3072/P (S) Two full end panels TRUE

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

= 74P edge

- A Select basic model.
- B Select edge style.

 KN is not recommended in L-Shaped configurations.

KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 7	4P, KN and WL edges, select from
lamina	tes for surface finish (Lxx). For
edge c	olor, 74P and KN, select from Exx
colors	and for WL, select Mxx or VOK
colors	For VN select from Mxx or VOK

edge color.

Select end panel.

B = Two transitional end panels
L = Left transitional end panel;

for surface finish and donot select an

add \$42

R = Right transitional end panel;

add \$42

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet
YCG = Yes center grommet
"YCG" option only available on 66" and
72" wide desks. "YCG" is needed to
mount overheads, transaction surfaces or
stanchion mounted privacy screens.

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



J	_ ,	_		٠.	•	•
Re	ctano	ılır	ar	De	29	k

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
52#	\$ 791	\$ 870	\$ 1013	\$ 1094	
78#	806	886	1032	1114	
85#	821	903	1051	1135	
91#	859	944	1099	1187	
97#	874	961	1118	1208	
103#	901	991	1153	1245	
114#	927	1020	1187	1282	
120#	964	1060	1234	1334	
127#	1006	1107	1288	1392	
84#	817	898	1046	1129	
91#	829	913	1061	1146	
99#	852	938	1091	1178	
107#	881	970	1128	1219	
114#	905	996	1158	1251	
121#	932	1024	1192	1287	
128#	959	1055	1228	1326	
136#	985	1083	1262	1363	
143#	1037	1140	1327	1434	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Bow Front Desk

MODEL NUMBER Approx. Basic Edge End Center Grom. Surface Edge Desk Packaged Color MODEL D x W Model Style Panel Grom. Color Finish Color Weight 30 x 60" TE3060 S NCG 134# **Bow Front Desk with Full Modesty Panel** Consists of top, two legs, modesty panel, filler panel (full modesty panel), and stan-30 x 66" TE3066 S NCG 143# 30 x 72" TE3072 S NCG 151# dard depth end panels · Each leg has two cable access grommet 36 x 60" TE3660 S NCG 153# locations 36 x 66" TE3666 S NCG 163# . Top has two cable access grommets above S 36 x 72" TE3672 NCG 172# Modesty panel allows for optional 10-wire electrical system (see Electrical section) • "Guest" side of desk has a 6" deep bowed overhang worksurface edge Pedestals ordered with Bow Front Desks are required to be undersized from the desk's depth by 12'

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style.

Knife edge (KN) adds 2" to the depth of the desk. KN and STLK not recommended in L-Shaped configurations.

74P = 74P edge
KN = Knife Edge
WL = Wood Edge Laminate
VN = Wood Edge Veneer

Select end panel.

S = Two full end panels only Price included in desk price.

- Select desk center grommet option.

 NCG = No center grommet
- Select grommet color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

 With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.



True® Desking System Bow Front Desk

74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
\$ 1311	\$ 1442	\$ 1679	\$ 1812	
1353	1488	1731	1869	
1433	1576	1834	1980	
1503	1654	1924	2078	
1555	1710	1991	2150	
1627	1789	2083	2249	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

MODEL NUMBER D x W-LEFT x Basic Edge End Center Grom. Surface Edge Desk MODEL W-RIGHT x D Style Panel Grom. Color Finish Color Color 24 x 42 x 42 x 24' Corner Desk with Full Modesty Panel/Full Modesty Panel TC24424224/FF NCG 24 x 48 x 48 x 24" TC24484824/FF NCG Consists of top, three legs, two modesty 30 x 48 x 48 x 30' TC30484830/FF NCG panels, two filler panels (full modesty panel), two end panels (optional transitional size), ganging plates, and all required (B) Both transitional assembly hardware • Each leg has two cable access grommet locations Top has three cable access grommets above the legs . Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire (L) Left transitional electrical system (see Electrical section) · Pricing is for two transitional end panels see "HOW TO BUILD A MODEL NUMBER" below for more options (R) Right transitional (S) Two full end panels TRUE

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge style. Knife edge (KN) adds 2" to the depth of

lile desi	OH THE USELS SILE.
74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

Select transition end panels. = Two transitional end panels = Left transitional end panel; add \$42

= Right transitional end panel; add \$42 = Two full end panels; add \$84

Select desk center grommet option. NCG = No center grommet

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- G Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color

selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



A					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
142#	\$ 1291	\$ 1390	\$ 1570	\$ 1671	
156#	1446	1555	1751	1863	
171#	1474	1586	1786	1900	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Corner Desk

			MODEL NUMBE	R						
			JULE HOMBE							
		D x W-LEFT x	Basic	Edge	End	Center	Grom.	Surface	Edge	Desk
	MODEL	W-RIGHT x D	Model	Style	Panel	Grom.	Color	Finish	Color	Color
	Corner Desk with Full Modesty	24 x 42 x 42 x 24"	TC24424224/FP			NCG				
	Panel/Partial Modesty Panel Consists of top, three lens, two modesty	24 x 48 x 48 x 24"	TC24484824/FP			NCG				
	nanels, one filler nanel (full modesty	30 x 48 x 48 x 30"	TC30484830/FP			NCG				
(R) Roth transitional	panel), two end panels (optional transition- al size), ganging plates, and all required									
(b) Don't transitional	assembly hardware									
	Corner Desk with Full Modesty Panel/Partial Modesty Panel Consists of top, three legs, two modesty panels, one filler panel (full modesty panel), two end panels (optional transition- al size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options									
(L) Left transitional	 Modesty panel allows for optional 10-wire 									
(2) 2011 (1411011101141	electrical system (see Electrical section)									
	see "HOW TO BUILD A MODEL NUMBER"									
	below for more options									
	Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options									
(R) Right transitional										
(S) Two full end panels										
TRUE										
				1						
				B	•	•		•	G	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge style. Knife edge (KN) adds 2" to the depth of

the desl	k on the user's side.	
74P	= 74P edge	
KN	= Knife Edge	
WL	= Wood Edge Laminate	
VN	= Wood Edge Veneer	

Select transition end panels.

B = Two transitional end panels

L = Left transitional end panel;
add \$42

R = Right transitional end panel; add \$42 S = Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
 With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color

selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.



•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
133#	\$ 1143	\$ 1242	\$ 1421	\$ 1522	
146#	1267	1376	1572	1684	
161#	1294	1406	1607	1721	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUMBE	'n							
			MODEL NOMBI	:n							
		D v W LEET v	Dania	Edgo	End	Contor	Crom	Surface	Edgo	Dook	
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Panel	Center Grom.	Grom. Color	Finish	Edge Color	Desk Color	
	Corner Desk with Partial Modesty	24 x 42 x 42 x 24"	TC24424224/PF			NCG					
	Panel/Full Modesty Panel Consists of top, three legs, two modesty	24 x 48 x 48 x 24"	TC24484824/PF			NCG					
	panels, one filler panel (full modesty	30 x 48 x 48 x 30"	TC30484830/PF			NCG					
(B) Both transitional	panel), two end panels (optional transition- al size), ganging plates, and all required										
(b) Dotti transitional	assembly hardware										
	 Each leg has two cable access grommet locations 										
	 Top has three cable access grommets above the legs 										
	 Top grommets allow for attachment of 										
(L) Left transitional	overhead storage units • Modesty panel allows for optional 10-wire										
(=) ===================================	electrical system (see Electrical section)										
	 Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" 										
	below for more options										
(R) Right transitional											
(S) Two full end panels											
TRUE											
			A	B	(b	U	•	•	G		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. Knife edge (KN) adds 2" to the depth of

lile desi	OH THE USELS SILE.
74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

• Select transition end panels. = Two transitional end panels = Left transitional end panel;

= Right transitional end panel; add \$42 = Two full end panels; add \$84

Select desk center grommet option. = No center grommet

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- **6** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color

selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
133#	\$ 1143	\$ 1242	\$ 1421	\$ 1522	
146#	1267	1376	1572	1684	
161#	1294	1406	1607	1721	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUMBE	R						
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Grom. Color	Surface Finish	Edge Color	Desk Color
	Corner Desk with Partial Modesty	24 x 42 x 42 x 24"	TC24424224/PP			NCG				
	Panel/Partial Modesty Panel Consists of top, three legs, two modesty	24 x 48 x 48 x 24"	TC24484824/PP			NCG				
	panels, two end panels (optional transition-	30 x 48 x 48 x 30"	TC30484830/PP			NCG				
(B) Both transitional	al size), ganging plates, and all required assembly hardware									
(b) Dotti transitional	Each leg has two cable access grommet locations									
	 Top has three cable access grommets 									
	above the legsTop grommets allow for attachment of									
	overhead storage units									
(L) Left transitional	 Modesty panel allows for optional 10-wire electrical system (see Electrical section) 									
(L) Lore tranomonar	 Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" 									
	below for more options									
(R) Right transitional										
(S) Two full end panels										
TRUE										
			A	B					A	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge style. Knife edge (KN) adds 2" to the depth of

the des	k on the user's side.	
74P	= 74P edge	
KN	= Knife Edge	
WL	= Wood Edge Laminate	
VN	= Wood Edge Veneer	

• Select transition end panels. = Two transitional end panels = Left transitional end panel; = Right transitional end panel;

add \$42

= Two full end panels; add \$84

Select desk center grommet option. = No center grommet

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- **6** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color

selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
124#	\$ 994	\$ 1093	\$ 1272	\$ 1374	
135#	1088	1196	1393	1504	
150#	1115	1227	1427	1541	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUMBER							
		D x W-LEFT x	Basic	Edge	End	Center	Grom.	Surface	Edge	Desk
	MODEL	W-RIGHT x D	Model	Style	Panel	Grom.	Color	Finish	Color	Color
	Square Shoe Desk with Full Modesty	24 x 48 x 60 x 24"	TS24486024/F/FS			NCG				
	Panel/Full Modesty Panel Consists of top, three legs, two modesty	24 x 48 x 66 x 24"	TS24486624/F/FS							
	panels, two filler panels (full modesty	24 x 48 x 72 x 24"	TS24487224/F/FS							
(B) Both transitional	panel), two end panels (optional transition- al size), ganging plates, and all required	24 x 60 x 48 x 24"	TS24604824/F/FS			NCG				
()	assembly hardware	24 x 66 x 48 x 24"	TS24664824/F/FS							
	 Each leg has two cable access grommet locations 	24 x 72 x 48 x 24"	TS24724824/F/FS							
	 Top has three cable access grommets 	30 x 48 x 60 x 30"	TS30486030/F/FS			NCG				
	above the legs (66" and 72" wide have an optional fourth middle grommet used for	30 x 48 x 66 x 30"	TS30486630/F/FS							
(L) Left transitional	mounting stanchions and not intended for	30 x 48 x 72 x 30"	TS30487230/F/FS							
(L) Leit transitional	routing cables) Top grommets allow for attachment of	30 x 60 x 48 x 30"	TS30604830/F/FS			NCG				
	overhead storage units	30 x 66 x 48 x 30"	TS30664830/F/FS							
_	 Modesty panel allows for optional 10-wire electrical system (see Electrical section) 	30 x 72 x 48 x 30"	TS30724830/F/FS							
	 Pricing is for two transitional end panels, 									
	see "HOW TO BUILD A MODEL NÜMBER" below for more options									
(D) Dight transitional	below for filore options									
(R) Right transitional										
(S) Two full end panels										
TRUE										
			•	B	•	•			G	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P = 74P edge

KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 7	4P, KN and WL edges, select from
lamina	ates for surface finish (Lxx). For
edge o	color, 74P and KN, select from Exx
colors	and for WL, select Mxx or VOK
colors	. For VN, select from Mxx or VOK
for su	rface finish and donot select an

• Select transition end panels.

= Two transitional end panels = Left transitional end panel;

add \$42

edge color.

= Right transitional end panel;

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet = Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

 Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

 Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- **6** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder



•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
177#	\$ 1675	\$ 1803	\$ 1970	\$ 2032	
186#	1737	1868	2041	2106	
193#	1801	1937	2114	2181	
177#	1675	1803	1970	2032	
186#	1737	1868	2041	2106	
193#	1801	1937	2114	2181	
195#	1822	1964	2150	2220	
205#	1893	2040	2234	2305	
211#	1982	2136	2338	2413	
195#	1822	1964	2150	2220	
205#	1893	2040	2234	2305	
211#	1982	2136	2338	2413	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUMBER								
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Grom.	Surface Finish	Edge Color	Desk Color	
(B) Both transitional (L) Left transitional (R) Right transitional	Square Shoe Desk with Full Modesty Panel/Partial Modesty Panel Full modesty panel attached on short (48") side Consists of top, three legs, two modesty panels, one filler panel (full modesty panel), two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs (66" and 72" wide have an optional fourth middle grommet used for mounting stanchions and not intended for routing cables) Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	24 x 48 x 60 x 24" 24 x 48 x 66 x 24" 24 x 48 x 72 x 24" 24 x 60 x 48 x 24" 24 x 66 x 48 x 24" 24 x 72 x 48 x 24" 30 x 48 x 60 x 30" 30 x 48 x 66 x 30" 30 x 48 x 72 x 30" 30 x 60 x 48 x 30" 30 x 60 x 48 x 30" 30 x 60 x 48 x 30"	TS24486024/F/PS TS24486624/F/PS TS24487224/F/PS TS24604824/F/PS TS24664824/F/PS TS24724824/F/PS TS30486630/F/PS TS30487230/F/PS TS30604830/F/PS TS30664830/F/PS TS30724830/F/PS			NCG NCG NCG					
(S) Two full end panels TRUE			•	B	•	•	•	•	G	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P = 74P edge

KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 7	4P, KN and WL edges, select from
lamina	tes for surface finish (Lxx). For
edge c	olor, 74P and KN, select from Exx
colors	and for WL, select Mxx or VOK
colors.	For VN, select from Mxx or VOK
for sur	face finish and donot select an

Select transition end panels.

edge color.

= Two transitional end panels = Left transitional end panel; add \$42

= Right transitional end panel;

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet = Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- **G** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
163#	\$ 1453	\$ 1580	\$ 1747	\$ 1809	
170#	1498	1630	1803	1867	
176#	1535	1671	1848	1915	
163#	1453	1580	1747	1809	
170#	1498	1630	1803	1867	
176#	1535	1671	1848	1915	
181#	1599	1742	1927	1997	
189#	1654	1802	1996	2067	
194#	1716	1871	2072	2147	
181#	1599	1742	1927	1997	
189#	1654	1802	1996	2067	
194#	1716	1871	2072	2147	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Square Shoe Desk

MODEL NUMBER D x W-LEFT x Basic Edge End Center Grom Surface Edge Desk MODEL W-RIGHT x D Style Panel Grom. Color Finish Color Color TS24486024/P/FS Square Shoe Desk with Partial Modesty Panel/Full Modesty Panel 24 x 48 x 60 x 24" NCG 24 x 48 x 66 x 24" TS24486624/P/FS • Full modesty panel attached on long (60", 66", or 72") side 24 x 48 x 72 x 24" TS24487224/P/FS · Consists of top, three legs, two modesty 24 x 60 x 48 x 24" TS24604824/P/FS NCG panels, one filler panel (full modesty (B) Both transitional 24 x 66 x 48 x 24" TS24664824/P/FS panel), two end panels (optional transitional size), ganging plates, and all required 24 x 72 x 48 x 24" TS24724824/P/FS assembly hardware 30 x 48 x 60 x 30" TS30486030/P/FS NCG • Each leg has two cable access grommet locations 30 x 48 x 66 x 30" TS30486630/P/FS Top has three cable access grommets above the legs (66" and 72" wide have an optional fourth middle grommet used for 30 x 48 x 72 x 30" TS30487230/P/FS (L) Left transitional 30 x 60 x 48 x 30" TS30604830/P/FS NCG mounting stanchions and not intended for 30 x 66 x 48 x 30" TS30664830/P/FS routing cables) . Top grommets allow for attachment of 30 x 72 x 48 x 30" TS30724830/P/FS overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels see "HOW TO BUILD A MODEL NUMBER" (R) Right transitional below for more options (S) Two full end panels TRUE

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each lefth.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

74P

B Select edge style. Knife edge (KN) adds 2" to the depth of

the desk on the user's side.

= 74P edge

KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 7	4P, KN and WL edges, select from
lamina	tes for surface finish (Lxx). For
edge c	olor, 74P and KN, select from Exx
colors	and for WL, select Mxx or VOK
colors.	For VN, select from Mxx or VOK
for sur	face finish and donot select an

Select transition end panels.

B = Two transitional end panels
L = Left transitional end panel;

add \$42

edge color.

R = Right transitional end panel;

add \$42

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet

YCG = Yes center grommet

"YCG" option only available on 66" and
72" wide desks. "YCG" is needed to
mount overheads, transaction surfaces or
stanchion mounted privacy screens.

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color.

 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
166#	\$ 1496	\$ 1624	\$ 1790	\$ 1853	
175#	1557	1689	1862	1926	
182#	1622	1758	1935	2001	
166#	1496	1624	1790	1853	
175#	1557	1689	1862	1926	
182#	1622	1758	1935	2001	
184#	1643	1785	1971	2040	
194#	1713	1861	2055	2126	
200#	1803	1957	2159	2233	
184#	1643	1785	1971	2040	
194#	1713	1861	2055	2126	
200#	1803	1957	2159	2233	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

MODEL NUMBER D x W-LEFT x Basic Edge Fnd Center Surface Edge Desk MODEL W-RIGHT x D Style Panel Grom. Finish Color Color 24 x 48 x 60 x 24" TS24486024/P/PS NCG Square Shoe Desk with Partial Modesty Panel/Partial Modesty Panel 24 x 48 x 66 x 24" TS24486624/P/PS Consists of top, three legs, two modesty panels, two end panels (optional transition-24 x 48 x 72 x 24" TS24487224/P/PS al size), ganging plates, and all required 24 x 60 x 48 x 24" TS24604824/P/PS NCG (B) Both transitional assembly hardware 24 x 66 x 48 x 24" TS24664824/P/PS Each leg has two cable access grommet locations 24 x 72 x 48 x 24" TS24724824/P/PS Top has three cable access grommets 30 x 48 x 60 x 30" TS30486030/P/PS NCG above the legs (66" and 72" wide have an optional fourth middle grommet used for 30 x 48 x 66 x 30" TS30486630/P/PS mounting stanchions and not intended for 30 x 48 x 72 x 30" TS30487230/P/PS routing cables) (L) Left transitional . Top grommets allow for attachment of 30 x 60 x 48 x 30" TS30604830/P/PS NCG overhead storage units 30 x 66 x 48 x 30" TS30664830/P/PS Modesty panel allows for optional 10-wire electrical system (see Electrical section) 30 x 72 x 48 x 30" TS30724830/P/PS · Pricing is for two transitional end panels see "HOW TO BUILD A MODEL NUMBER" below for more options (R) Right transitional (S) Two full end panels TRUE

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 74F	P, KN and WL edges, select from
laminate	s for surface finish (Lxx). For
edge col	or, 74P and KN, select from Exx
colors ar	nd for WL, select Mxx or VOK
colors.	For VN, select from Mxx or VOK
for surfa	ce finish and donot select an

Select transition end panels.

= Two transitional end panels = Left transitional end panel;

add \$42

edge color.

= Right transitional end panel;

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet = Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- **G** Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
152#	\$ 1273	\$ 1401	\$ 1568	\$ 1630	
159#	1319	1451	1624	1688	
165#	1356	1492	1669	1735	
152#	1273	1401	1568	1630	
159#	1319	1451	1624	1688	
165#	1356	1492	1669	1735	
170#	1420	1562	1748	1818	
178#	1475	1623	1817	1887	
183#	1537	1691	1893	1968	
170#	1420	1562	1748	1818	
178#	1475	1623	1817	1887	
183#	1537	1691	1893	1968	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUI	VIBER					
	MODEL	D x W	Basic Model	Edge Style	Grom. Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Full Modesty	24 x 48"	TD2448/F/G						92#
	Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty panel,	24 x 54"	TD2454/F/G						98#
	filler panel (full modesty panel on 24", 30"	24 x 60"	TD2460/F/G						104#
7	or 36" side), two transitional size end pan- els, ganging plates, one round leg, one 9"	24 x 66"	TD2466/F/G						110#
TRUE tall steel guest modesty panel along the long side, and all required assembly hardware • Each leg has two cable access grommet locations	24 x 72"	TD2472/F/G						116#	
		30 x 48"	TD3048/F/G						103#
		30 x 54"	TD3054/F/G						110#
	locations Top has two cable access grommets above	30 x 60"	TD3060/F/G						117#
	the corner legs	30 x 66"	TD3066/F/G						125#
	 Top grommets allow for attachment of 	30 x 72"	TD3072/F/G						132#
	overhead storage unitsModesty panel allows for optional 10-wire	36 x 48"	TD3648/F/G						115#
electrical system (see Electrical section	electrical system (see Electrical section)	36 x 54"	TD3654/F/G						123#
		36 x 60"	TD3660/F/G						132#
		36 x 66"	TD3666/F/G						140#
		36 x 72"	TD3672/F/G						149#
			A	B	•			•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. 74P = 74P edge

WL = Wood Edge Laminate VN = Wood Edge Veneer

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P) and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P), select from PVC colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.
- Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.



74P Edge (74P)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)
\$ 1238	\$ 1451	\$ 1550
1265	1488	1589
1292	1523	1627
1320	1560	1666
1346	1598	1707
1340	1464	1565
1367	1501	1604
1395	1538	1643
1422	1574	1681
1450	1611	1721
1442	1478	1579
1470	1515	1618
1497	1553	1658
1524	1588	1695
1553	1624	1734

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

	MODEL	D x W	Basic Model	Edge Style	Grom. Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Full Modesty	24 x 48"	TD2448/F/A						87#
	Panel/No Partial Guest Modesty Panel	24 x 54"	TD2454/F/A						92#
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on the 24", 	24 x 60"	TD2460/F/A						97#
	30" or 36" side), two transitional size end panels, ganging plates, one round leg, and all required assembly hardware	24 x 66"	TD2466/F/A						102#
TRUE		24 x 72"	TD2472/F/A						107#
	 Each leg has two cable access grommet locations 	30 x 48"	TD3048/F/A						98#
	Top has two cable access grommets above the corner legs Top grommets allow for attachment of	30 x 54"	TD3054/F/A						104#
		30 x 60"	TD3060/F/A						110#
	overhead storage units	30 x 66"	TD3066/F/A						117#
	 Modesty panel allows for optional 10-wire 	30 x 72"	TD3072/F/A						123#
	electrical system (see Electrical section)	36 x 48"	TD3648/F/A						110#
		36 x 54"	TD3654/F/A						117#
		36 x 60"	TD3660/F/A						125#
		36 x 66"	TD3666/F/A						132#
		36 x 72"	TD3672/F/A						140#
			A	B	•	•		•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. 74P = 74P edge

WL = Wood Edge Laminate VN = Wood Edge Veneer

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P) and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P), select from PVC colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.



74P Edge (74P)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)
\$ 1146	\$ 1359	\$ 1458
1166	1388	1490
1186	1417	1520
1206	1446	1552
1225	1477	1586
1248	1373	1473
1268	1402	1504
1288	1432	1536
1308	1460	1567
1328	1490	1599
1350	1386	1488
1370	1416	1519
1390	1446	1552
1411	1474	1581
1432	1502	1613

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MBER					
	MODEL	D x W	Basic Model	Edge Style	Grom.	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Partial Modesty Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty panel, two transitional size end panels, ganging plates, one round leg, one 9" tall steel	24 x 48"	TD2448/P/G						87#
		24 x 54"	TD2454/P/G						93#
		24 x 60"	TD2460/P/G						99#
plates, one round leg, one 9" tall steel guest modesty panel along the long side, TRUE and all required assembly hardware		24 x 66"	TD2466/P/G						105#
	24 x 72"	TD2472/P/G						111#	
	Each leg has two cable access grommet locations	30 x 48"	TD3048/P/G						97#
	Top has two cable access grommets above	30 x 54"	TD3054/P/G						104#
	the corner legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire	30 x 60"	TD3060/P/G						111#
		30 x 66"	TD3066/P/G						119#
		30 x 72"	TD3072/P/G						126#
	electrical system (see Electrical section)	36 x 48"	TD3648/P/G						107#
		36 x 54"	TD3654/P/G						115#
		36 x 60"	TD3660/P/G						124#
		36 x 66"	TD3666/P/G						132#
		36 x 72"	TD3672/P/G						141#
			A	B	•	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. 74P = 74P edge

WL = Wood Edge Laminate VN = Wood Edge Veneer

- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P) and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P), select from PVC colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.
- Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.



74P Edge (74P)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)
\$ 1114	\$ 1327	\$ 1426
1142	1364	1465
1169	1400	1503
1196	1437	1542
1223	1475	1584
1216	1341	1441
1244	1378	1480
1271	1415	1519
1299	1451	1557
1326	1488	1597
1319	1355	1456
1346	1392	1495
1374	1430	1535
1401	1464	1572
1430	1500	1611

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

	MODEL NUI	MBER							
	MODEL	D x W	Basic Model	Edge Style	Grom. Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk w/Partial Modesty	24 x 48"	TD2448/P/A						82#
Pan	Panel/No Partial Guest Modesty Panel Consists of top, two legs, modesty panel,	24 x 54"	TD2454/P/A						87#
	two transitional size end panels, ganging plates, one round leg, and all required assembly hardware	24 x 60"	TD2460/P/A						92#
		24 x 66"	TD2466/P/A						97#
TRUE		24 x 72"	TD2472/P/A						102#
locations • Top has two cable access grommets al	locations	30 x 48"	TD3048/P/A						92#
	the corner legs	30 x 54"	TD3054/P/A						98#
	Top grommets allow for attachment of averband starger units.	30 x 60"	TD3060/P/A						104#
	overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section)	30 x 66"	TD3066/P/A						111#
		30 x 72"	TD3072/P/A						117#
		36 x 48"	TD3648/P/A						102#
		36 x 54"	TD3654/P/A						109#
		36 x 60"	TD3660/P/A						117#
		36 x 66"	TD3666/P/A						124#
		36 x 72"	TD3672/P/A						132#
			A	B	•	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. 74P

= 74P edge WL = Wood Edge Laminate VN = Wood Edge Veneer

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P) and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With PVC edge (74P), select from PVC colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.



True® Desking System D-Shaped Desk

74P Edge (74P)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)
\$ 1022	\$ 1235	\$ 1335
1042	1265	1366
1062	1293	1397
1082	1323	1428
1101	1354	1462
1125	1249	1349
1145	1279	1381
1165	1308	1413
1185	1337	1443
1205	1366	1476
1227	1263	1364
1247	1292	1396
1267	1323	1428
1287	1350	1458
1308	1379	1490


SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

P-Shaped Desk



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

400	
74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.

 B = Two transitional end panels
- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
155#	\$ 1711	\$ 1854	\$ 2111	\$ 2257	
162#	1749	1895	2157	2306	
168#	1798	1948	2218	2371	
172#	1823	1976	2251	2408	
179#	1867	2025	2306	2467	
155#	1711	1854	2111	2257	
162#	1749	1895	2157	2306	
168#	1798	1948	2218	2371	
172#	1823	1976	2251	2408	
179#	1867	2025	2306	2467	

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

P-Shaped Desk



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quality of each left.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.

 B = Two transitional end panels
- Select grommet color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged	74P Edge	Knife Edge	Wood Edge Laminate	Wood Edge Veneer	
Weight	(74P)	(KN)	(WL)	(VN)	
149#	\$ 1605	\$ 1747	\$ 2005	\$ 2150	
155#	1635	1781	2044	2192	
160#	1676	1826	2096	2249	
165#	1709	1862	2137	2294	
171#	1746	1903	2185	2345	
149#	1605	1747	2005	2150	
155#	1635	1781	2044	2192	
160#	1676	1826	2096	2249	
165#	1709	1862	2137	2294	
171#	1746	1903	2185	2345	

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

P-Shaped Desk



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quality of each left.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.

 B = Two transitional end panels
- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections.
With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
144#	\$ 1532	\$ 1674	\$ 1932	\$ 2077	
151#	1570	1715	1978	2127	
157#	1618	1768	2038	2191	
161#	1644	1797	2072	2228	
168#	1688	1845	2127	2287	
144#	1532	1674	1932	2077	
151#	1570	1715	1978	2127	
157#	1618	1768	2038	2191	
161#	1644	1797	2072	2228	
168#	1688	1845	2127	2287	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

P-Shaped Desk

MODEL NUMBER Basic Edge End Grom. Surface Edge Desk MODEL Dir. DxWxL Model Style Panel Color Finish Color Color P-Shaped Desk w/Partial Modesty Panel/No Partial Guest Modesty Panel • Consists of top, two legs, modesty panel, Right 24 x 48 x 60' TP244860/P/A В Right 24 x 48 x 66" TP244866/P/A В Right 24 x 48 x 72" TP244872/P/A В two transitional size end panels, ganging plates, one round leg, and all required Right 30 x 48 x 66" TP304866/P/A В (B) Both transitional assembly hardware (Right) В Right 30 x 48 x 72" TP304872/P/A Each leg has two cable access grommet locations Left 24 x 48 x 60" TP604824/P/A В Top has two cable access grommets above Left 24 x 48 x 66" TP664824/P/A В the corner legs Top grommets allow for attachment of 24 x 48 x 72" В Left TP724824/P/A overhead storage units (B) Both transitional 30 x 48 x 66" TP664830/P/A В Left Modesty panel allows for optional 10-wire (Left) electrical system (see Electrical section) В TP724830/P/A Left 30 x 48 x 72" P-end is 18" radius (Left) P-Shaped Desk top view TRUE

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.

 B = Two transitional end panels
- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
138#	\$ 1425	\$ 1568	\$ 1825	\$ 1971	
144#	1456	1601	1864	2013	
149#	1497	1647	1917	2070	
154#	1530	1683	1958	2114	
160#	1567	1724	2006	2166	
138#	1425	1568	1825	1971	
144#	1456	1601	1864	2013	
149#	1497	1647	1917	2070	
154#	1530	1683	1958	2114	
160#	1567	1724	2006	2166	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Piano Desk

MODEL NUMBER Basic Edge End Grom. Surface Edge Desk MODEL Dir. DxWxL Model Panel Color Finish Color Color Right 24 x 48 x 60" TI244860/F/G R Piano Desk with Full Modesty Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty panel Right 24 x 48 x 66" TI244866/F/G В filler panel (full modesty panel on the 48' Right 24 x 48 x 72" TI244872/F/G В side), two transitional size end panels, ganging plates, one round leg, one 9" tall Right 30 x 48 x 66" TI304866/F/G В (B) Both transitional (Right) Right 30 x 48 x 72" TI304872/F/G В steel guest modesty panel along the long side, and all required assembly hardware Left 24 x 48 x 60" TI604824/F/G В Each leg has two cable access grommet Left 24 x 48 x 66" TI664824/F/G В locations Top has two cable access grommets above 24 x 48 x 72" В Left TI724824/F/G the corner legs (B) Both transitional 30 x 48 x 66" TI664830/F/G В Left • Top grommets allow for attachment of (Left) overhead storage units В TI724830/F/G Left 30 x 48 x 72" Modesty panel allows for optional 10-wire electrical system (see Electrical section) • Piano end is 30" wide (15" radius) (Left) (Right) Piano Desk top view TRUE ₿ ø

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quality of each left.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.
 - **B** = Two transitional end panels
- Select grommet color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Piano Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
165#	\$ 1605	\$ 1737	\$ 1974	\$ 2109	
173#	1669	1807	2055	2197	
180#	1715	1857	2112	2257	
183#	1740	1884	2144	2291	
190#	1781	1930	2195	2347	
165#	1605	1737	1974	2109	
173#	1669	1807	2055	2197	
180#	1715	1857	2112	2257	
183#	1740	1884	2144	2291	
190#	1781	1930	2195	2347	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Piano Desk

MODEL NUMBER Basic Edge End Grom. Surface Edge Desk MODEL Dir. DxWxL Model Style Panel Color Finish Color Color Right 24 x 48 x 60" TI244860/F/A В Piano Desk with Full Modesty Panel/No **Partial Guest Modesty Panel** Right 24 x 48 x 66" TI244866/F/A В Consists of top, two legs, modesty panel, В filler panel (full modesty panel on the 48" Right 24 x 48 x 72" TI244872/F/A side), two transitional size end panels, Right 30 x 48 x 66" TI304866/F/A В (B) Both transitional ganging plates, one round leg, and all (Right) Right 30 x 48 x 72" TI304872/F/A В required assembly hardware · Each leg has two cable access grommet Left 24 x 48 x 60" TI604824/F/A В locations Left 24 x 48 x 66" TI664824/F/A В • Top has two cable access grommets above the legs 24 x 48 x 72" В Left TI724824/F/A . Top grommets allow for attachment of (B) Both transitional 30 x 48 x 66" TI664830/F/A В Left overhead storage units (Left) Modesty panel allows for optional 10-wire В Left 30 x 48 x 72" TI724830/F/A electrical system (see Electrical section) • Piano end is 30" wide (15" radius) (Left) (Right) Piano Desk top view TRUE B

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.

 B = Two transitional end panels
- Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Piano Desk

•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
158#	\$ 1498	\$ 1630	\$ 1867	\$ 2002	
165#	1555	1693	1941	2083	
172#	1594	1735	1991	2135	
175#	1626	1770	2030	2178	
182#	1660	1808	2074	2226	
158#	1498	1630	1867	2002	
165#	1555	1693	1941	2083	
172#	1594	1735	1991	2135	
175#	1626	1770	2030	2178	
182#	1660	1808	2074	2226	

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Piano Desk



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.
 - **B** = Two transitional end panels
- Select grommet color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Piano Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
154#	\$ 1425	\$ 1557	\$ 1795	\$ 1930	
162#	1490	1628	1876	2017	
169#	1536	1677	1933	2077	
172#	1560	1705	1964	2112	
179#	1601	1750	2016	2168	
154#	1425	1557	1795	1930	
162#	1490	1628	1876	2017	
169#	1536	1677	1933	2077	
172#	1560	1705	1964	2112	
179#	1601	1750	2016	2168	

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Piano Desk



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	= 74P edge
KN	= Knife Edge
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer

- Select transition end panels.
 - **B** = Two transitional end panels
- Select grommet color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Piano Desk

A					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
147#	\$ 1319	\$ 1451	\$ 1688	\$ 1823	
154#	1376	1514	1762	1903	
161#	1415	1556	1811	1956	
164#	1446	1591	1850	1998	
171#	1480	1629	1895	2047	
147#	1319	1451	1688	1823	
154#	1376	1514	1762	1903	
161#	1415	1556	1811	1956	
164#	1446	1591	1850	1998	
171#	1480	1629	1895	2047	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Transitional Desk

MODEL NUMBER Basic Edge Fnd Center Grom. Surface Edge Desk MODEL DxWxD Model Style Panel Grom. Color Finish Color 24 x 42 x 30" TTR244230/F NCG Transitional Desk with Full Modesty 24 x 48 x 30" TTR244830/F NCG • Desk reduces size from 30" on one end to 24 x 54 x 30" TTR245430/F NCG 24" on opposite end Consists of top, two legs, modesty panel, 24 x 60 x 30" TTR246030/F NCG filler panel (full modesty panel), two end 24 x 66 x 30" TTR246630/F panels (optional transitional size), ganging (B) Both transitional plates, and all required assembly hardware. 24 x 72 x 30" TTR247230/F Each leg has two cable access grommet 30 x 42 x 24" TTR304224/F NCG Top has two cable access grommets above 30 x 48 x 24" NCG TTR304824/F the legs (66" and 72" wide have an option-30 x 54 x 24" TTR305424/F NCG al third middle grommet used for mounting stanchions and not intended for routing 30 x 60 x 24" TTR306024/F NCG (L) Left transitional 30 x 66 x 24" TTR306624/F . Top grommets allow for attachment of overhead storage units 30 x 72 x 24" TTR307224/F Modesty panel allows for optional 10-wire electrical system (see Electrical section) (R) Right transitional (S) Two full end panels TRUE A (ß ø ø

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge style.

KN is not recommended in L-Shaped configurations.

74P = 74P edge

KN = Knife Edge

WL = Wood Edge Laminate

VN = Wood Edge Veneer

With 74P, KN and WL edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for WL, select Mxx or VOK colors. For VN, select from Mxx or VOK

C Select transition end panels.

B = Two transitional end panels
L = Left transitional end panel;

for surface finish and donot select an

add \$42

edge color.

R = Right transitional end panel;

dd \$42

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet

YCG = Yes center grommet

"YCG" option only available on 66" and
72" wide desks. "YCG" is needed to
mount overheads, transaction surfaces or
stanchion mounted privacy screens.

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color.

 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder



True® Desking System Transitional Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
108#	\$ 1058	\$ 1149	\$ 1312	\$ 1405	
116#	1113	1207	1375	1471	
124#	1155	1251	1424	1522	
137#	1212	1311	1490	1591	
146#	1255	1357	1540	1645	
154#	1336	1442	1635	1745	
108#	1058	1149	1312	1405	
116#	1113	1207	1375	1471	
124#	1155	1251	1424	1522	
137#	1212	1311	1490	1591	
146#	1255	1357	1540	1645	
154#	1336	1442	1635	1745	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Transitional Desk

MODEL NUMBER Basic Edge End Center Grom Surface Edge Desk Finish MODEL DxWxD Model Style Panel Grom. Color Color 24 x 42 x 30" TTR244230/P NCG Transitional Desk with Partial Modesty Panel 24 x 48 x 30" TTR244830/P NCG • Desk reduces size from 30" on one end to 24 x 54 x 30" TTR245430/P NCG 24" on opposite end · Consists of top, two legs, modesty panel, 24 x 60 x 30" TTR246030/P NCG two end panels (optional transitional size), 24 x 66 x 30" TTR246630/P (B) Both transitional ganging plates, and all required assembly hardware. 24 x 72 x 30" TTR247230/P · Each leg has two cable access grommet 30 x 42 x 24" TTR304224/P NCG locations Top has two cable access grommets above 30 x 48 x 24" NCG TTR304824/P the legs (66" and 72" wide have an option-30 x 54 x 24" TTR305424/P NCG al third middle grommet used for mounting stanchions and not intended for routing NCG 30 x 60 x 24" TTR306024/P (L) Left transitional 30 x 66 x 24" TTR306624/P . Top grommets allow for attachment of overhead storage units 30 x 72 x 24" TTR307224/P Modesty panel allows for optional 10-wire electrical system (see Electrical section) (R) Right transitional (S) Two full end panels TRUE ₿ ø ø

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select edge style.

KN is not recommended in L-Shaped configurations.

= 74P edge

KN	= Knife Eage
WL	= Wood Edge Laminate
VN	= Wood Edge Veneer
With 74	P, KN and WL edges, select from
laminate	s for surface finish (Lxx). For
edge col	lor, 74P and KN, select from Exx
colors a	nd for WL, select Mxx or VOK
colors.	For VN, select from Mxx or VOK
for surfa	ce finish and donot select an

• Select transition end panels.

edge color.

B = Two transitional end panels
L = Left transitional end panel;
add \$42

R = Right transitional end panel;

add \$42

= Two full end panels; add \$84

Select desk center grommet option.

NCG = No center grommet

YCG = Yes center grommet

"YCG" option only available on 66" and
72" wide desks. "YCG" is needed to
mount overheads, transaction surfaces or
stanchion mounted privacy screens.

Select grommet color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select desk color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



True® Desking System Transitional Desk

•					
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
99#	\$ 909	\$ 1000	\$ 1164	\$ 1257	
105#	934	1028	1195	1291	
112#	961	1057	1230	1328	
123#	990	1089	1267	1368	
130#	1017	1118	1302	1406	
137#	1070	1176	1369	1479	
99#	909	1000	1164	1257	
105#	934	1028	1195	1291	
112#	961	1057	1230	1328	
123#	990	1089	1267	1368	
130#	1017	1118	1302	1406	
137#	1070	1176	1369	1479	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional lam-inates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Add-On Worksurfaces

			MODEL N	IUMBER				
	MODEL	DIA x W	Basic Model	Edge Style	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	Round Add-On Worksurface	36 x 24"	TAR24					45#
	 Consists of top, 36" or 42" diameter, leg, ganging plates for attaching to existing 	42 x 30"	TAR30					56#
	desks, and all required assembly hardware							
TRUE	 Knife edge (KN) on curve with PVC on flat edge 							
	Half Barred Add On Washandara	48 x 24"	THR4824					46#
	 Half Round Add-On Worksurface Consists of top, 24" or 30" radius, leg, 	60 x 30"	THR6030					64#
	ganging plates for attaching to existing desks, and all required assembly hardware	00 X 00	11110000					O 18
TOUE	 Knife edge (KN) on curve with PVC on flat 							
TRUE	edge							
	Quarter Round Add-On Worksurface	24"	TQR24					29#
	 Consists of top, 24" or 30" radius, leg, ganging plates for attaching to existing 	30"	TQR30					38#
desks, a	desks, and all required assembly hardware							
TRUE	 Knife edge (KN) on curve with PVC on flat edges 							
	, and the second							
			A	B	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. Knife edge (KN) adds 2" to the depth of the worksurface.

Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
 With PVC edge (74P), knife edge (KN),

on edge style selections.

With PVC edge (74P), knife edge (KN),
and wood edge laminate (WL), select
from laminates. With wood edge veneer
(VN), select from veneers.

Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
 With PVC edge (74P) and knife edge (KN), select from PVC/knife colors. With wood edge veneer (VN), no edge color selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 binder

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



_	,	,		
LhhΔ	Λn	Work	kstirface	20

•			
74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)
\$ 748	N/A	\$ 958	\$ 1035
879	N/A	1125	1214
\$ 398	\$ 438	\$ 510	\$ 551
467	514	598	646
\$ 258	\$ 285	\$ 331	\$ 358
304	334	389	421

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Transaction Worksurfaces

			MODE	L NUMBE	:R				
	MODEL	W	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	Standard Height Transaction Counter	24"	TSS24						25#
	StraightConsists of top, two stanchions, steel pri-	30"	TSS30						29#
	vacy panel, and all required assembly	36"	TSS36						33#
TRUE	hardwareTop of transaction surface is approximately	42"	TSS42						38#
INUE	42" from floor	48"	TSS48						42#
	 Space below transaction surface is 11-1/2" Worksurface is 16" deep and overhangs 4" 	54"	TSS54						46#
	on guest side	60"	TSS60						50#
	 Can mount transaction surface task lights underneath the surface ("PCTL" models) 	66"	TSS66						54#
	Knife edge (KN) is applied to the long width of the transaction	72"	TSS72						59#
	Low Height Transaction Counter Straight	24"	TLS24						18#
	Consists of top, two stanchions, steel pri- way papel, and all required exceedibly.	30"	TLS30						22#
	vacy panel, and all required assembly hardware	36"	TLS36						25#
TRUE	 Top of transaction surface is approximately 34" from floor 	42"	TLS42						29#
	Space below transaction surface is 3-3/4"	48"	TLS48						33#
	Worksurface is 16" deep and overhangs 4" an guest side.	54"	TLS54						36#
	on guest sideCannot mount task lights underneath the	60"	TLS60						40#
	low transaction surface	66"	TLS66						43#
	 Knife edge (KN) is applied to the long width of the transaction 	72"	TLS72						47#
			A	B	•			•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

 74P
 = 74P edge

 KN
 = Knife Edge

 WL
 = Wood Edge Laminate

 VN
 = Wood Edge Veneer

Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. Edge color offerings are based
on edge style selections.
With PVC edge (74P) and knife edge
(KN), select from PVC/knife colors. With
wood edge veneer (VN), no edge color
selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Transaction Worksurfaces

74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
\$ 343	\$ 378	\$ 439	\$ 474	
352	387	452	487	
362	398	463	500	
367	404	469	507	
384	422	492	531	
388	427	497	537	
395	434	505	545	
405	445	519	560	
422	464	540	583	
\$ 412	\$ 462	\$ 560	\$ 494	
419	477	590	464	
430	496	624	495	
445	516	714	522	
452	514	716	549	
474	545	746	581	
479	560	747	608	
498	587	818	647	
512	601	819	673	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Transaction Worksurfaces

			MODEL N	IUMBER					
	MODEL	W-LEFT x W-RIGHT	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	Standard Height Transaction Counter	42 x 42"	THC4242						66#
	Corner Consists of top, three stanchions, steel pri-	48 x 48"	THC4848						74#
	vacy panels, and all required assembly	48 x 60"	THC4860						83#
E	hardware Top of transaction surface is approximately	48 x 66"	THC4866						87#
	42" from floor	48 x 72"	THC4872						91#
	 Space below transaction surface is 11-1/2" Worksurface is 16" deep and overhangs 4" 	60 x 48"	THC6048						83#
	on quest side	66 x 48"	THC6648						87#
	Can mount transaction surface task lights underneath the surface ("PCTL" models) Knife edge (KN) is applied to the long width of the transaction	72 x 48"	THC7248						91#
	Low Height Transaction Counter Corner	42 x 42"	TLC4242						51#
	 Consists of top, three stanchions, steel pri- vacy panels, and all required assembly 	48 x 48"	TLC4848						59#
E	hardware	48 x 60"	TLC4860						66#
	 Top of transaction surface is approximately 34" from floor 	48 x 66"	TLC4866						70#
	 Space below transaction surface is 3-3/4" 	48 x 72"	TLC4872						73#
	 Worksurface is 16" deep and overhangs 4" on quest side 	60 x 48"	TLC6048						66#
	 Cannot mount task lights underneath the 	66 x 48"	TLC6648						70#
	low transaction surface Knife edge (KN) is applied to the long width of the transaction	72 x 48"	TLC7248						73#
			•	B	•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

 74P
 = 74P edge

 KN
 = Knife Edge

 WL
 = Wood Edge Laminate

 VN
 = Wood Edge Veneer

Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With PVC edge (74P), knife edge (KN), and wood edge laminate (WL), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. Edge color offerings are based
on edge style selections.
With PVC edge (74P) and knife edge
(KN), select from PVC/knife colors. With
wood edge veneer (VN), no edge color
selection required. With wood edge laminate (WL), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Transaction Worksurfaces

<u> </u>				
74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (VN)	
\$ 601	\$ 661	\$ 770	\$ 831	
634	697	811	877	
657	723	841	908	
677	745	867	937	
710	781	908	981	
657	723	841	908	
677	745	867	937	
710	781	908	981	
\$ 628	\$ 657	\$ 907	\$ 1081	
649	678	973	1225	
686	715	1053	1407	
715	744	1126	1499	
726	755	1126	1582	
686	715	1053	1407	
715	744	1126	1499	
726	755	1126	1582	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL NU	JMBE	R		
	MODEL	Features	W	Basic Model	Dir.	Paint Color	Insert Finish	Approx. Packaged Weight
	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/E				7#
7	 end mount Exposed frame (core is translucent, frame 	Desk Width 30"	24"	TWSE30/E				8#
	painted)	Desk Width 36"	30"	TWSE36/E				9#
	 Available in 18" height only Attached to the desk with one stanchion 	Desk Width 42"	36"	TWSE42/E				11#
TRSC	support and one single grommet mounted	Desk Width 48"	42"	TWSE48/E				12#
11100	 Includes screen and all required mounting 	Desk Width 54"	48"	TWSE54/E				13#
	hardware except stanchion	Desk Width 60"	54"	TWSE60/E				14#
	·	Desk Width 66"	60"	TWSE66/E				16#
		Desk Width 72"	66"	TWSE72/E				17#
	Single Desk Privacy Screen, end mount/ end mount Exposed frame (core is translucent, frame painted) Available in 18" height only Attached to the desk with two single grommet mounted brackets Includes screen and all required mounting hardware	Desk Width 24"	24"	TWEE24/E				8#
		Desk Width 30"	30"	TWEE30/E				9#
# = = = = = = = = = = = = = = = = = = =		Desk Width 36"	36"	TWEE36/E				10#
TRSC		Desk Width 42"	42"	TWEE42/E				11#
		Desk Width 48"	48"	TWEE48/E				13#
		Desk Width 54"	54"	TWEE54/E				14#
	Haluwale	Desk Width 60"	60"	TWEE60/E				15#
		Desk Width 66"	66"	TWEE66/E				17#
		Desk Width 72"	72"	TWEE72/E				18#
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/E				5#
K	stanchionsExposed frame (core is translucent, frame	Desk Width 30"	18"	TBS30/E				6#
	painted)	Desk Width 36"	24"	TBS36/E				7#
	 Available in 18" height only Attached between two stanchion supports 	Desk Width 42"	30"	TBS42/E				9#
	 Includes screen and all required mounting 	Desk Width 48"	36"	TBS48/E				10#
TD00	hardware except stanchion	Desk Width 54"	42"	TBS54/E				11#
TRSC	 CANNOT be used simultaneously with Tool Rail (TATR) 	Desk Width 60"	48"	TBS60/E				13#
	,	Desk Width 66"	54"	TBS66/E				14#
		Desk Width 72"	60"	TBS72/E				15#
					B	•	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select direction. = Left
 - = Right
- C Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select insert finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



[Delivered Pricing
	\$ 160
	179
	220
	263
	300
	340
	367
	406
	446
	\$ 166 405
	185
	226 268
	305
	346
	373
	411
	452
	\$ 155
	173
	215
	256
	291
	334
	362
	401
	441

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL	NUMBE	R	
	MODEL	Features	W	Basic Model	Paint Color	Insert Finish	Approx. Packaged Weight
	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/E			6#
	 mount Exposed frame (core is translucent, frame 	Desk Width 30"	24"	TSE30/E			7#
	painted)	Desk Width 36"	30"	TSE36/E			8#
	 Available in 18" height only Attached to the desk with one stanchion 	Desk Width 42"	36"	TSE42/E			10#
RSC	Attached to the desk with one standment support and one double grommet mounted bracket Includes screen and all required mounting hardware except stanchion	Desk Width 48"	42"	TSE48/E			11#
100		Desk Width 54"	48"	TSE54/E			13#
		Desk Width 60"	54"	TSE60/E			14#
		Desk Width 66"	60"	TSE66/E			15#
		Desk Width 72"	66"	TSE72/E			17#
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/E			7#
	mountExposed frame (core is translucent, frame	Desk Width 30"	30"	TEE30/E			9#
= = = = = = = = = = = = = = = = = = =	painted)	Desk Width 36"	36"	TEE36/E			10#
RSC	Available in 18" height onlyMounts to the desk with two double grom-	Desk Width 42"	42"	TEE42/E			11#
	met mounted brackets	Desk Width 48"	48"	TEE48/E			13#
	 Includes screen and all required mounting hardware 	Desk Width 54"	54"	TEE54/E			14#
	Haluwait	Desk Width 60"	60"	TEE60/E			15#
		Desk Width 66"	66"	TEE66/E			17#
		Desk Width 72"	72"	TEE72/E			18#

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select insert finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Del	livered Pricing
\$	160
	179
	220
	263
	300
	340
	367
	406
	446
\$	166
	185
	226
	268
	305
	346
	373
	411
	452

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL NU	JMBEI	R		
	MODEL	Features W	Basic W Model	Dir.	Paint Color	Fabric Color	Approx. Packaged Weight	
5223	Single Desk Privacy Screen,	Desk Width 24"	18"	TWSE24/U				7#
	stanchion/end mount Upholstered (upholstered frame) fully tack-	Desk Width 30"	24"	TWSE30/U				8#
===	able	Desk Width 36"	30"	TWSE36/U				9#
	Available in 18" height only Attached to the desk with one stanchion support and one single grommet mounted bracket 72" consists of two screens ganged together Includes screen and all required mounting hardware except stanchion	Desk Width 42"	36"	TWSE42/U				11#
C		Desk Width 48"	42"	TWSE48/U				12#
9		Desk Width 54"	48"	TWSE54/U				13#
		Desk Width 60"	54"	TWSE60/U				15#
		Desk Width 66"	60"	TWSE66/U				16#
		Desk Width 72"	66"	TWSE72/U				18#
	Single Desk Privacy Screen, end mount/end mount	Desk Width 24"	24"	TWEE24/U				7#
		Desk Width 30"	30"	TWEE30/U				9#
¥=====	 Upholstered (upholstered frame) fully tack- able 	Desk Width 36"	36"	TWEE36/U				10#
C	Available in 18" height only Attached to the deals with two single grow	Desk Width 42"	42"	TWEE42/U				11#
	 Attached to the desk with two single grommet mounted brackets 	Desk Width 48"	48"	TWEE48/U				13#
	66" and 72" size consists of two screens appared tagether.	Desk Width 54"	54"	TWEE54/U				14#
	ganged together Includes screen and all required mounting 	Desk Width 60"	60"	TWEE60/U				16#
	hardware	Desk Width 66"	66"	TWEE66/U				18#
		Desk Width 72"	72"	TWEE72/U				19#

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select direction. = Left

= Right

- C Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum. Refer to Vertical Fabric Pricing Addendum



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 154	\$ 160	\$ 167	\$ 176	\$ 184	
172	179	187	198	207	
212	220	229	243	252	
252	263	273	290	302	
288	300	311	330	344	
327	340	353	374	389	
353	367	381	405	421	
390	406	422	447	465	
429	446	464	491	511	
\$ 159	\$ 165	\$ 172	\$ 182	\$ 190	
177	184	192	203	212	
217	225	235	249	258	
257	268	278	295	307	
293	305	317	336	350	
332	346	359	381	395	
359	374	389	412	429	
396	412	429	454	472	
435	452	470	498	518	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL N	UMBER	ł	
	MODEL	Features	W	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight
	Single Desk Privacy Screen, mounted	Desk Width 24"	20"	TBW2024			9#
	 behind worksurface Upholstered (upholstered frame) fully tack- 	Desk Width 30"		TBW2030			11#
	able	Desk Width 36"	20"	TBW2036			12#
****	 Available in two heights: 20" matches the height of the stanchion mounted screen; 	Desk Width 42"		TBW2042			14#
TRSC	38" matches the height of an overhead	Desk Width 48"		TBW2048			15#
	storage unitMounts behind the back edge of the work-	Desk Width 54"		TBW2054			18#
	surface on brackets that attach to the	Desk Width 60"		TBW2060			20#
	underside of the worksurface Adds 1" to overall depth of work station	Desk Width 66"		TBW2066			22#
	 66" and 72" size consists of two screens 	Desk Width 72"	20"	TBW2072			24#
	ganged together Includes screen and all required mounting	Desk Width 24"	38"	TBW3824			17#
	hardware	Desk Width 30"	38"	TBW3830			20#
		Desk Width 36"	38"	TBW3836			23#
		Desk Width 42"	38"	TBW3842			25#
		Desk Width 48"	38"	TBW3848			28#
		Desk Width 54"	38"	TBW3854			34#
		Desk Width 60"	38"	TBW3860			36#
		Desk Width 66"	38"	TBW3866			42#
		Desk Width 72"	38"	TBW3872			45#
>	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/U			5#
K	stanchions • Upholstered (upholstered frame) fully tack-	Desk Width 30"	18"	TBS30/U			6#
	able	Desk Width 36"	24"	TBS36/U			8#
	 Available in 18" height only Attached between two stanchion supports 	Desk Width 42"	30"	TBS42/U			9#
	 Includes screen and all required mounting 	Desk Width 48"	36"	TBS48/U			11#
	hardware except stanchion CANNOT be used simultaneously with Tool	Desk Width 54"	42"	TBS54/U			12#
TRSC	Rail (TATR)	Desk Width 60"	48"	TBS60/U			13#
		Desk Width 66"	54"	TBS66/U			15#
		Desk Width 72"	60"	TBS72/U			16#
				A	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select fabric color. Refer to Vertical Fabric Pricing Addendum. Refer to Vertical Fabric Pricing Addendum



<u> </u>					
Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 159	\$ 165	\$ 172	\$ 182	\$ 190	
177	184	192	203	212	
217	225	235	249	258	
257	268	278	295	307	
293	305	317	336	350	
332	346	359	381	395	
359	374	389	412	429	
396	412	429	454	472	
435	452	470	498	518	
281	293	304	322	335	
312	325	337	357	372	
383	399	415	440	458	
453	471	490	519	541	
516	537	558	592	615	
584	607	631	669	696	
631	656	683	724	752	
696	723	752	797	829	
765	796	827	877	912	
\$ 149	\$ 155	\$ 162	\$ 171	\$ 177	
167	173	181	191	199	
207	215	224	238	247	
247	256	267	283	294	
280	292	303	321	334	
322	335	348	369	384	
348	362	376	399	414	
385	401	417	442	460	
424	441	459	486	505	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUM	BER		
	MODEL	H x W-LEFT x W- RIGHT	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight
Single Desk Corner Priva	Single Desk Corner Privacy Screen,	20 x 42 x 42"	BWSC204242			28#
	mounted behind worksurface • Upholstered (upholstered frame) fully tack-	20 x 48 x 48"	BWSC204848			30#
	able	20 x 48 x 60"	BWSC204860			35#
SC .	 Available in two heights: 20" matches the height of the stanchion mounted screen; 38" matches the height of an overhead storage unit Mounts behind the back edge of the worksurface on brackets that attach to the underside of the worksurface Adds 1" to overall depth of workstation 66" and 72" size consists of two screens ganged together Includes screen and all required mounting hardware 	20 x 48 x 66"	BWSC204866			37#
		20 x 48 x 72"	BWSC204872			39#
		20 x 60 x 48"	BWSC206048			35#
		20 x 66 x 48"	BWSC206648			37#
		20 x 72 x 48"	BWSC207248			39#
		38 x 42 x 42"	BWSC384242			50#
		38 x 48 x 48"	BWSC384848			56#
		38 x 48 x 60"	BWSC384860			64#
		38 x 48 x 66"	BWSC384866			70#
		38 x 48 x 72"	BWSC384872			73#
		38 x 60 x 48"	BWSC386048			64#
		38 x 66 x 48"	BWSC386648			70#
		38 x 72 x 48"	BWSC387248			73#

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select fabric color. Refer to Vertical Fabric Pricing Addendum. Refer to Vertical Fabric Pricing Addendum



True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 515	\$ 536	\$ 557	\$ 591	\$ 614	
587	610	636	674	701	
652	678	706	748	779	
689	716	746	790	822	
728	756	787	835	868	
652	678	706	748	779	
689	716	746	790	822	
728	756	787	835	868	
905	941	979	1038	1080	
1032	1074	1116	1184	1230	
1147	1193	1241	1316	1367	
1212	1261	1310	1389	1444	
1281	1333	1385	1469	1527	
1147	1193	1241	1316	1367	
1212	1261	1310	1389	1444	
1281	1333	1385	1469	1527	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Components Privacy Screens - Upholstered

				MODEL I	NUMBER	R	
	MODEL	Features	W	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight
5527	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/U			6#
	mountUpholstered (upholstered frame) fully tack-	Desk Width 30"	24"	TSE30/U			7#
	able	Desk Width 36"	30"	TSE36/U			9#
	 Available in 18" height only Attached to the desk with one stanchion 	Desk Width 42"	36"	TSE42/U			10#
SC	support and one double grommet mounted	Desk Width 48"	42"	TSE48/U			11#
30	bracket 72" size consists of two screens ganged together Includes screen and all required mounting hardware except stanchion	Desk Width 54"	48"	TSE54/U			13#
		Desk Width 60"	54"	TSE60/U			14#
		Desk Width 66"	60"	TSE66/U			16#
	nardward except stanemen	Desk Width 72"	66"	TSE72/U			18#
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/U			7#
	mountUpholstered (upholstered frame) fully tack-	Desk Width 30"	30"	TEE30/U			8#
7 2 2 2 2 2 2 3 3 3 5 5 5 5 5 5 5 5 5 5 5	able	Desk Width 36"	36"	TEE36/U			10#
SC	Available in 18" height onlyMounts to the desk with two double grom-	Desk Width 42"	42"	TEE42/U			11#
	met mounted brackets	Desk Width 48"	48"	TEE48/U			13#
	 66" and 72" size consists of two screens ganged together 	Desk Width 54"	54"	TEE54/U			14#
	 Includes screen and all required mounting 	Desk Width 60"	60"	TEE60/U			15#
	hardware	Desk Width 66"	66"	TEE66/U			17#
		Desk Width 72"	72"	TEE72/U			19#

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select frame paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum. Refer to Vertical Fabric Pricing Addendum



True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 154	\$ 160	\$ 167	\$ 176	\$ 184	
172	179	187	198	207	
212	220	229	243	252	
252	263	273	290	302	
288	300	311	330	344	
327	340	353	374	389	
353	367	381	405	421	
390	406	422	447	465	
429	446	464	491	511	
\$ 159	\$ 165	\$ 172	\$ 182	\$ 190	
177	184	192	203	212	
217	225	235	249	258	
257	268	278	295	307	
293	305	317	336	350	
332	346	359	381	395	
359	374	389	412	429	
396	412	429	454	472	
435	452	470	498	518	


SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Components Worksurface Dividers



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Components Worksurface Dividers

Delivered Pricing

\$ 158

181

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Components

				MODEL NU	MDED	
						1
	MODEL	Features	W	Basic Model	Paint Color	.
	Tool Rail, stanchion/stanchion mounted	Desk width 24"	12"	TATR24/SS		3#
**************************************	 Accomodates paper management components 	Desk width 30"	18"	TATR30/SS		3#
	Mounts between stanchions	Desk width 36"	24"	TATR36/SS		3#
A. A	Field installable Painted aluminum construction	Desk width 42"	30"	TATR42/SS		4#
The state of the s	Consists of four slots to accept compo-	Desk width 48"	36"	TATR48/SS		5#
TRAC	nents • Actual length is 12" shorter than worksur-	Desk width 54"	42"	TATR54/SS		5#
	face	Desk width 60"	48"	TATR60/SS		6#
	 Stanchions ordered with overhead or individually (TST19 and TST11) 	Desk width 66"	54"	TATR66/SS		7#
	CANNOT be used simultaneously with	Desk width 72"	60"	TATR72/SS		8#
	stanchion mounted Privacy Screen (TBS)					
				A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Components Tool Rails

Deli	vered	Pricing	
\$	an		

\$ 90
93
98
103
109
123
138
145

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

		MODEL	NUMBER	
	MODEL	Basic Model	Access.	Approx. Packaged Weight
HRDPT	Hanging Folder Holder Plastic construction One pair in each set Allows letter and legal hanging file folders to be suspended from tool rail Folders cascade down	PPFH		.25#
HRDPT	Paper Tray Plastic construction Stores letter or legal size documents Suspends from tool rail Suitable for free-standing worksurface or overhead location	PPLL		1#
HRDPT	Diagonal Storage Plastic construction Suspends only from tool rail Suitable for free-standing worksurface or overhead location Three slanted partitions per unit Dividers in black only	PPDS		4#
HRDPT	Vertical Storage Injection molded plastic construction Suspends only from tool rail Suitable for free-standing worksurface or overhead location Stores binders, phone books or periodicals	PPVS		1#
		A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select accessory color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



Delivered Pricing
\$ 30
\$ 55
\$ 101
\$ 70
ψ 10

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL	NUMBER	
	MODEL	Basic Model	Access.	Approx. Packaged Weight
HRDPT	Telephone Caddy Plastic construction Holds telephone up to 8-1/2" wide and 9-1/2" deep Suspends from tool rail	PPTC		.75#
HRDPT	 CD Holder Plastic construction Stores up to 10 CDs Suspends from tool rail 	PPDH		.25#
HRDPT	Accessory Tray Injection molded plastic Stores stamps, tape dispenser, post-it pads and paper clips Suspends from tool rail	PPAT		6#
HRDPT	Pencil Cup Injection molded plastic construction Suspends from tool rail	PPPC		.25#
		A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select accessory color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



Delivered Pricing
\$ 37
\$ 24
\$ 24
ψ 21
\$ 24

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

				MBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Lower Door Solid Color	Upper Door Solid Color	Stanchion Door Color	Key Option	Approx. Packaged Weight
	Solid Color Upper Door	30"	BLCS30/TR						52#
	 Stanchions and mounting brackets included 	36"	BLCS36/TR						58#
	 The KI Balance® Overhead allows users 	42"	BLCS42/TR						58#
	the option to interchange from a True® desk mount solution to a KI office panel system Colored or translucent extruded PVC door Painted cabinet and lower door Shelf dividers available separately	48"	BLCS48/TR						64#
		54"	BLCS54/TR						70#
		60"	BLCS60/TR						78#
ВОН		66"	BLCS66/TR						92#
DOTT	 Must order 66" and 72" worksurfaces with optional center grommet 	72"	BLCS72/TR						116#
	 66" consists of 30" and 36" cabinets sup- 								
	ported at juncture of cabinets by support stanchion								
	 72" consists of 36" and 36" cabinets sup- 								
	ported at juncture of cabinets by support stanchion								
	Cabinet is fully assembled								
			A	B	•				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select lower door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upper door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select key option.

= Key alike = Key standard **NLC** = No lock core

BLCS, BLCL, BLCF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	273/4"	333/4"	39³/4"	453/4"	51¾"		27³/4" & 33³/4"	2 x 33¾"
Dimension Between Sets at Work- stations	18"	24"	30"	36"	42"		19¾" & 25¾"	2 x 25¾"



D 11 1	D
Delivered	Pricing
Delivereu	I HUGHIU

\$	950	
	972	
	992	
	1042	
	1105	
	1119	
	1761	
	1804	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NU	MBER					
	MODEL	w	Basic Model	Cabinet Paint Color	Lower Door Solid Color	Laminate Color	Stanchion Door Color	Key Option	Approx. Packaged Weight
вон	Laminate Upper Door Stanchions and mounting brackets included The KI Balance® Overhead allows users the option to interchange from a True® desk mount solution to a KI office panel system Laminate covered upper door Painted cabinet and lower door Shelf dividers available separately Must order 66" and 72" worksurfaces with optional center grommet 66" consists of 30" and 36" cabinets supported at juncture of cabinets by support stanchion	30" 36" 42" 48" 54" 60" 66" 72"	BLCL30/TR BLCL36/TR BLCL42/TR BLCL48/TR BLCL54/TR BLCL60/TR BLCL66/TR BLCL72/TR						52# 52# 58# 64# 64# 78# 91# 104#
	 72" consists of 36" and 36" cabinets supported at juncture of cabinets by support stanchion Cabinet is fully assembled 								
			A	B	•				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select lower door solid color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select key option.

= Key alike = Key standard **NLC** = No lock core

BLCS, BLCL, BLCF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	273/4"	333/4"	39³/4"	45³/4"	513/4"	573/4"	27³/4" & 33³/4"	2 x 33³/₄"
Dimension Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19³/4" & 25³/4"	2 x 25¾"



Delivered Pricing

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NU	MBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Lower Door Solid Color	Fabric Color	Stanchion Door Color	Key Option	Approx. Packaged Weight
	Fabric Upper Door	30"	BLCF30/TR						46#
	 Stanchions and mounting brackets included 	36"	BLCF36/TR						52#
	 The KI Balance® Overhead allows users 	42"	BLCF42/TR						58#
	the option to interchange from a True® desk mount solution to a KI office panel	48"	BLCF48/TR						64#
	system Fabric covered upper door Painted cabinet and lower door	54"	BLCF54/TR						70#
		60"	BLCF60/TR						78#
ВОН	 Shelf dividers available separately 	66"	BLCF66/TR						91#
DOTT	 Must order 66" and 72" worksurfaces with optional center grommet 	72"	BLCF72/TR						104#
	66" consists of 30" and 36" cabinets sup-								
	ported at juncture of cabinets by support stanchion								
	 72" consists of 36" and 36" cabinets sup- 								
	ported at juncture of cabinets by support stanchion								
	Cabinet is fully assembled								
			A	B	•	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select lower door solid color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upper door fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

Select key option.

KA = Key alike = Key standard = No lock core

BLCS, BLCL, BLCF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	273/4"	333/4"	39³/4"	45³/4"	513/4"	57³/₄"	27³/4" & 33³/4"	2 x 33¾"
Dimension Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19¾" & 25¾"	2 x 25¾"



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1019	\$ 1026	\$ 1041	\$ 1056	\$ 1072	
1041	1048	1064	1079	1095	
1063	1070	1086	1102	1118	
1111	1119	1136	1153	1170	
1188	1196	1215	1233	1252	
1202	1211	1229	1248	1267	
1896	1911	1941	1972	2001	
1940	1956	1985	2017	2047	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Components Balance® Task Lights

			MODEL NUMBER	
	MODEL	W	Basic Model	Approx. Packaged Weight
	Normal Ballast	20"	BTLN.24	7#
	 Task light mounts flush to the underside of cabinet 	32"	BTLN.36	11#
) VIDDOT	 Light is non-handed and can be positioned left, right or center depending upon width 	44"	BTLN.48	14#
HRDPT	of cabinet and light Magnetic high-power factor ballast with			
	rapid start cool white lamp Includes two 20" cord managers for cords			
	above and below worksurfaces			
	UL listed			
		_		
	Variable Ballast Task light mounts flush to the underside of cabinet Light is non-handed and can be positioned left, right or center depending upon width of cabinet and light	20"	BTLV.24	7#
		32"	BTLV.36	11#
		44"	BTLV.48	14#
HRDPT				
	 Magnetic high-power factor/2-step dim- ming (Hi/Low) with rapid start cool white 			
	lamp			
	 Includes two 20" cord managers for cords above and below worksurfaces 			
	UL listed			
	Electronic Ballast	20"	BTLE.24	7#
	 Task light mounts flush to the underside of 	32"	BTLE.36	11#
	cabinet Light is non-handed and can be positioned	44"	BTLE.48	14#
HRDPT	left, right or center depending upon width of cabinet and light			
חמטרו	 Electronic ballast with rapid start cool white 			
	lampIncludes two 20" cord managers for cords			
	above and below worksurfaces			
	UL listed			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.

Overhead	Light	Location/
Size	Width	Offset
30"	20"	Center Only
36"	20"	Center Only
42"	20"	Center, 6"
42"	32"	Center Only
48"	20"	Center, 6" (R or L)
48"	32"	Center Only
54"	20"	Center, 6" (R or L)
54"	32"	Center Only
60"	20"	Center, 6" or 12" (R or L)
60"	32"	Center, 6" (R or L)
60"	44"	Center Only
66"	20"	Center of Each 30" and 36" Cabine
72"	20"	Center of Each 36" Cabinet Only

TASK LIGHT POSITIONS



True® Desking System Components Balance® Task Lights

Delivered P	ricing
-------------	--------

- \$ 123
 - 138
 - 141
- \$ 140
 - 164
- 237
 - 248
 - 256

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NU	MBER				
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Key Option	Approx. Packaged Weight
	Steel Overhead Cabinet	24"	PRDS24/TR					34#
	 Includes support stanchions The KI Universal Overhead allows users the 	30"	PRDS30/TR					39#
	option to interchange from a True® desk	36"	PRDS36/TR					44#
	mount solution to a KI office panel system • Steel end panels, bottom, top shelf, and	42"	PRDS42/TR					49#
	door with powder-coated finish	48"	PRDS48/TR					54#
VUOS	 Steel door Double-bit lock is included with key alike 	54"	PRDS54/TR					60#
	option	60"	PRDS60/TR					64#
	 Door stores recessed with handle exposed Shelf depth is 13-1/4" 	66"	PRDS66/TR					61#
	Must order 66" and 72" worksurfaces with	72"	PRDS72/TR					65#
	optional center grommet • 66" overhead consists of 30" and 36" cabi-							
	nets supported at juncture of cabinets by							
	support stanchion 72" overhead consist of two 36" cabinets							
	supported at juncture of cabinets by sup-							
	port stanchion • Accepts shelf divider							
	- Accepts shell divides							
				B	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select door handle trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select key option.

KA	= Key alike	
KS	= Key standard	
NLC	= No lock core	

PRDS, PRDF, PRDL, PRDV

	,							
Over- head	30"	36"	42"	48"	54"	60"	66"	72"
Width								
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29 ¹ /2"	35½"	41½"	47½"	53½"	59½"	29½" & 35½"	2 x 35½"
Dimension Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19³/4" & 25³/4"	2 x 25¾"



livered	

\$	649	
	657	
	673	
	693	
	743	
	759	
	819	
	1164	
	1239	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL NUMBER Cabinet Stanchion Approx. Basic Paint Handle Door Fabric Key Packaged MODEL Model Color Color Color Option Weight 24" PRDF24/TR **Fabric Overhead Cabinet** 32# Includes support stanchions 30" PRDF30/TR 36# The KI Universal Overhead allows users the PRDF36/TR 36" 40# option to interchange from a True® desk mount solution to a KI office panel system 42" PRDF42/TR 44# Steel end panels, bottom and top shelf with 48" PRDF48/TR 49# powder-coated finish Fabric-covered door 54" PRDF54/TR 53# · Double-bit lock is included with key alike 60" PRDF60/TR 57# Door stores recessed with handle exposed 66" PRDF66/TR 61# Shelf depth is 13-1/4" Must order 66" and 72" worksurfaces with 72' PRDF72/TR 65# optional center grommet 66" overhead consists of 30" and 36" cabinets supported at juncture of cabinets by support stanchion • 72" overhead consists of two 36" cabinets supported at juncture of cabinets by sup-· Accepts shelf divider ₿ •

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- C Select door handle trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing

Addendum

Select key option.

KA = Key alike = Key standard = No lock core

PRDS, PRDF, PRDL, PRDV

uver-								
head	30"	36"	42"	48"	54"	60"	66"	72"
Width								
Door								
Over-								
hang	4"	4"	4"	4"	4"	4"	4"	4"
in Open								
Position								
No. of			_					,
Doors	1	1	1	1	1	1	2	2
Inside							29½"	
Width of							2972	٥
Over-	001/1	0.017.1	4417.0	471/0	E01/ F	F01/ II		2 x
head	29.12	3072	417/2	47.72	0372	097/2	351/2"	3072
Dimension								
Between							19¾"	
Sets at							&	2 x
Work-	18"	24"	30"	36"	42"	48"	253/4"	253/4"
stations								



•					
Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 684	\$ 688	\$ 698	\$ 706	\$ 715	
706	711	720	728	738	
727	731	741	750	759	
743	748	758	767	777	
763	768	778	787	798	
853	859	871	883	895	
891	897	909	922	934	
1279	1288	1306	1324	1342	
1316	1325	1343	1362	1381	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NU	MBER					
MODE	:L W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Laminate Color	Key Option	Approx. Packaged Weight
• Includ	ate Overhead Cabinet 24" dees support stanchions 30"	PRDL24/TR PRDL30/TR						32# 36#
option	(I Universal Overhead allows users the n to interchange from a True® desk	PRDL36/TR						40#
mount solution to a KI office panel system • Steel end panels, bottom and top shelf with powder-coated finish	PRDL42/TR PRDL48/TR						44#	
	pressure laminate on particleboard 54"	PRDL54/TR						53#
	le-bit lock is included with key alike 60" n 66"	PRDL60/TR PRDL66/TR						57# 61#
Door :Shelf	stores recessed with handle exposed depth is 13-1/4" 72"	PRDL72/TR						65#
option	order 66" and 72" worksurfaces with nal center grommet							
nets s	verhead consists of 30" and 36" cabi- supported at juncture of cabinets by							
support stanchion 72" overhead consists of two 36" cabinets supported at juncture of cabinets by support stanchion Accepts shelf divider	verhead consists of two 36" cabinets							
	stanchion							
- 70000	oto onon dividor							
		A	B	•				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select door handle trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select laminate surface. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select key option.

= Key alike = Key standard = No lock core

PRDS, PRDF, PRDL, PRDV

48" 54" 60" 66" 72" head 42" Width Door Over-4" 4" 4" 4" 4" 4" hang in Open Position No. of 2 2 Doors Inside 291/2" Width of & Over-2916" 3516" 4116" 4716" 5316" 5916" 3516" 3516 head Dimension 193/4" Between & 2 x Sets at 18" 24" 30" 36" 42" 48" 25¾ 25¾ Work-



Delivered Pricing

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL NUMBER Cabinet Stanchion Approx. Basic Paint Handle Door Veneer Key Packaged MODEL Model Color Color Color Color Option Weight 24" PRDV24/TR 32# Veneer Overhead Cabinet Includes support stanchions 30" PRDV30/TR 36# The KI Universal Overhead allows users the 36" PRDV36/TR 40# option to interchange from a True® desk mount solution to a KI office panel system 42" PRDV42/TR 44# Steel end panels, bottom and top shelf with 48" PRDV48/TR 48# powder-coated finish Veneer covered door 54" PRDV54/TR 53# · Double-bit lock is included with key alike 60" PRDV60/TR 57# Door stores recessed with handle exposed 66" PRDV66/TR 57# Shelf depth is 13-1/4" Must order 66" and 72" worksurfaces with PRDV72/TR optional center grommet 66" overhead consists of 30" and 36" cabinets supported at juncture of cabinets by support stanchion • 72" overhead consists of two 36" cabinets supported at juncture of cabinets by sup-· Accepts shelf divider ₿

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select cabinet paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- C Select door handle trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select veneer surface color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select key option.

KA	= Key alike	
KS	= Key standard	
NLC	= No lock core	

PRDS, PRDF, PRDL, PRDV

Over-								
head	30"	36"	42"	48"	54"	60"	66"	72"
Width								
Door								
Over-								
hang	4"	4"	4"	4"	4"	4"	4"	4"
in Open								
Position								
No. of	Ţ.	٠,	٦.	١.	١.	١,		
Doors	1	1	1	1	1	1	2	2
Inside							001/4	
Width of							29½"	
Over-	001/11	051/4	aatrii	47171	F01/ II	E01/4	&	2 x
head	Z9'/2"	35/2	41'/2"	4/1/2	55/2	597/2	351/2"	35'/2
Dimension								
Between							19¾"	
Sets at							&	2 x
Work-	18"	24"	30"	36"	42"	48"	253/4"	25¾"
stations								



D 11 1	D
Delivered	Pricing
Delivereu	I HUGHIU

\$	1082	
	1098	
	1140	
	1183	
	1228	
	1419	
	1496	
	2085	
	2169	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components Universal Overhead Shelves and Divider

			MODEL NUMBER			
	MODEL	W	Basic Model	Shelf Paint Color	Stanchion Door Color	Approx. Packaged Weight
	Low Shelf	24"	ULSR24/TR			14#
	Includes support stanchionsAccepts shelf dividers	30"	ULSR30/TR			16#
	 Includes full back 	36"	ULSR36/TR			17#
	 66" shelf consists of one 36" and one 30"; 72" shelf consists of two 36" shelves sup- 	42"	ULSR42/TR			19#
	ported by middle upright Shelves are shipped unassembled	48"	ULSR48/TR			20#
3	 Shelves are shipped unassembled 	54"	ULSR54/TR			22#
		60"	ULSR60/TR			24#
		66"	ULSR66/TR			29#
		72"	ULSR72/TR			30#
	Regular Shelf	24"	URSR24/TR			19#
	Includes support stanchionsAccepts shelf dividers	30"	URSR30/TR			20#
	 Includes full back 	36"	URSR36/TR			22#
	 66" shelf consists of one 36" and one 30"; 72" shelf consists of two 36" shelves sup- 	42"	URSR42/TR			23#
	ported by middle upright	48"	URSR48/TR			25#
	Shelves are shipped unassembled	54"	URSR54/TR			27#
		60"	URSR60/TR			28#
		66"	URSR66/TR			29#
		72"	URSR72/TR			30#
	Shelf Divider		NSD			.5#
	 Steel shelf dividers with powder-coated finish 					
o⊥ .//	Fits shelves and overheads					
•						

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select shelf paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



True® Desking System Components Universal Overhead Shelves and Divider

	elivered Pricing
\$	S 444
	445
	454
	461 469
	485
	511
	746
	762
\$	S 462
	463
	473
	482
	490
	513 526
	782
	801
\$	
·	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components Universal Overhead and Shelves Task Lights

					MODEL NUMBER		
	MODEL	Features	w	Basic Model	Access.	Approx. Packaged Weight	
	Magnetic Ballast	Cabinet Width 30"	20"	UTLN24		8#	
	 Task light attaches to the underside of countertops 	Cabinet Width 36"	26"	UTLN30		10#	
	 Magnetic high-power factor ballast with 	Cabinet Width 42"	32"	UTLN36		12#	
d HRDPT	rapid start cool white lamp UL listed	Cabinet Width 48"	38"	UTLN42		13#	
TINDET	• Includes 9' cord	Cabinet Width 54"	44"	UTLN48		14#	
		Cabinet Width 60"	50"	UTLN54		15#	
	Normal Power Factor, 2 Step Dimming Task light attaches to the underside of countertops Magnetic high-power factor/2-step dimming (Hi/Low) with rapid start cool white lamp Includes two 20" cord managers for cords above and below worksurfaces Cord manager attaches to side trim rail UL listed	Cabinet Width 30"	20"	UTLV24		8#	
		Cabinet Width 36"	26"	UTLV30		10#	
		Cabinet Width 42"	32"	UTLV36		12#	
d LIDDDT		Cabinet Width 48"	38"	UTLV42		13#	
HRDPT		Cabinet Width 54"	44"	UTLV48		14#	
		Cabinet Width 60"	50"	UTLV54		15#	
	 Includes 8' cord 						
	Electronic Ballast, Normal Power Task light attaches to the underside of countertops Electronic ballast with rapid start cool white lamp UL listed Includes 9' cord	Cabinet Width 30"	20"	UTLE24		8#	
		Cabinet Width 36"	26"	UTLE30		10#	
		Cabinet Width 42"	32"	UTLE36		12#	
, /		Cabinet Width 48"	38"	UTLE42		13#	
HRDPT		Cabinet Width 54"	44"	UTLE48		14#	
		Cabinet Width 60"	50"	UTLE54		15#	
				1		-	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select accessory color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Components Universal Overhead and Shelves Task Lights

I	livered Pricing	
	111	_
	126	
	127	
	134	
	139	
	142	
	127	
	142	
	146	
	151	
	155	
	159	
	000	
	203 211	
	213	
	220	
	225	
	228	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUN	/IBER	
	MODEL	W x D x H	Basic Model	Paint Color	
7DACU	Center Drawer • Steel painted tray	17 x 18 ¹ / ₄ x 1 ⁵ / ₈ " 17 x 18 ¹ / ₄ x 1 ⁵ / ₈ "	7D/18CD 7D/18CDL		13# 13#
HRDPT	Sliding Keyboard Drawer Sliding drawer mounts under worksurface 24" has 12" telescoping slides 30" has 16" telescoping slides Standard with molded palm rest Cannot be used on 24" deep corner units Available in black only	20 ⁷ / _e x 10 ¹ / ₂ "	KBD.30.BL		9#
HRDPT	Sliding Keyboard Drawer w/Mouse Tray Sliding keyboard drawer with non-handed sliding mousing surface Standard with molded palm rest 4" has 12" telescoping slides 30" has 16" telescoping slides Cannot be used on 24" deep corner units Available in black only	20 ⁷ / ₈ x 10 ¹ / ₂ "	KBDM.30.BL		10#
			A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



Delivered Pricing
\$ 134
168
\$ 150
\$ 211

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
HRDPT	Keyboard Tray for Corner Worksurfaces without Mouse Tray Keyboard tray (5/8" thick, MDF) Palm rest, 1/2" thick, vinyl covered pad Track, 23" nylon glide, requires 23" deep clearance under worksurface Arm, fully adjustable with extended arm (6.6") for corners Lift and set height adjustment, spring assist 1/4" up 6" down Knob tilt control +15/-15 degree 360 degree rear swivel Available in black only	20 x 11"	EAVB.BL	17#	
HRDPT	Keyboard Tray for Corner Worksurfaces with Mouse Tray • Keyboard tray (5/8" thick, MDF) • Palm rest, 1/2" thick, vinyl covered pad • Mounse tray, (5/8" thick, MDF) (8-1/2" x 9-1/2" teardrop shape) swivels front to back, attaches left or right. Mouse tray does not tilt • Track, 23" nylon glide, requires 23" deep clearance under worksurface • Arm, fully adjustable with extended arm (6.6") for corners • Lift and set height adjustment, spring assist 1/4" up 6" down • Knob tilt control, +15/-15 degree • 360 degree rear swivel • Available in black only	20 x 11"	EAVBM.BL	16#	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Delivered	Pricing
Delivered	I HUHIN

\$ 289

\$ 340

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Worksurface Accessories Corner Worksurface Keyboard Trays w/Extended Arms

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
HRDPT	Keyboard Tray for Corner Worksurfaces with Tilt Mouse Tray Keyboard tray, (1/4" thick phenolic) Palm rest, 1/2" thick, gel filled, fabric covered Mouse tray, (1/4" thick phenolic) (8-1/4" diameter) swivels front to back, attaches left or right. Includes cord manager, mouse tray includes mouse pad with gel filled palm rest, mouse tray tilts to keep tray level when keyboard is tilted Track, 23" nylon glide, requires 23" deep clearance under worksurface Arm, fully adjustable with extended arm (6.6") for corners Lift and set height adjustment, spring assist 1/4" up 6" down Knob tilt control, +15/-15 degree 360 degree rear swivel Available in black only	19'/ ₂ x 11'/ ₂ "	EASBTM.BL	17#	
HRDPT	Keyboard Tray for Corner Worksurfaces w/Above Worksurface Arm Keyboard tray, (1/4" thick phenolic) Palm rest, 1/2" thick, gel filled, fabric covered Mouse tray, (1/4" thick phenolic) (8-1/4" diameter) swivels front to back, attaches left or right. Includes cord manager, mouse tray includes mouse pad with gel filled palm rest, mouse tray tilts to keep tray level when keyboard is tilted Track, 23" nylon glide, requires 23" deep clearance under worksurface Arm, fully adjustable with extended arm for corners Lift and set height adjustment, spring assist 6.5" up, 6" down Ratchet handle tilt control +10/-20 degree 360 degree rear swivel Tray extends past worksurface front edge 1-5/32" Available in black only	19½ x 11½"	CASBTM.BL	19#	
			A		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Worksurface Accessories Corner Worksurface Keyboard Trays w/Extended Arms

Delivered Pricing
\$ 493
\$ 598

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

				MODEL NUMBER	
	MODEL	Features	W x D	Basic Model	Approx. Packaged Weight
HRDPT	Keyboard Tray for Rectangular Worksurfaces without Mouse Tray Keyboard tray (5/8" thick, MDF) Palm rest, 1/2" thick, vinyl covered pad Track, 20" nylon glide, requires 20" deep clearance under worksurface Arm, fully adjustable with standard length arm (4.5") for rectangular surfaces Lift and set height adjustment, spring assist 1/4" up 6" down Knob tilt control, +15/-15 degree 360 degree rear swivel Available in black only	Black only	20 x 11"	SAVB.BL	14#
HRDPT	Keyboard Tray for Rectangular Worksurfaces with Mouse Tray Keyboard tray (5/8" thick, MDF) Palm rest, 1/2" thick, vinyl covered pad Mouse tray (5/8" thick, MDF) (8-1/2" x 9-1/2" teardrop shape) swivels front to back, attaches left or right, mouse tray does not tilt Track, 20" nylon glide, requires 20" deep clearance under worksurface Arm, fully adjustable with standard length arm (4.5") for rectangular surfaces 360 degree rear swivel Lift and set height adjustment, spring assist 1/4" up 6" down Knob tilt control, +15/-15 degree 360 degree rear swivel Available in black only	Black only	20 x 11"	SAVBM.BL	13#



HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Delivered Pricing
\$ 341
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392
\$ 392

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

			MODEL NUMBER	
MODEL	Features	WxD	Basic Model	Approx. Packaged Weight
Keyboard Tray for Rectangular Worksurfaces with Tilt Mouse Tray	Black only	19 ¹ / ₂ x 11 ¹ / ₂ "	SASBTM.BL	15#
 Keyboard tray (1/4" thick phenolic) 				
• Palm rest, 1/2" thick, gel filled, fabric of ered				
• Mouse tray (1/2" thick phenolic) (8-1/diameter) swivels front to back, attached				
left or right, includes cord manager. M tray includes mouse pad with gel filled	ouse			
palm rest, mouse tray tilts to keep tray elwhen keyboard is titlted				
 Track, 20" nylon glide, requires 20" de 	ер			
clearance under worksurface • Arm, fully adjustable with standard len	gth			
arm (4.5") for rectangular surfaces • Lift and set height adjustment, spring				
assist 1/4" up 6" down ■ Knob tilt control, +15/-15 degree				
360 degree rear swivel				
Available in black only				
			A	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.

Delivered Pricing

\$ 544

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

	MODEL	WxD	Basic Model	Approx. Packaged Weight
HRDPT	CPU Sling Vertically supports and stores CPU below the worksurface Straps have postive locking clamps Provides 5-1/2" of travel and 360° swivel Maximum weight capacity is 75 lbs. Available in black only Accommodates CPU with maximum circumference of 65" Cannot be used on adjustable worksurfaces To be used on 30" deep worksurfaces only	5 ³ / ₈ x 18"	CPU.SLING	10#

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Delivered Pricing

\$ 157

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL	NUMBER	
	MODEL	Basic Model	Grom. Color	Approx. Packaged Weight
	Standard Leg Grommet Frame	TSLG	TTR	.25#
	Standard Leg Grommet Frame Standard on desks Use for replacement			
HRDPT				
	Upper Leg Grommet Cover Standard on desks Use for replacement	TULGC		.25#
	•			
HRDPT				
	Lower Leg Grommet Cover • Standard on Corner Power Infeed Leg	TLLGC		.25#
	Standard on Comer i ower intect Log			
HRDPT				
			<u> </u>	
	Worksurface Grommet • Standard on desks	TWSG		.25#
	Use for replacement			
HRDPT				
	Worksurface Grommet Cover • Standard on desks	TWSGC		.25#
HRDPT	Use for replacement			
		A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select grommet color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Accessories Grommets

Deliv	ered Pricing
\$	3
\$	3
\$	3
Ψ	
\$	3
\$	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Accessories Corner Power Infeed Leg

		MODEL	NUMBER	R	
	MODEL	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight
	Corner Power Infeed Leg Used in place of standard leg when floor-mounted power monument falls outside footprint of the desk Includes upper and lower leg grommet	TCLBG			10#
TRAC					
		A	$lackbox{lack}{lack}$	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



True® Desking System Accessories Corner Power Infeed Leg

Delivered Pricing

51


SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Accessories Modesty Panel Inserts



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Accessories Modesty Panel Inserts

Delivered Pricing

\$	123	_
	123	
	133	
	149	
	179	
	194	
	223	
	238	
	266	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Accessories Worksurface Accessories

			MODEL	L NUMB	BER	
	MODEL	W	Basic Model	Paint Color	Stanchion Door Color	Approx. Packaged Weight
	Freestanding Stanchion Large	19"	TST19			8#
	Freestanding Stanchion Large • 19-1/2" tall (4 openings) • Stanchion door and top cap included					
	Used to provide worksurface power and data location					
	 Included when ordering overheads with /TR suffix 					
TRAC						
	Freestanding Stanchion Short	11"	TST11			5#
	 11-1/2" tall (2 openings) Stanchion door and top cap included 					
	Freestanding Stanchion Short 11-1/2" tall (2 openings) Stanchion door and top cap included Used to provide low height worksurface power and data location					
TRAC						
			A	$lackbox{lack}{lack}$	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select stanchion door color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



True® Desking System Accessories Worksurface Accessories

Delivered Pricing

\$ 301

\$ 211

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL N	UMBER		
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight	
	Backpack with Data Channels	24"	TBPD24		13#	
	 A steel panel that provides a solid look to the back surface of the desk 	30"	TBPD30		17#	
	 "Length" matches the length of the desk 	36"	TBPD36		20#	
	edge • Includes backpack panel, and all required	42"	TBPD42		23#	
TRAC	attachment hardware and data channels	48"	TBPD48		26#	
IIIAO	 Includes three channels for lay-in wiring 	54"	TBPD54		30#	
		60"	TBPD60		33#	
		66"	TBPD66		36#	
		72"	TBPD72		39#	
	Electrical Backpack Panel without Data Channels • A steel panel that provides a solid look to	24"	TBPN24		12#	
		30"	TBPN30		14#	
	the back surface of the desk	36"	TBPN36		17#	
·	TBPN models do not include data channels"Length" matches the length of the desk	42"	TBPN42		19#	
TRAC	edge	48"	TBPN48		22#	
11010		54"	TBPN54		24#	
		60"	TBPN60		27#	
		66"	TBPN66		29#	
		72"	TBPN72		32#	
	Backpack End Cap Steel filler that fits in the end of the back-		TBC		.75#	
	pack panel at the end of a desk runIncludes all required attachment hardware					
TDA0						
TRAC						
Santage Barrell	90° End CapSteel trim that covers the ends of two back-		TB90		1#	
	packs at a 90° intersection					
JII 1						
TRAC						
			A	B		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Accessories Backpacks


De	livered Pricing
\$	158
	171
	184
	196
	209
	222
	234
	247
	260
\$	135
	146
	156
	167
	177
	189
	199
	210
	220
\$	13
Φ.	13
\$	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



True® Desking System Accessories Backpacks

Delivered Pricing

19

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ShippingDelivered. Shipped **k.d. freight prepaid** f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

True® Desking System Data/Comm.

			MODEL NUU	MDED.		
			MODEL NUI	MREK		
	MODEL	W	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight
m	Communication Pole	10"	TCOMP10			9#
	Used to route communication cables through top grommet in worksurface to	7"	TCOMP7			6#
	ceiling					
	ceiling Includes pole, cover, and ceiling trim Pole has two separated channels					
TRAC						
	Cable Support		TCOMCS			.25#
	Cable Support TCOMCS=single TCOMPK=8 pack		TCOMCSPK			.25#
HRDPT						
	Face Plate Bracket		TCOMFP			.25#
TRAC						
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



True® Desking System Data/Comm.

Delivered Pricing	De	livered	Prio	cing
-------------------	----	---------	------	------

58 \$

53

34

17

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL NUM	BER	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight
	Rigid Wireway 4-4-2	Desk Width 30"	TRWW4R30		4#
	Includes rigid wireway electrical harness, tool wireway eaver and all required.	Desk Width 36"	TRWW4R36		5#
	steel wireway cover, and all required attachment hardware	Desk Width 42"	TRWW4R42		5#
	 Available in two 10-wire styles. Note: 10- wire styles must match on all electrical 	Desk Width 48"	TRWW4R48		8#
TO LO	parts	Desk Width 54"	TRWW4R54		8#
TRAC	 Allows two duplex receptacles (ordered separately) to be mounted below the desk 	Desk Width 60"	TRWW4R60		11#
	worksurface	Desk Width 66"	TRWW4R66		11#
	 Size must match the desk length. Note: the 72D (dual) provides four possible recepta- 	Desk Width 72"	TRWW4R72		12#
	cle locations	Desk Width 72"	TRWW4R72D		12#
	Rigid Wireway 6-2-2	Desk Width 30"	TRWW6R30		4#
	 Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware 	Desk Width 36"	TRWW6R36		5#
		Desk Width 42"	TRWW6R42		6#
	 Available in two 10-wire styles. Note: 10- wire styles must match on all electrical 	Desk Width 48"	TRWW6R48		8#
	parts	Desk Width 54"	TRWW6R54		9#
TRAC	 Allows two duplex receptacles (ordered separately) to be mounted below the desk 	Desk Width 60"	TRWW6R60		10#
	worksurface	Desk Width 66"	TRWW6R66		11#
	Size must match the desk length. Note: the 200 (duel) provides four possible recents.	Desk Width 72"	TRWW6R72		12#
	72D (dual) provides four possible recepta- cle locations	Desk Width 72"	TRWW6R72D		13#
				B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.

B Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



De	elivered Pricing
\$	90
	101
	113
	126
	174
	223
	271
	315
	315
\$	90
Ψ	101
	113
	126
	174
	223
	271
	315
	315

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL NUMBER	
	MODEL	Features	W	Basic Model	Approx. Packaged Weight
	Rigid Wireway Standard Desk Jumper 4-4-2		28"	TRDJ4ST	2#
HRDPT	Fills gap at trough				
	•				
	Rigid Wireway Standard Desk Jumper		28"	TRDJ6ST	2#
	6-2-2		20	THEOGOT	LII
HRDPT	 Includes jumper harness to make the electrical connection between adjacent desks 				
	 Available in two 10-wire styles. Note: 10- 				
	wire styles must match on all electrical parts				
	Rigid Wireway Power Pass Through	Desk Width 24"		TRE4PP24	3#
	4-4-2 • Includes the power pass through harness	Desk Width 30"		TRE4PP30	3#
HRDPT	that allows power to continue through one	Desk Width 36"		TRE4PP36	3#
	side of a desk between two rigid wireway equipped desks	Desk Width 42"		TRE4PP42	3#
	 Available in two 10-wire styles. Note: 10- 	Desk Width 48"		TRE4PP48	3#
	wire styles must match on all electrical parts	Desk Width 54"		TRE4PP54	3#
	 Order length according to the desk width it 	Desk Width 60"		TRE4PP60	3#
	is passing through	Desk Width 66"		TRE4PP66	3#
		Desk Width 72"		TRE4PP72	4#
	Rigid Wireway Power Pass Through	Desk Width 24"		TRE6PP24	3#
	6-2-2Includes the power pass through harness	Desk Width 30"		TRE6PP30	3#
HRDPT	that allows power to continue through one side of a desk between two rigid wireway	Desk Width 36"		TRE6PP36	3#
	equipped desks	Desk Width 42"		TRE6PP42	3#
	Available in two 10-wire styles. Note: 10- wire styles must match on all electrical	Desk Width 48"		TRE6PP48	4#
	parts	Desk Width 54"		TRE6PP54	4#
	 Order length according to the desk width it is passing through 	Desk Width 60"		TRE6PP60	4#
	is passing unrough	Desk Width 66"		TRE6PP66	4# ^#
		Desk Width 72"		TRE6PP72	4#
				A	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Deliv	ivered Pricing	
\$	82	
\$	82	
Ф	83	
	85	
	88	
	90	
	94	
	98	
	102	
	107	
	111	
	83	
	85	
	88	
	90	
	94	
	98	
	102 107	
	111	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL N	JMBER	
	MODEL		Basic Model	Paint Color	Approx. Packaged Weight
	riigia wiicway Liia i alici ilougii/Dcsk	24"	TEPT424		4#
		30"	TEPT430		5#
TRAC	trical connection between adjacent desks				
	See specifications for length that must be specified				
	 Available in two 10-wire styles. Note: 10- 				
	wire styles must match on all electrical parts				
	ματο				
TRAC	Jumper 6-2-2 Includes jumper harness to make the electrical connection between adjacent desks	24"	TEPT624		4#
		30"	TEPT630		5#
	 See specifications for length that must be specified 				
	 Available in two 10-wire styles. Note: 10- 				
	wire styles must match on all electrical parts				
	ρατο				
			A	lacksquare	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



	Pricing

\$ 136

148

\$ 136

148

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

		MODEL N	JMBER	
	MODEL L	Basic Model	Access.	Approx. Packaged Weight
	Rigid Wireway Receptacles 4-4-2	TRER4RC1		.25#
	Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway	TRER4RC2		.25#
000	Available in two 10-wire styles. Note: 10-	TRER4RC3I		.25#
	wire styles must match on all electrical parts	TRER4RC4I		.25#
HRDPT	ματο			
	Rigid Wireway Receptacles 6-2-2	TRER6RC1		.25#
	Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway	TRER6RC2		.25#
100	 Available in two 10-wire styles. Note: 10- 	TRER6RC3		.25#
	wire styles must match on all electrical parts	TRER6RC4I		.25#
HRDPT	pario	TRER6RC5I		.25#
		TRER6RC6I		.25#
HRDPT	Rigid Wireway Base Feed 4-4-2 Includes base feed harness with 6' of colored liquiditie conduit covering; used to feed power from a hard wired J-box or floor monument to the rigid wireway on a desk Available in two 10-wire styles. Note: 10-wire styles must match on all electrical parts Building connection hardware must be supplied by customer			7#
HRDPT	Rigid Wireway Base Feed 6-2-2 Includes base feed harness with 6' of colored liquiditie conduit covering; used to feed power from a hard wired J-box or floor monument to the rigid wireway on a desk Available in two 10-wire styles. Note: 10-wire styles must match on all electrical parts Building connection hardware must be supplied by customer	TEBI6BF6		7#
		A	₿	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select accessory color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



Delivered Pricing
\$ 26
26
26
26
20
\$ 26
26
26
26
26
26
\$ 173
\$ 173

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

			MODEL N	JMBER	R
	MODEL	н	Basic Model	Paint Color	Approx. Packaged Weight
		144"	TE6TF144		14#
TRAC	aluminum 2-channel power pole (7' or 10' respectively) and ceiling trim Used to feed power from a hard wired J-box above a false celling to the rigid wireway or a desk	216"	TE6TF216		19#
	Attaches to the desk at a corner grommet location Available in two 10-wire styles. Note: 10-				
	wire styles must match on all electrical				
	parts Building connection hardware must be				
	supplied by customer				
	ingla wildway top i coa + + 2	144"	TE4TF144		13#
TRAC	aluminum 2-channel power pole (7' or 10'	216"	TE4TF216		19#
	respectively) and ceiling trim Used to feed power from a hard wired J-				
	box above a false celiing to the rigid wire- way or a desk				
	Attaches to the desk at a corner grommet location				
	 Available in two 10-wire styles. Note: 10- 				
	wire styles must match on all electrical parts				
	Building connection hardware must be supplied by customer				
	Supplied by edisternor				
	Stanchion Power Tap	36"	TRESR36		.5#
1.4	Provides a duplex 15 amp receptacle that is	96"	TRESR96		1#
	located behind a desk stanchion door • Circuit number will be determined by the				
	receptacle it is plugged into • Two cord lengths available: 36" and 96"				
U					
HRDPT					
			A	lacksquare	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes



Dolivorod	Driging
Delivered	FIICHIU

\$ 127

170

\$ 127

170

79

94

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Pedestals

Mobile and Freestanding

				MODEL NUMBER					
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
i7PDU	Pedestal - BFTP Top surface of pedestal has black, four compartment pencil tray and black recessed pull To box drawer with partition To box drawer with partition Anti-tip caster travels with file drawer Counterbalance weight not required Only use 21-5/8" D peds with 30" D desks	Mobile	15 x 21 ⁵ / ₈ x 21 ³ / ₄ "	S7P/1524MBFTP	· ·				
7PDU	Pedestal - BF One 6" box drawer One 12" file drawer with hanging folder partition Sth wheel in lieu of counterbalance weight Only use 21-5/8" D peds with 30" D desks	Mobile Mobile	15 x 17 ⁵ / ₈ x 21 ³ / ₄ " 15 x 21 ⁵ / ₈ x 21 ³ / ₄ "	S7P/1520MBF S7P/1524MBF					
S7PDU	Pedestal - BBB Three 6" box drawers Sth wheel in lieu of counterbalance weight Only use 21-5/8" D peds with 30" D desks	Mobile Mobile	15 x 17 ⁵ / ₈ x 21 ³ / ₄ " 15 x 21 ⁵ / ₈ x 21 ³ / ₄ "	S7P/1520MBBB S7P/1524MBBB					
TPDU	Pedestal - PBF One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks	Freestanding Mobile Freestanding Mobile	15 x 17 ⁵ / ₈ x 22 ³ / ₈ " 15 x 17 ⁵ / ₈ x 24 ¹¹ / ₁₆ " 15 x 21 ⁵ / ₈ x 22 ³ / ₈ " 15 x 21 ⁵ / ₈ x 24 ¹¹ / ₁₆ "	S7P/1520FPBF S7P/1520MPBF S7P/1524FPBF S7P/1524MPBF					
				•	B	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.

NOPL = No pull ALBT = Aluminum bow tie = Aluminum metric ALMT **ARCN** = Arc nickel **CLSC** = Classic NKBT = Nickel bow tie **RETN** = Retro nickel

Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW = With counterbalance

NOCBW = No counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

= Key alike KS = Key standard NLC = No lock core

INFORMATION

Height
All freestanding pedestals include 1/4" allowance for glides in recessed position.
Mobile pedestals include 2-5/16" allowance for casters

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional acces-



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Delivered Pricing	Counterbal ance Weight add to list price
79#	\$ 622	N/A
79#	\$ 543	N/A
90#	622	N/A N/A
90#	UZZ	IV/A
83#	\$ 622	N/A
92#	606	N/A
53#	\$ 571	\$ 134
89#	681	N/A
55#	602	116
90#	649	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Pedestals

Mobile and Freestanding

				MODEL NUMBE	R				
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
S7PDU	Pedestal - FF Two 12" file drawers with hanging folder partitions Counterbalance weight included in mobile unit Counterbalance weight recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks	Freestanding Mobile Freestanding Mobile	15 x 17 ⁵ / ₈ x 25 ⁵ / ₁₆ " 15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ " 15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ " 15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	S7P/1520FFF S7P/1520MFF S7P/1524FFF S7P/1524MFF					
S7PDU	Pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder partition Counterbalance weight included in mobile unit Counterbalance weight recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks	Freestanding Mobile Freestanding Mobile	15 x 17 ⁵ / ₈ x 25 ⁵ / ₁₆ " 15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ " 15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ " 15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	S7P/1520FBBF S7P/1520MBBF S7P/1524FBBF S7P/1524MBBF					
S7PDU	Pedestal - BBBB Four 6" box drawers Counterbalance weight included in mobile unit Counterbalance weight recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks	Mobile	15 x 17 ⁵ / ₈ x 25 ⁵ / ₁₅ " 15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ " 15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₅ " 15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	S7P/1520FBBBB S7P/1520MBBBB S7P/1524FBBBB S7P/1524MBBBB					
S7PDU	Pedestal - PBBB One 3" pencil drawer Three 6" box drawers Counterbalance weight included in mobile unit Counterbalance weight recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks	Freestanding Mobile Freestanding Mobile	15 x 17 ⁵ / ₈ x 22 ³ / ₈ " 15 x 17 ⁵ / ₈ x 24 ¹¹ / ₁₆ " 15 x 21 ⁵ / ₈ x 22 ³ / ₈ " 15 x 21 ⁵ / ₈ x 24 ¹¹ / ₁₆ "	S7P/1520FPBBB S7P/1520MPBBB S7P/1524FPBBB S7P/1524MPBBB					
				A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.

NOPL = No pull ALBT = Aluminum bow tie = Aluminum metric ALMT **ARCN** = Arc nickel **CLSC** = Classic NKBT = Nickel bow tie **RETN** = Retro nickel

Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW = With counterbalance

NOCBW = No counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

= Key alike KS = Key standard NLC = No lock core

INFORMATION

Height
All freestanding pedestals include 1/4" allowance for glides in recessed position.
Mobile pedestals include 2-5/16" allowance for casters

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional acces-



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Delivered Pricing	Counterbal ance Weight add to list price
55#	\$ 521	\$ 134
93#	576	N/A
55#	548	116
90#	600	N/A
57#	\$ 548	\$ 134
93#	629	N/A
60#	576	116
95#	663	N/A
59#	\$ 590	\$ 134
95#	719	N/A
66#	622	116
105#	698	N/A
62#	\$ 632	\$ 134
91#	758	N/A
62#	667	116
102#	743	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Credenza Files

Credenza Files and Cupboards

			MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27-7/8" Credenza File - FF Drawer fronts compatible with all pedestals Two 12" file drawers with FBA bars for	30 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/30240FF					120#
		36 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/36240FF					130#
	side-to-side filing	42 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/42240FF					145#
	 Counterbalance weight recommended when freestanding unit is not under worksurface 							
	neestanding unit is not under worksunace							
S7LTU S7LTU								
	 27-7/8" Credenza File - BBF Drawer fronts compatible with all pedestals Two 6" box drawers One 12" file drawer with FBA bars for sideto-side filing Counterbalance weight recommended when 	30 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/30240BBF					135#
		36 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/36240BBF					145#
		42 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/42240BBF					160#
	freestanding unit is not under worksurface							
S7LTU								
	27-7/8" Credenza CupboardOne adjustable shelf	30 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/30240CC					95#
		36 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/36240CC					105#
		42 x 18 ⁷ / ₈ x 27 ⁷ / ₈ "	S7L/42240CC					121#
S7CBU								
			A	B	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.

NOPL = No pull
ALBT = Aluminum bow tie
ALMT = Aluminum metric
ARCN = Arc nickel
CLSC = Classic
NKBT = Nickel bow tie
RETN = Retro nickel

Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW = With counterbalance

CBW = With counterbalance **NOCBW** = No counterbalance

See pricing column for counterbalance weight upcharge.

Select key option.

KA = Key alike
KS = Key standard
NLC = No lock core

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories



700 Series® Credenza Files Credenza Files and Cupboards

· · · · · · · · · · · · · · · · · · ·	
Delivered Pricing	Counterbal ance Weight add to list price
\$ 827	\$ 162
887	162
946	162
\$ 973	\$ 162
1033	162
1093	162
\$ 768	N/A
824	N/A
867	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Curve Pedestals

Mobile and Freestanding

			MODEL NUMBE	R						
			Basic		Smooth/	Unit	Pull	Optional Counter- balance	Key	
	Features	WxDxH	Model	Dimpled	Textured	Color	Color	Weight	Option	
		17 ⁵ / ₈ "	S7CP1520MBF							
	Mobile	15 x 21 ⁵ / ₈ x 21 ³ / ₄ "	S7CP1524MBF							
S7CP										
Pedestal - BF										
One 6" box drawerOne 12" file drawer with hanging fold-										
er partition										
 Mobile units include 5th wheel in lieu of counterbalance weight 										
or counterbuilding worging										
	Mobile	15 x 17 ⁵ / ₈ x 24 ¹¹ / ₁₆ "								
		15 x 21 ⁵ / ₈ x 22 ³ / ₈ "	S7CP1524FPBF							
	Mobile	15 x 21 ⁵ / ₈ x 24 ¹¹ / ₁₆ "	S7CP1524MPBF							
S7CP										
Pedestal - PBF One 3" pencil drawer										
One 6" box drawer										
 One 12" file drawer with hanging fold- er partition 										
Mobile units include 5th wheel in lieu										
of counterbalance weightCounterbalance weight recommended										
when freestanding unit is not under										
worksurface										
			A	$lackbox{lack}{lack}$	•				•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select flat or dimpled front. = Dimpled

= Flat

Add upcharge for D option.

Select smooth or textured paint finish.

= Smooth = Textured

- Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW = With counterbalance

NOCBW = No counterbalance See pricing column for counterbalance weight upcharge.

A

Select	key option.
KA	= Key alike
KS	= Key standard
NLC	= No lock core

INFORMATION

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional acces-



89#

55#

90#

\$ 763

673

727

700 Series® Curve Pedestals Mobile and Freestanding

\$ 15

14

15

N/A

116

N/A

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	list	ance Weight add to list price
79#	\$ 608	\$	13	N/A
90#	696		14	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Curve Pedestals

Mobile and Freestanding

			MODEL NUMBE	R						
	Features	WxDxH	Basic Model	Dimpled	Smooth/ Textured	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	
	Mobile	15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ "	S7CP1520MFF							
	Freestanding	15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ "	S7CP1524FFF							
	Mobile	15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	S7CP1524MFF							
S7CP										
Pedestal - FF										
 Two 12" file drawers with hanging 										
folder partitions Counterbalance weight included in										
mobile unit										
 Counterbalance weight recommended when freestanding unit is not under 										
worksurface										
	Mobile	15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ "	S7CP1520MBBF							
	Freestanding	15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ "	S7CP1524FBBF							
	Mobile	15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	S7CP1524MBBF							
S7CP										
Pedestal - BBF ■ Two 6" box drawers										
 One 12" file drawer with hanging par- 										
tition • Mobile unit includes 5th wheel in lieu										
of counterbalance weight										
 Counterbalance weight recommended when freestanding unit is not under 										
worksurface										
			A	B	•	•			•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select flat or dimpled front.

 D = Dimpled

F = Flat

Add upcharge for D option.

• Select smooth or textured paint finish.

S = Smooth T = Textured

- Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW = With counterbalance **NOCBW** = No counterbalance

See pricing column for counterbalance weight upcharge.

G Select key option.

Select	key option.	
KA	= Key alike	
KS	= Key standard	
NLC	= No lock core	

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories



700 Series® Curve Pedestals Mobile and Freestanding

Approx. Packaged Weight D	lelivered Pricing	Dimp Front add t	o list	Counterbal ance Weight add to list price
93#	646	\$	13	N/A
55#	613		13	116
90#	671		14	N/A

93#	\$ 705	\$	14	N/A
60#	646		13	116
95#	742		15	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Accessories

				MODEL NUMBER	
	MODEL	Features	WxDxH	Basic Model	Approx. Packaged Weight
## ### ### ###########################	Caster Kit Converts freestanding pedestals to mobile units		29/16"	S7P/CK	13#
PDACU	 Adds 2-5/16" to pedestal height Must use with counterbalance weight 4 per kit 				
	Counterbalance Weight - 24" D Units	For 24"D Units	12 ¹ / ₂ x 1 ¹ / ₄ x 16 ³ / ₄ "	S7P/CBW40	40#
	 Recommended for 24" D freestanding units For factory installed, specify as option on 				
	freestanding models				
PDACU					
	Counterbalance Weight - 20" D Units	For 20"D Units	7 ¹ / ₂ x ³ / ₄ x 16"	S7P/CBW36	36#
	 Recommended for 24" D freestanding units For factory installed, specify as option on 				
	freestanding models Sold in pairs				
PDACU	• Solid III palis				
-	P-Series Keys	Lock/Core Set		2.KP20522	.4#
	 Extractor key used for core removal 	Master Key		2.KP20550	.2#
		Extractor Key		2.KP20551	.2#
		Key Blank		2.KP20552	.2#
		Cut Key		2.KP20557	.2#
				1	



Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



700 Series® Accessories Pedestal Accessories

Delivered Pricing
\$ 55
\$ 116
\$ 128
\$ 12
9
9
3
4

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

700 Series® Accessories

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
J. J. J. PDACU	Glide Kit Adds 1/8" to 1" to pedestal height Aper kit		S7P/GK	1#	
PDACU	Pencil Tray	12¹/₅ x 4 x 1"	S7P/PENTRAY	1#	
PDACU	6" Partition • For 6" box drawers • Black finish only • Priced each	12¹/₅ x 4⁵/₅"	S7P/D6	1#	
DDACII	Hanging Folder Partition For 12" file drawers Black finish only Priced each	12 ¹ / ₈ x 9 ⁵ / ₈ "	S7P/D12	1#	
PDACU			•		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



700 Series® Accessories Pedestal Accessories

Delivered Pricing
\$ 9
\$ 8
\$ 5
\$ 8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL NU	IMBER	I	
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - PBF	Mobile	15 x 17 ⁵ / ₈ x 24 ¹¹ / ₁₆ "	EP20MPBF			58#
	 One 9" multimedia storage drawer with hidden pencil drawer 	Mobile	15 x 21 ⁵ / ₈ x 24 ¹¹ / ₁₆ "	EP24MPBF			62#
	 One 12" file drawer 						
CODDII	 Anti-tip caster on mobile units; counterbal- ance weight not required 						
ESPDU	• Only use 21-5/8" D peds with 30" D desks						
	Podestal PRE	Mobile	15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ "	EP20MBBF			62#
	Pedestal - BBF • Two 6" box drawers	Mobile	15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	EP24MBBF			65#
	 One 12" file drawer Anti-tip caster on mobile units; counterbal- 	11100110	10 11 / 0 11 / 0				00#
	ance weight not required						
SPDU	• Only use 21-5/8" D peds with 30" D desks						
31 00							
	Pedestal - FF	Mobile	15 x 17 ⁵ / ₈ x 27 ⁵ / ₈ "	EP20MFF			87#
	Two 12" file drawersCounterbalance weight included in mobile	Mobile	15 x 21 ⁵ / ₈ x 27 ⁵ / ₈ "	EP24MFF			104#
	unit						
	• Only use 21-5/8" D peds with 30" D desks						
SPDU							
				A	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select key option

361661	key option.	
KA	= Key alike	
KS	= Key standard	
NI C	- No lock core	

INFORMATION

Height Mobile pedestal include 2-5/16" allowance for casters

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional acces-



Delivered Pricing
\$ 518
529
\$ 492
529
\$ 452
507

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

				MODEL N	JMBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	Pedestal - PBF	Ü		EP20FPBF				57#
	 One 9" multimedia storage drawer with hidden pencil drawer 	Freestanding	15 x 21 ⁵ / ₈ x 22 ³ / ₈ "	EP24FPBF				62#
	 One 12" file drawer Counterbalance recommended when free- 							
ESPDU	standing unit is not under worksurface Only use 21-5/8" D peds with 30" D desks							
	only doe 21 6/6 b podd mar 60 b doesid							
	Pedestal - BBF	Freestanding	15 x 17 ⁵ / ₈ x 25 ⁵ / ₁₆ "	EP20FBBF				61#
	 Two 6" box drawers One 12" file drawer	Freestanding	15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ "	EP24FBBF				66#
	 Counterbalance recommended when free- standing unit is not under worksurface 							
FORDIL	• Only use 21-5/8" D peds with 30" D desks							
ESPDU								
	Pedestal - FF	Freestanding	15 x 17 ⁵ / ₈ x 25 ⁵ / ₁₆ "	EP20FFF				52#
	 Two 12" file drawers Counterbalance recommended when free- 	Freestanding	15 x 21 ⁵ / ₈ x 25 ⁵ / ₁₆ "	EP24FFF				65#
	standing unit is not under worksurface • Only use 21-5/8" D peds with 30" D desks							
	only doc 21 6/6 b peds with 60 b desire							
ESPDU								
				A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select unit and drawer color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select counterbalance weight.

CBW = With counterbalance

NOCBW = No counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

KA	= Key alike	
KS	= Key standard	
NLC	= No lock core	

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional acces-



Delive	ered Pricing	Counter ance Weight add to li	
\$ 4	456	\$ 13	4
4	492	11	6
	100	<u> </u>	_
\$ 4		\$ 13	
Ę	501	11	6
Φ	2007	Φ 40	_
\$ 3		\$ 13	
2	477	11	6

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Index

Model No.	Description	Page	Model No.	Description	Page
2.KP20522	Pedestal Accessories: P-Series Keys	148	S7P/D12	Pedestal Accessories: Hanging Folder Partition	150
7D/18CD	Center Drawer and Keyboards: Center Drawer	102	S7P/D6	Pedestal Accessories: 6" Partition	150
BLCF30/TR	Balance® Overhead Storage: Fabric Upper Door	86	S7P/GK	Pedestal Accessories: Glide Kit	150
BLCL30/TR	Balance® Overhead Storage: Laminate Upper Door	84	S7P/PENTRAY	Pedestal Accessories: Pencil Tray	150
BLCS30/TR	Balance® Overhead Storage: Solid Color Upper Door	82	SASBTM.BL	Keyboard Trays with Standard Arms: Keyboard Tray for	108
BTLE.24	Balance® Task Lights: Electronic Ballast	88		Rectangular Worksurfaces with Tilt Mouse Tray	
BTLN.24	Balance® Task Lights: Normal Ballast	88	SASBTM.BL	Keyboard Trays with Standard Arms: Keyboard Tray for	110
BTLV.24	Balance® Task Lights: Variable Ballast	88		Rectangular Worksurfaces with Tilt Mouse Tray	
BWSC204242	Privacy Screens - Upholstered: Single Desk Corner Privacy Screen, mounted behind worksurface	70	SAVB.BL	Keyboard Trays with Standard Arms: Keyboard Tray for Rectangular Worksurfaces without Mouse Tray	108
CASBTM.BL	Corner Worksurface Keyboard Trays w/Extended Arms:	106	SAVB.BL	Keyboard Trays with Standard Arms: Keyboard Tray for	110
ONOD IWI.DL	Keyboard Tray for Corner Worksurfaces w/Above Worksurface		O/WD.DL	Rectangular Worksurfaces without Mouse Tray	110
	Arm	U	SAVBM.BL	Keyboard Trays with Standard Arms: Keyboard Tray for	108
CPU.SLING	CPU Sling: CPU Sling	112	SAVDIVI.DL	Rectangular Worksurfaces with Mouse Tray	100
EASBTM.BL	Corner Worksurface Keyboard Trays w/Extended Arms:	106	SAVBM.BL	Keyboard Trays with Standard Arms: Keyboard Tray for	110
	Keyboard Tray for Corner Worksurfaces with Tilt Mouse Tray			Rectangular Worksurfaces with Mouse Tray	
EAVB.BL	Center Drawer and Keyboards: Keyboard Tray for Corner	104	TAFMP24	Modesty Panel Inserts: Full Modesty Panel Insert	118
	Worksurfaces without Mouse Tray		TAR24	Add-On Worksurfaces: Round Add-On Worksurface	56
EAVBM.BL	Center Drawer and Keyboards: Keyboard Tray for Corner	104	TATR24/SS	Tool Rails: Tool Rail, stanchion/stanchion mounted	76
	Worksurfaces with Mouse Tray		TB180	Backpacks: 180° End Cap	124
EP20FBBF	Freestanding: Pedestal - BBF	154	TB90	Backpacks: 90° End Cap	122
EP20FFF	Freestanding: Pedestal - FF	154	TBC	Backpacks: Backpack End Cap	122
EP20FPBF	Freestanding: Pedestal - PBF	154	TBPD24	Backpacks: Backpack with Data Channels	122
EP20MBBF	Mobile: Pedestal - BBF	152	TBPN24	Backpacks: Electrical Backpack Panel without Data Channels	122
EP20MFF	Mobile: Pedestal - FF	152	TBS24/E	Privacy Screens - Exposed Frame: Single Desk Privacy	62
EP20MPBF	Mobile: Pedestal - PBF	152		Screen, between stanchions	
KBD.30.BL	Center Drawer and Keyboards: Sliding Keyboard Drawer	102	TBS24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	68
KBDM.30.BL	Center Drawer and Keyboards: Sliding Keyboard Drawer	102		between stanchions	
	w/Mouse Tray		TBW2024	Privacy Screens - Upholstered: Single Desk Privacy Screen,	68
NSD	Universal Overhead Shelves and Divider: Shelf Divider	98		mounted behind worksurface	
PPAT	Paper Management: Accessory Tray	80	TC24424224/FF	Corner Desk: Corner Desk with Full Modesty Panel/Full	12
PPDH	Paper Management: CD Holder	80		Modesty Panel	
PPDS	Paper Management: Diagonal Storage	78	TC24424224/FP	Corner Desk: Corner Desk with Full Modesty Panel/Partial	14
PPFH	Paper Management: Hanging Folder Holder	78		Modesty Panel	
PPLL	Paper Management: Paper Tray	78	TC24424224/PF	Corner Desk: Corner Desk with Partial Modesty Panel/Full	16
PPPC	Paper Management: Pencil Cup	80		Modesty Panel	
PPTC	Paper Management: Telephone Caddy	80	TC24424224/PP	Corner Desk: Corner Desk with Partial Modesty Panel/Partial	18
PPVS	Paper Management: Vertical Storage	78		Modesty Panel	
PRDF24/TR	Universal Overhead Storage: Fabric Overhead Cabinet	92	TCLBG	Corner Power Infeed Leg: Corner Power Infeed Leg	116
PRDL24/TR	Universal Overhead Storage: Laminate Overhead Cabinet	94	TCOMCS	Accessories: Cable Support	126
PRDS24/TR	Universal Overhead Storage: Steel Overhead Cabinet	90	TCOMFP	Accessories: Face Plate Bracket	126
PRDV24/TR	Universal Overhead Storage: Veneer Overhead Cabinet	96	TCOMP10	Accessories: Communication Pole	126
S7CP1520MBBF	Mobile and Freestanding: Pedestal - BBF	146	TD2448/F/A	D-Shaped Desk: D-Shaped Desk with Full Modesty	30
S7CP1520MBF	Mobile and Freestanding: Pedestal - BF	144	102110/1/11	Panel/No Partial Guest Modesty Panel	00
S7CP1520MFF	Mobile and Freestanding: Pedestal - FF	146	TD2448/F/G	D-Shaped Desk: D-Shaped Desk with Full Modesty	28
S7CP1520MPBF	Mobile and Freestanding: Pedestal - PBF	144	102 11 0/1/0	Panel/Partial Guest Modesty Panel	20
S7L/30240BBF	Credenza Files and Cupboards: 27-7/8" Credenza File - BBF		TD2448/P/A	D-Shaped Desk: D-Shaped Desk w/Partial Modesty	34
S7L/30240CC	Credenza Files and Cupboards: 27-7/8" Credenza Cupboard		102440/1/A	Panel/No Partial Guest Modesty Panel	04
S7L/30240CC S7L/30240FF	·		TD2448/P/G	•	32
	Credenza Files and Cupboards: 27-7/8" Credenza File - FF	142 140	1D2440/F/G	D-Shaped Desk: D-Shaped Desk with Partial Modesty Panel/Partial Guest Modesty Panel	32
S7P/1520FBBBB	Mobile and Freestanding: Pedestal - BBBB		TD1/0.4	·	74
S7P/1520FBBF	Mobile and Freestanding: Pedestal - BBF	140	TDV24	Worksurface Dividers: Worksurface Dividers	74
S7P/1520FFF	Mobile and Freestanding: Pedestal - FF	140	TE3060	Bow Front Desk: Bow Front Desk with Full Modesty Panel	10
S7P/1520FPBBB	Mobile and Freestanding: Pedestal - PBBB	140	TE4TF144	Electrical: Rigid Wireway Top Feed 4-4-2	136
S7P/1520FPBF	Mobile and Freestanding: Pedestal - PBF	138	TE6TF144	Electrical: Rigid Wireway Top Feed 6-2-2	136
S7P/1520MBBB	Mobile and Freestanding: Pedestal - BBB	138	TEBI4BF6	Electrical: Rigid Wireway Base Feed 4-4-2	134
S7P/1520MBF	Mobile and Freestanding: Pedestal - BF	138	TEBI6BF6	Electrical: Rigid Wireway Base Feed 6-2-2	134
S7P/1524MBFTP	Mobile and Freestanding: Pedestal - BFTP	138	TEE24/E	Privacy Screens - Exposed Frame: Shared Privacy Screen,	64
S7P/CBW36	Pedestal Accessories: Counterbalance Weight - 20" D Units	148	TEE0 4 " :	end mount/end mount	
S7P/CBW40	Pedestal Accessories: Counterbalance Weight - 24" D Units		TEE24/U	Privacy Screens - Upholstered: Shared Privacy Screen, end	72
S7P/CK	Pedestal Accessories: Caster Kit	148		mount/end mount	

Index



TE						Page
	PT424	Electrical: Rigid Wireway End Panel Trough/Desk Jumper 4-4-2	132	TST11 TST19	Worksurface Accessories: Freestanding Stanchion Short Worksurface Accessories: Freestanding Stanchion Large	120 120
TE	PT624	Electrical: Rigid Wireway End Panel Trough/ Desk Jumper 6-	132	TTR244230/F	Transitional Desk: Transitional Desk with Full Modesty Panel	
T 1.	10.40.40	2-2	00	TTR244230/P	Transitional Desk: Transitional Desk with Partial Modesty	54
IH	IC4242	Transaction Worksurfaces: Standard Height Transaction Counter Corner	60	TULGC	Panel Grommets: Upper Leg Grommet Cover	114
TH	IR4824	Add-On Worksurfaces: Half Round Add-On Worksurface	56	TWEE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy	62
TI2	244860/F/A	Piano Desk: Piano Desk with Full Modesty Panel/No Partial	46		Screen, end mount/ end mount	
		Guest Modesty Panel		TWEE24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	66
TI2	244860/F/G	Piano Desk: Piano Desk with Full Modesty Panel/Partial	44		end mount/end mount	
TIC	0.4.4000 /D /A	Guest Modesty Panel	50	TWSE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy	62
112	244860/P/A	Piano Desk: Piano Desk with Partial Modesty Panel/No Partial Guest Modesty Panel	50	TWSE24/U	Screen, stanchion/ end mount Privacy Screens - Upholstered: Single Desk Privacy Screen,	66
TI2	244860/P/G	Piano Desk: Piano Desk with Partial Modesty Panel/Partial	48	1 W3L24/ U	stanchion/end mount	00
	- 1.000/1. / G	Guest Modesty Panel		TWSG	Grommets: Worksurface Grommet	114
TL	C4242	Transaction Worksurfaces: Low Height Transaction Counter	60	TWSGC	Grommets: Worksurface Grommet Cover	114
		Corner		ULSR24/TR	Universal Overhead Shelves and Divider: Low Shelf	98
	LGC	Grommets: Lower Leg Grommet Cover	114	URSR24/TR	Universal Overhead Shelves and Divider: Regular Shelf	98
TL	S24	Transaction Worksurfaces: Low Height Transaction Counter	58	UTLE24	Universal Overhead and Shelves Task Lights: Electronic	100
TD	0044000/F/A	Straight	20	LITENDA	Ballast, Normal Power	100
IP	244860/F/A	P-Shaped Desk: P-Shaped Desk with Full Modesty Panel/No Partial Guest Modesty Panel	38	UTLN24	Universal Overhead and Shelves Task Lights: Magnetic Ballast	100
TP	244860/F/G	P-Shaped Desk: P-Shaped Desk with Full Modesty	36	UTLV24	Universal Overhead and Shelves Task Lights: Normal Power	100
	21.000,170	Panel/Partial Guest Modesty Panel	00	0.2.2.	Factor, 2 Step Dimming	.00
TP	244860/P/A	P-Shaped Desk: P-Shaped Desk w/Partial Modesty Panel/No Partial Guest Modesty Panel	42		,,, J	
TP	2244860/P/G	P-Shaped Desk: P-Shaped Desk with Partial Modesty Panel/Partial Guest Modesty Panel	40			
TQ)R24	Add-On Worksurfaces: Quarter Round Add-On Worksurface	56			
TR	2424/F	Rectangular Desk: Rectangular Desk with Full Modesty Panel	6			
TR	12424/P	Rectangular Desk: Rectangular Desk with Partial Modesty Panel	8			
TR	DJ4ST	Electrical: Rigid Wireway Standard Desk Jumper 4-4-2	130			
TR	BDJ6ST	Electrical: Rigid Wireway Standard Desk Jumper 6-2-2	130			
TR	E4PP24	Electrical: Rigid Wireway Power Pass Through 4-4-2	130			
TR	E6PP24	Electrical: Rigid Wireway Power Pass Through 6-2-2	130			
	ER4RC1	Electrical: Rigid Wireway Receptacles 4-4-2	134			
	ER6RC1	Electrical: Rigid Wireway Receptacles 6-2-2	134			
	ESR36	Electrical: Stanchion Power Tap	136			
	WW4R30	Electrical: Rigid Wireway 4-4-2	128			
	WW6R30 524486024/F/FS	Electrical: Rigid Wireway 6-2-2 Square Shoe Desk: Square Shoe Desk with Full Modesty	128 20			
10	24400024/1/10	Panel/Full Modesty Panel	20			
TS	24486024/F/PS	Square Shoe Desk: Square Shoe Desk with Full Modesty Panel/Partial Modesty Panel	22			
TS	24486024/P/FS	Square Shoe Desk: Square Shoe Desk with Partial Modesty Panel/Full Modesty Panel	24			
TS	24486024/P/PS	Square Shoe Desk: Square Shoe Desk with Partial Modesty Panel/Partial Modesty Panel	26			
TS	SE24/E	Privacy Screens - Exposed Frame: Shared Privacy Screen, stanchion/end mount	64			
TS	E24/U	Privacy Screens - Upholstered: Shared Privacy Screen, stan- chion/end mount	72			
TS	SLG	Grommets: Standard Leg Grommet Frame	114			
TS	SS24	Transaction Worksurfaces: Standard Height Transaction Counter Straight	58			

You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what the market needs. And, we make it. The same applies to our service, distribution...everything we do. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc. Working for You and True are registered trademarks of Krueger International, Inc.

© 2004 KI All Rights Reserved. Litho in USA. Code KI-I | 348/KI/OP/WF/704