
January 17, 2005 Updated September 18, 2007 800-424-2432





Refer to KI Terms & Conditions document or visit ki.com.



Power Tower®	Power Tower®	2
Power Tower® Electrical	Quad Boxes - Multiple Circuit	8
	120° Quad Boxes - Multiple Circuit	12
	Modular Faceplates	14
	Modular Zone Electrical	20
	Ambient Lights	24
	Power Boxes	26
Panels	Acoustical Panels	28
	Glass Panels	30
	Half Fabric/Half Glass Panels	32
	ADA Acoustical Panels	34
	Panel Connectors	36
Tables	Tables	46
Storage	Storage	50
Accessories	Accessories	58
Index	Index	74

			MODEL NUMBER			
MODEL	Features	DIA	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not telegrape political stride.	Ceiling Height	10"	FWPT			45#
Power and data infeeds can be routed from the floor as well as the ceiling						
Ceiling Height Power Tower®, Upholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from the floor as well as the ceiling	Ceiling Height	10"	FWPTU			45#
	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from the floor as well as the ceiling Ceiling Height Power Tower®, Upholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from the floor as well as the ceiling Ceiling Height Power Tower®, Upholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from the floor as well as the ceiling Ceiling Height Power Tower®, Upholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling orid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from the floor as well as the ceiling Ceiling Height Power Tower®, Upholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling - maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling grid with screw tightened clips; clips do not damage ceiling grid e. Accommodates to suspended rot 10' Accommodates to suspended ceiling grid with screw tightened scan be routed from the floor as well as the ceiling. Ceiling Height Power Tower®, Upholstered Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling grid with screw tightened clips; clips do not damage ceiling grid Tower rests on floor with carpet gripper glides and attaches to suspended ceiling grid with screw tightened clips; clips do not damage ceiling grid Power and data infeeds can be routed from	Ceiling Height Power Tower®, Unupholstered Attaches to ceiling – maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Eight removable snap-on PVC covers (four on top and four on bottom) White infeed cover is field cut to fit between top of tower (81") and ceiling grid with screw tightened clips; clips do not damage ceiling grid attaches to suspended from the floor as well as the ceiling Ceiling Height Power Tower®, Upholstered Attaches to ceiling – maximum height of 10' Accommodates 66", 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 42" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Accommodates of 6, 54" or 45" high panels (maximum of 4) Ac

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum

INFORMATION

- Prewired Circuits
 a) Quad boxes with top feeds can only be used in ceiling height towers.
 b) Quad boxes with bottom feeds can be
- used in all towers.
- c) In all configurations circuit #3 is available for ambient lights.
- d) One wall switch controls the ambient lights of up to four towers of the MZE box.
 e) All quad boxes in one tower must be the
- f) All towers connected to the same MZE box must utilize the same style quad box. g) Each style requires corresponding MZE
- h) Data faceplates must be ordered separately.



Delivered Pricing Fabric Grade Delivered Pricing **Delivered Pricing** Delivered Pricing Delivered Pricing 3 & Pallas Vertical Pallas Vertical Pallas Vertical Delivered Pricing Fabric Grade Fabric Grade Fabric Grade Fabric Grade Fabric Grade Unupholstered 1 & C.O.M. PV PV2 2 PV1

\$ 1027

\$ 1505 \$ 1521 \$ 1535 \$ 1550 \$ 1611

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped **k.d. freight prepaid f.o.b.** Bonduel, Wisconsin 54107 factory. Freight class #70.

MODEL Basic Trim Fabric Packaged Weight			MODEL NUMBER		
Steel base with four adjustable glides Steel base with four adjustable glides Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Quad boxes must be hardwired to flush or recessed junction box in floor Domed top cap Not available upholstered 82" Power Tower® Always attached to panels (maximum of 4) Accommodates to 66", 54" or 42" high panels Four adjustable glides Accommodates up to four, multiple circuit, Quad boxes must be hardwired to flush or recessed junction box in floor Domed top cap WPTU PWPTU PWPTU PWPTU Inupholstered Unupholstered Upholstered Upholstered Upholstered FWPT82 Inupholstered Inupholstered Inupholstered Inupholstered Inupholstered Inupholstered	MODEL	Features			Packaged
Always attached to panels (maximum of 4) Accommodates to 66", 54" or 42" high panels Four adjustable glides Accommodates up to four, multiple circuit, Quad boxes and/or blank assemblies; must be ordered separately Quad boxes must be hardwired to flush or recessed junction box in floor Domed top cap PWPTU Upholstered FWPTU82 40# FWPTU82 40# FWPTU82 FWPTU84 FWPTU85 FWPTU84 FWPTU85 FWPTU	Freestanding - does not attach to panels Steel base with four adjustable glides Accommodates up to four Quad boxes and/or blank assemblies; must be ordered separately Quad boxes must be hardwired to flush or recessed junction box in floor Domed top cap Not available upholstered	Unupholstered	FWPT38		25#
	Always attached to panels (maximum of 4) Accommodates to 66", 54" or 42" high panels Four adjustable glides Accommodates up to four, multiple circuit, Quad boxes and/or blank assemblies; must be ordered separately Quad boxes must be hardwired to flush or recessed junction box in floor Domed top cap FWPTU	·		1	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum

INFORMATION

- Prewired Circuits
 a) Quad boxes with top feeds can only be used in ceiling height towers.
 b) Quad boxes with bottom feeds can be
- used in all towers.
- c) In all configurations circuit #3 is available for ambient lights.
- d) One wall switch controls the ambient lights of up to four towers of the MZE box.
 e) All quad boxes in one tower must be the
- f) All towers connected to the same MZE box must utilize the same style quad box. g) Each style requires corresponding MZE
- h) Data faceplates must be ordered separately.



Delivered Pricing Fabric Grade Delivered Pricing **Delivered Pricing** Delivered Pricing Delivered Pricing 3 & Pallas Vertical Pallas Vertical Pallas Vertical Fabric Grade Delivered Pricing Fabric Grade Fabric Grade Fabric Grade Fabric Grade Unupholstered 1 & C.O.M. PV PV2 2 PV1

\$ 656

N/A 1385 1401 1413 1428 1483	\$ 920					
	N/A	1385	1401	1413	1428	1483

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NU	JMBER	
мо	DDEL H	Basic Model	Trim Color	Approx. Packaged Weight
• Fi • S • Ai ar ar se • Ri • Q	High 120° Power Tower® reestanding - does not attach to panels teel base with three adjustable glides commodates up to three Quad boxes nd/or blank assemblies; must be ordered sparately equires 120° Quad Boxes uad boxes must be hardwired to flush or reessed junction box in floor ormed top cap ot available upholstered	FWPT3S36		25#
• A • A • A • Ti • A ar s • R • Q • R	High 120° Power Tower® Iways attached to panels (maximum of 3) commodates 66", 54" or 42" high panels hree adjustable glides commodates up to three Quad boxes nd/or blank assemblies; must be ordered eparately equires 120° Quad Boxes uad boxes must be hardwired to flush or cessed junction box in floor omed top cap	FWPT3S82		40#
		A	B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

De	livered	Pricing

\$ 981

\$ 1200

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical

Quad Boxes - Multiple Circuit

				MODEL N	UMBER	R	
		MODEL	Features	Basic Model	Trim Color		
Д		Prewired Circuit	Bottom Feed	QB.A.B		5#	
		 Circuits 1,2,4 (isolated) and one data opening, 8-wire WYE 	Top Feed	QB.A.T		5#	
		Receptacles and circuits rated 20 amp					
		Receptacles and circuits rated 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must					
		be ordered separately					
	Ħ						
Top Feed HRDPT	Bottom Feed						
4		Prewired Circuit	Bottom Feed	QB.C.B		5#	
		Circuits 1,4 (isolated) and one data open- ing 8-wire WYF or Delta	Top Feed	QB.C.T		5#	
• Receptacles and circuits rated at 20 amp							
		Receptacles and circuits rated at 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must					
		be ordered separately					
Top Food	Bottom Feed						
Top Feed HRDPT	DULLUTTI FEED						
				A	lacksquare		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

INFORMATION

- Prewired Circuits
 a) Quad boxes with top feeds can only be used in ceiling height towers.
 b) Quad boxes with bottom feeds can be
- used in all towers.
- c) In all configurations circuit #3 is available for ambient lights.
- d) One wall switch controls the ambient lights of up to four towers of the MZE box. e) All quad boxes in one tower must be the
- f) All towers connected to the same MZE box must utilize the same style quad box. g) Each style requires corresponding MZE
- h) Data faceplates must be ordered separately.

- **Hardwired Circuits**a) CH and HW styles do not require MZE
- b) Data faceplates must be ordered separately



Power Tower® Electrical Quad Boxes - Multiple Circuit

Dolivoroo	Driging
Delivered	a r niciniy

\$ 592

592

\$ 526

526

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical

Quad Boxes - Multiple Circuit

				MODEL N	UMBER	R
		MODEL	Features	Basic Model	Trim Color	Approx. Packaged
Top Feed HRDPT	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Prewired Circuits Circuits 1,1,4 (isolated) and one data opening, 8-wire WYE or Delta Receptacles and circuits rated 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must be ordered separately	Bottom Feed Top Feed	QB.E.B QB.E.T		5# 5#
Top Feed HRDPT		Hardwired Circuit Hardware includes three duplex receptacles, plastic cover plates and box; customer provides wire and conduit; circuits are wired by local electrician Receptacles and circuits rated 20 amp Feed location to be determined by electrician	Top Feed	QB.HW	-6	5#

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

INFORMATION

- Prewired Circuits
 a) Quad boxes with top feeds can only be used in ceiling height towers.
 b) Quad boxes with bottom feeds can be
- used in all towers.
- c) In all configurations circuit #3 is available for ambient lights.
- d) One wall switch controls the ambient lights of up to four towers of the MZE box.
 e) All quad boxes in one tower must be the
- f) All towers connected to the same MZE box must utilize the same style quad box. g) Each style requires corresponding MZE
- h) Data faceplates must be ordered separately.

- **Hardwired Circuits**a) CH and HW styles do not require MZE
- b) Data faceplates must be ordered separately

Power Tower® Electrical Quad Boxes - Multiple Circuit

Delivered Pricing

\$ 592

592

\$ 425

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical 120° Quad Boxes - Multiple Circuit

		MODEL N	IMRFR	
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Prewired Circuit Designed for 120° Power Tower® only Circuits 1,2,4 (isolated) and one data opening, 8-wire WYE Receptacles and circuits rated 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must be ordered separately Order floor infeed separately (FWBW8)	QB3S.A.B		5#
(1) (2) (3) HRDPT	Prewired Circuit Designed for 120° Power Tower® only Circuits 1,4 (isolated) and one data opening, 8-wire WYE or Delta Receptacles and circuits rated at 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must be ordered separately Order floor infeed separately (FWBW8)	QB3S.C.B		5#
(1) (2) (3) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Prewired Circuit Designed for 120° Power Tower® only Circuits 1,2,4 (isolated) and one data opening, 8-wire WYE Receptacles and circuits rated 20 amp Data opening can be filled with a modular faceplate or a blank filler plate; both must be ordered separately Order floor infeed separately (FWBW8)	QB3S.E.B		5#
		A	lacksquare	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER



B Select trim color.

Power Tower® Electrical 120° Quad Boxes - Multiple Circuit

Delivered Pricing
\$ 669
\$ 669
\$ 669

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

•			
	MODEL NUM	/IBER	
MODEL	Basic Model	Trim Color	Approx. Packaged Weight
Blank Filler Plate	BL300		.2#
HRDPT			
Lucent Technologies	FW.LT309		.2#
HRDPT			
АМР	FW.AMP313		.2#
HRDPT			
nnuri			
Ortronics	FW.0R306		.2#
HRDPT			
	A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.



Deliv	vered Pricing
	12
\$	16
\$	16
\$	8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

	MODEL NU	MBER	
MODEL	Basic Model	Trim Color	Approx. Packaged Weight
Krone, Leviton, Bryant, ICC	FW.KR314		.2#
Hubbell HRDPT	FW.HBL317		.2#
Siemon HRDPT	FW.SI315		.2#
NORDX DV0-2 HRDPT	FW.N0312		.2#
	A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.



Deliv	vered Pricing
\$	16
\$	16
\$	20
\$	12

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

	MODEL NU	JMBER	
			Арргох.
MODEL	Basic Model	Trim Color	Packaged Weight
		COIOI	Weight
MOD TAP	FW.MT316		.2#
LIDDOT			
HRDPT			
Standard Duplex	FW.ST302		.2#
Stallualu Duplex	111101002		
HRDPT			
INDEL			
Decorator	FW.DE301		.2#
HRDPT			
ו זעחוו			
Toggle Switch	FW.T0310		.2#
HRDPT			
	A	$lackbox{lack}{lack}$	
	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.



Dalima	and Driving
	ored Pricing
\$	12
\$	12
\$	12
\$	12

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical Modular Zone Electrical

			MODEL NUN	/IBER	
	MODEL	WxH	Basic Model	Trim Color	
HRDPT	Blank Cover Assembly PVC cover without holes for power or data; used in lieu of a Quad box Can be used as a data termination point; order faceplates separately Order separately from Tower Maximum four cover assemblies per tower Each assembly includes four blank filler plates	4 ¹ / ₂ x 9 ¹ / ₂ "	FWBC		.5#
HRDPT	Modular Zone Electrical Box Above the ceiling power distribution box Supplies 120V power to a maximum of four towers Used in conjunction with Above Ceiling Flexible Infeeds to provide power to towers To be used in conjunction with Quad Box style, A, C, D, E, or F		FWMZE.A FWMZE.CDE	•	16# 16#

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.



Power Tower® Electrical Modular Zone Electrical

Delivered Pricing

\$ 100

\$ 813

813

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical Modular Zone Electrical

		MODEL N	UMBER	
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight
HRDPT	Above Ceiling Flexible Infeed with H/Y Block Connects 8-wire power from MZE box in ceiling to Quad Box in Tower Includes H/Y Connection Block to power a maximum of four quad boxes 35' in length	FWCW35		8#
HRDPT	Floor Flexible Infeed with H/Y Block Connects 8-wire power from building to Quad Box Includes H/Y Connection Block to power a maximum of four quad boxes 8' in length	FWBW8		4#
		A	$lackbox{lack}{lack}$	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
 2. Model number, including options. See
 "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.



Power Tower® Electrical Modular Zone Electrical

Delivered	Pricing
Delivered	1 Holling

\$ 555

\$ 242

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical Ambient Lights

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
T. F. CO	Ambient Tower Light	FWATL	8#	
	 Provides upward directed lighting for glare-free applications 			
	Two 40 watt fluorescent lights per fixture connect to ambient light power box with a			
	three-prong grounded plug			
	White trim only Requires one FWALPR per Power Tower®			
	Requires one FWALPB per Power Tower®Maximum four per tower			
HRDPT				
	Chicago Ambient Tower Light with Fused	FWATLCH	8#	
	Plug Provides upward directed lighting for			
	grare-iree applications			
	 Two 40 watt fluorescent lights per fixture connect to Chicago ambient light power 			
T	box with a fused plug			
	White trim onlyRequires one FWALPBCH per Power			
HRDPT	Tower® Maximum four per tower			
		A		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Power Tower® Electrical Ambient Lights

Delivered Pricing

\$ 737

\$ 793

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Power Tower® Electrical Power Boxes

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Ambient Light Power Box Required to power one to four ambient lights One box per tower Box plugs into H/Y connector	FWALPB	2#
HRDPT			
HRDPT	Chicago Ambient Light Power Box Required to power one to four ambient lights One box per tower Consists of 4 x 4 x 1-1/2" box and 1/2" raised cover, mounting bracket, two duplex receptacles and parts	FWALPBCH	2#
HRDPT	Worksurface Mounted Power Box Consists of three simplex receptacles Mounts to rear of worksurface Box connects to tower quad box with a three-prong grounded plug and 9' cord Black only	FWWPB	2#
		A	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER



A Select basic model.



Power Tower® Electrical Power Boxes

_		
110	INATAN	Pricing
טט	IIVGIGU	I HUHIL

\$ 244

\$ 244

\$ 173

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #70.

Acoustical Panels

			MODEL NUMBER			
	MODEL	WxH	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
	Acoustical Panels with Fabric Wrapped	22 x 42"	FWPU2242			12#
	Verticals • Each panel includes trim for top, bottom	27³/ ₁₆ x 42"	FWPU2742			16#
	and both vertical pieces	33 x 42"	FWPU3342			19#
	 Note: All 42" and 54" high panels include top trim filler strip 	44 x 42"	FWPU4442			23#
	 Verticals can be ordered as fabric wrapped 	22 x 54"	FWPU2254			18#
	or unupholstered; however, top and bottom trim is available in unupholstered only	27 ³ / ₁₆ x 54"	FWPU2754			21#
	 Includes two glides with field installable 	33 x 54"	FWPU3354			23#
FWP	carpet grippers; glides adjust 4" in height Panel-to-panel connectors and end-of-run	44 x 54"	FWPU4454			28#
	top caps are ordered separately	22 x 66 ¹ / ₂ "	FWPU2266			22#
		27 ³ / ₁₆ x 66 ¹ / ₂ "	FWPU2766			25#
		33 x 66 ¹ / ₂ "	FWPU3366			28#
		44 x 66 ¹ / ₂ "	FWPU4466			31#
	Acoustical Fabric Panels with Poly	22 x 42"	FWPP2242			12#
	Verticals • Each panel includes trim for top, bottom	27 ³ / ₁₆ x 42"	FWPP2742			16#
	and both vertical pieces	33 x 42"	FWPP3342			19#
	 Note: All 42" and 54" high panels include top trim filler strip 	44 x 42"	FWPP4442			23#
	 Verticals can be ordered as fabric wrapped 	22 x 54"	FWPP2254			18#
	or unupholstered; however, top and bottom trim is available in unupholstered only	27 ³ / ₁₆ x 54"	FWPP2754			21#
	 Includes two glides with field installable 	33 x 54"	FWPP3354			23#
FWP	carpet grippers; glides adjust 4" in height Panel-to-panel connectors and end-of-run	44 x 54"	FWPP4454			28#
	top caps are ordered separately	22 x 66 ¹ / ₂ "	FWPP2266			22#
		27 ³ / ₁₆ x 66 ¹ / ₂ "	FWPP2766			25#
		33 x 66 ¹ / ₂ "	FWPP3366			28#
		44 x 66 ¹ / ₂ "	FWPP4466			31#
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Acoustical Panels

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 334	\$ 349	\$ 352	\$ 375	\$ 394	
349	356	367	391	412	
390	397	409	436	460	
440	448	461	493	519	
353	359	370	394	416	
401	410	422	450	474	
433	442	455	485	511	
507	515	532	567	598	
375	382	394	420	443	
415	423	436	466	489	
447	455	470	501	527	
541	552	569	605	639	
\$ 302	\$ 307	\$ 318	\$ 337	\$ 356	
315	320	330	353	370	
350	357	368	392	413	
396	405	417	445	469	
319	324	334	357	376	
361	368	380	405	425	
390	397	409	436	460	
457	468	480	512	539	
337	345	355	379	398	
372	380	392	417	440	
403	411	423	450	476	
487	498	511	546	575	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

			MODEL NU	MBER			
	MODEL	WxH	Basic Model	Trim Color	Glass Color	Fabric Color	Approx. Packaged Weight
	Glass Panels with Fabric Wrapped	22 x 66 ¹ / ₂ "	FWGU2266				50#
	Verticals • Each panel includes trim for top, bottom	27 ³ / ₁₆ x 66 ¹ / ₂ "	FWGU2766				56#
	and both vertical pieces	33 x 66 ¹ / ₂ "	FWGU3366				63#
	 Verticals can be ordered as fabric wrapped or unupholstered; however, top and bottom 	44 x 66 ¹ / ₂ "	FWGU4466				70#
	trim is available in unupholstered only						
	 Includes two glides with field installable carpet grippers; glides adjust 4" in height 						
	Panel-to-panel connectors and end-of-run ton cape are ordered congrately.						
FWGU							
	Glass Panels with Poly Verticals	22 x 66 ¹ / ₂ "	FWGP2266				50#
	 Each panel includes trim for top, bottom and both vertical pieces 	27 ³ / ₁₆ x 66 ¹ / ₂ "	FWGP2766				56#
	 Verticals can be ordered as fabric wrapped 	33 x 66 ¹ / ₂ "	FWGP3366				63#
	or unupholstered; however, top and bottom trim is available in unupholstered only	44 x 66 ¹ / ₂ "	FWGP4466				70#
	 Includes two glides with field installable 						
	carpet grippers; glides adjust 4" in height Panel-to-panel connectors and end-of-run						
	top caps are ordered separately						
FWGP							
			A	lacksquare	•		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select glass color. **BR** = Bronze = Clear

CL

Select fabric color Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
N/A	\$ 514	\$ 519	\$ 526	\$ 526	\$ 530	
N/A	538	544	549	549	555	
N/A	587	592	599	599	604	
N/A	676	682	689	689	695	

\$ 444	
465	
503	
586	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

Half Fabric/Half Glass Panels

			MODEL NUMBER				
			MODEL NO	IDEII	1	I	
	MODEL	W x H	Basic Model	Trim Color	Glass Color	Fabric Color	Approx. Packaged Weight
	Half Fabric/Half Glass Panel with Fabric	22 x 66 ¹ / ₂ "	FWGFU2266				27#
	Wrapped VerticalsEach panel includes trim for top, bottom	27 ³ / ₁₆ x 66 ¹ / ₂ "	FWGFU2766				33#
	and both vertical pieces	33 x 66 ¹ / ₂ "	FWGFU3366				46#
	 Verticals can be ordered as fabric wrapped or unupholstered; however, top and bottom 	44 x 66 ¹ / ₂ "	FWGFU4466				50#
	trim is available in unupholstered only						
	 Includes two glides with field installable carpet grippers; glides adjust 4" in height 						
	 Panel-to-panel connectors and end-of-run 						
	top caps are ordered separately						
FWGF							
	Half Fabric/Half Glass Panel with Poly Verticals	22 x 66 ¹ / ₂ "	FWGFP2266				27#
	 Each panel includes trim for top, bottom 	27 ³ / ₁₆ x 66 ¹ / ₂ "	FWGFP2766				33#
	and both vertical pieces • Verticals can be ordered as fabric wrapped	33 x 66 ¹ / ₂ "	FWGFP3366				46#
	or unupholstered; however, top and bottom	44 x 66 ¹ / ₂ "	FWGFP4466				50#
	trim is available in unupholstered only Includes two glides with field installable 						
	carpet grippers; glides adjust 4" in height						
	 Panel-to-panel connectors and end-of-run top caps are ordered separately 						
	top caps are ordered separately						
FINOS							
FWGF							
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 10 III.

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".

 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select glass color.

BR = Bronze CL = Clear

 Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Half Fabric/Half Glass Panels

*					
Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 579	\$ 592	\$ 609	\$ 650	\$ 685	
603	616	634	677	713	
639	653	672	716	754	
693	708	728	777	817	

\$ 506	\$ 517	\$ 542	\$ 608	\$ 682	
529	540	566	637	714	
563	575	602	677	759	
615	628	657	741	830	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

ADA Acoustical Panels

			MODEL NUMBER				
	MODEL	W x H	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	
	ADA Height Acoustical Panels with	22 x 32"	FWPU2232			11#	
	Wrapped Verticals Usually used in conjunction with counter-	27³/ ₁₆ x 32"	FWPU2732			13#	
	top in Accessories pages to allow wheel-	33 x 32"	FWPU3332			16#	
	chair access • ADA panels do not attach to Power	44 x 32"	FWPU4432			21#	
	Tower® • ADA panels attach to other height panels						
FWP	using a "Change of Height" connector • Each panel includes trim for top, bottom						
	and both vertical pieces						
	 Verticals can be ordered as fabric wrapped or unupholstered; however, top and bottom 						
	trim is available in unupholstered only Includes two glides with field installable						
	carpet grippers; glides adjust 4" in height						
	 Panel-to-panel connectors and end-of-run top caps are ordered separately 						
	top dupo are diagrad separatory						
	ADA Height Acoustical Panels with Poly	22 x 32"	FWPP2232			11#	
	Verticals Usually used in conjunction with counter-	27 ³ / ₁₆ x 32"	FWPP2732			13#	
	top in Accessories pages to allow wheel-	33 x 32"	FWPP3332			16#	
	chair access ADA panels do not attach to Power	44 x 32"	FWPP4432			21#	
	Tower®						
FWP	 ADA panels attach to other height panels using a "Change of Height" connector 						
	 Each panel includes trim for top, bottom and both vertical pieces 						
	 Verticals can be ordered as fabric wrapped 						
	or unupholstered; however, top and bottom trim is available in unupholstered only						
	 Includes two glides with field installable 						
	carpet grippers; glides adjust 4" in height Panel-to-panel connectors and end-of-run						
	top caps are ordered separately						
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



ADA Acoustical Panels

·					
Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 406	\$ 413	\$ 425	\$ 455	\$ 478	
418	425	438	469	493	
429	437	450	481	507	
453	462	476	508	535	

\$ 34	6 \$ 35	\$ 36	2 \$ 387	\$ 408	
35			6 400	422	
36	9 37	7 38	7 413	437	
39	4 40	1 41		465	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels Panel Connectors

		MODEL N	UMBER	
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight
HRDPT	Fixed Straight • Includes top and bottom connector	FXC2W		.01#
HRDPT	Fixed 3-Way Includes top and bottom connector	FXC3W		.01#
HRDPT	Fixed 4-Way • Includes top and bottom connector	FXC4W		.01#
HRDPT	Fixed 90° • Includes top and bottom connector	FXC90		.01#
		A	B	I

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

required.

The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Deliv	vered Pricing
	12
\$	18
\$	18
Ψ	
Φ.	40
\$	12

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels Panel Connectors

		I		
		MODEL N	UMBER	
				Арргох.
		Basic	Trim	Packaged
	MODEL	Model	Color	Weight
<u> </u>	Tower Mount	FTPC		.01#
J)	Tower Mount • Includes top and bottom connector			
4				
HRDPT				
	End-of-Run Top Cap	FEREC		.01#
	End-of-Run Top CapIncludes top and bottom connector			
HRDPT				
	Flexible 360°	FLC360		.01#
	Flexible 360° • Includes top and bottom connector			
HRDPT				
			1	
		A	B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

required.

The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing
\$ 35
\$ 8
\$ 18

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

Panel Connectors

			MODEL N	IUMBEF	}	
	MODEL	н	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
9	Wall Mount Post - Unupholstered	42"	FWM42			10#
9	 Wall mount post extends from wall 2-1/2" Wall mount post will accept all panel con- 	54"	FWM54			11#
	Wall mount post extends from wall 2-1/2" Wall mount post will accept all panel connectors; exception of Tower Mount Order standard panel to panel connectors	66"	FWM66			12#
	 Urder standard panel to panel connectors separately 					
HRDPT						
<u> </u>	Wall Mount Post - Upholstered	42"	FWMU42			10#
	Wall mount post extends from wall 2-1/2" Wall mount post will page tall page.	54"	FWMU54			11#
	Wall Mount Post - Upholstered Wall mount post extends from wall 2-1/2" Wall mount post will accept all panel connectors; exception of Tower Mount Order standard panel to panel connectors	66"	FWMU66			12#
	 Order standard panel to panel connectors separately 					
	ooparatory					
FWM						
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 115					
128					
141					
N/A	\$ 153	\$ 154	\$ 156	\$ 157	\$ 160
N/A	166	167	169	170	174
N/A	179	181	182	184	188

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

Panel Connectors

			MODEL NUI	/IBER		
	MODEL	Change of Height	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
	Change of Height Posts - Unupholstered • Available in three heights	54" to 42"	FC0H5442			2.5#
	 Available in three neights Order standard panel to panel connectors 	66" to 42"	FC0H6642			5#
i Ni	separately The 360° connector, FLC360, allows pan-	66" to 54"	FCOH6654			2.5#
	 The 360° connector, FLC360, allows pan- els to swing 180° to each side 					
	tis to swing for to each stud					
La Company						
HRDPT						
	Change of Height Posts - Upholstered	54" to 42"	FC0HU5442			2.5#
	 Available in three heights 	66" to 42"	FCOHU6642			5#
H	 Order standard panel to panel connectors separately 	66" to 54"	FCOHU6654			2.5#
	separately • The 360° connector, FLC360, allows pan-					
	els to swing 180° to each side					
FCOH						
			1	1		
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
_	\$ 141					
	154					
	141					
	N/A	\$ 173	\$ 175	\$ 176	\$ 178	\$ 181
	N/A	186	188	190	191	195
	N/A	173	175	176	178	181

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Panels

Panel Connectors

			MODEL	NUMBE	R	
	MODEL	н	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
	Panel Off-Module Post - Unupholstered	42"	F0M42			10#
	Two posts can be located on opposite sides of the same panel	54"	FOM54			11#
	 Two Flexible WorkSpace® panels can be 	66"	FOM66			12#
	attached off module to each other					
	 Order standard panel to panel connectors separately 					
HRDPT						
	Panel Off-Module Post - Upholstered • Two posts can be located on opposite sides	42"	FOMU42			10#
	of the same panel	54"	FOMU54			11#
	of the same panel Two Flexible WorkSpace® panels can be attached off module to each other	66"	FOMU66			12#
	Order standard panel to panel connectors					
	separately					
and the second second						
FOM						
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Panel Connectors

•					
Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 122					
161					
171					
N/A	\$ 160	\$ 161	\$ 163	\$ 165	\$ 168
N/A	200	202	203	205	208
N/A	209	212	214	215	220

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

										T
				MODEL NUI	VIBER					
				Basic	Edge	Base	Surface	Membrane	Edge	
	MODEL	Features	WxDxH	Model	Style	Finish	Finish	Color	Color	
	Adjustable Corner Table		52 x 27"	FWCA2752						
	High-pressure laminate top with PVC edge or membrane press top									
	 23" to 33-1/2" height adjustment 									
FWC	 Three-post leg assembly Left-hand crank 									
	Lott Hand Grank									
Ad	Adjustable P-Shape Table	Left	60 x 27"	FWPAL2760						
	High-pressure laminate top with PVC edge or membrane press top	Right	60 x 27"	FWPAR2760						
	 Left or right radius area 									
23 to 33-1/2 neight adjustment (Right shown) Two-post leg assembly FWPT	23" to 33-1/2" height adjustment Two-post leg assembly									
	Fixed P-Shape Table	Left	60 x 27 x 29"	FWPFL2760						
	High-pressure laminate top with PVC edge or membrane press top	Right	60 x 27 x 29"	FWPFR2760						
	Left or right radius area29" high									
(Right shown)	Two-post leg assembly									
FWPT										
			00 071	FIMID A 0700						
EH2	Adjustable Rectangular Table • High-pressure laminate top with PVC edge		30 x 27" 36 x 27"	FWRA2730 FWRA2736						
	or membrane press top		42 x 27"	FWRA2730						
	23" to 33-1/2" height adjustmentTwo-post leg assembly		42 x 27"	FWRA2742						
FWR	Left-hand crank		54 x 27"	FWRA2754						
			60 x 27"	FWRA2760						
	Fixed Dectangular Table		30 x 27 x 29"	FWRF2730						
	Fixed Rectangular Table • High-pressure laminate top with PVC edge		36 x 27 x 29"	FWRF2736						
or membrane press top • 29" high • Two-post leg assembly		42 x 27 x 29"	FWRF2742							
			48 x 27 x 29"	FWRF2748						
FWR			54 x 27 x 29"	FWRF2754						
			60 x 27 x 29"	FWRF2760						
				1	1	<u> </u>	ı	1	1	I
				A	B	•	•		•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style. = 74P edge

MP = Membrane edge

• Select base finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

 Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) PVC edges.

Select membrane color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

The membrane color selections are only available on (MP) membrane edges.

Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Edge color selections are only available on (74P) PVC edges.

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Tables

A		
Approx. Packaged	74P Edge	Membrane Edge
Weight	(74P)	(MP)
140#	\$ 1543	\$ 1739
140π	Ψ Ιστο	ψ 1/33
130#	\$ 1088	\$ 1263
130#	1088	1263
127#	\$ 921	\$ 1108
127#	921	1108
83#	\$ 908	\$ 968
92#	945	999
97#	981	1116
 104#	1017	1188
110#	1052	1226
119#	1088	1316
83#	\$ 622	\$ 682
92#	657	712
97#	693	826
104#	729	897
110#	766	938
119#	802	1028

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #100.

Mobile Crescent Adjustable Utility Table High-pressure laminate top with PVC edge or membrane press top 25" to 30" pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking WMC 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base FWMT12949 Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable								_		
Worksurface Extension High-pressure laminate top with PVC edge or membrane press top 25° to 30° pneumatic helght adjustent Four-blade base on 1-1/2" diameter casters with PVC edge or membrane press top Figh-pressure laminate top with PVC edge or membrane press top Four-blade base on 1-1/2" diameter casters WRF Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top FWRF42 WRF42 WRF42 WRF42 WRF42 WRF42 WRF42 WRF42 WRF42 WRF44 W					MODEL NUM	RFK				
Worksurface Extension High-pressure laminate top with PVC edge or membrane press top For corner worksurfaces Mobile Crescent Adjustable Utility Table High-pressure laminate top with PVC edge or membrane press top 25° to 30° pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top FWRF42 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top FWRF42 WRF Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top FWRF42 WRF Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking Non-adjustable		MODEL	F1	W D						1 "
High-pressure laminate top with PVC edge or membrane press top For corner worksurfaces WEXT Mobile Crescent Adjustable Utility Table High-pressure laminate top with PVC edge or membrane press top 25" to 30" pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable Non-adjustable		MUDEL	Features	WXD	Model	Style	Finish	Finish	Color	Color
or membrane press top For corner worksurfaces Right 141/, x 27" FWEXTR2715 MP Mobile Crescent Adjustable Utility Table High-pressure laminate top with PVC edge or membrane press top Prive-blade base on 1-1/2" diameter casters, two locking 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-Adjustable				14 ¹ / ₂ x 27"	FWEXT2715	74P				
For corner worksurfaces Right 14½, x 27* FWEXTR2715 MP Mobile Crescent Adjustable Utility Table High-pressure laminate to with PVC edge or membrane press top 25* to 30* pneumatic height adjustment Four-blade base on 1-1/2* diameter casters, two locking 42** Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42** diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2** diameter casters, two locking Non-adjustable			Left	14 ¹ / ₂ x 27"	FWEXTL2715					
Mobile Crescent Adjustable Utility Table High-pressure laminate top with PVC edge or membrane press top 25" to 30" pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking WMC 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base FWMT12949 Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable			Right	14¹/₂ x 27"	FWEXTR2715	MP				
High-pressure laminate top with PVC edge or membrane press top 25" to 30" pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking ### Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter ### Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable FWRF42 #### Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable	FWEXT									
or membrane press top 25" to 30" pneumatic height adjustment Four-blade base on 1-1/2" diameter casters, two locking WMC 42" Round Meeting Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter FWRF42 Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable Non-adjustable		Mobile Crescent Adjustable Utility Table		32 x 22"	FWMC2232					
ers, two locking WMC 42" Round Meeting Table, Non- Adjustable • High-pressure laminate top with PVC edge or membrane press top • Five-blade base • Non-adjustable • 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable • High-pressure laminate top with PVC edge or membrane press top • Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable	THE STATE OF THE S	or membrane press top								
ers, two locking WMC 42" Round Meeting Table, Non- Adjustable • High-pressure laminate top with PVC edge or membrane press top • Five-blade base • Non-adjustable • 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable • High-pressure laminate top with PVC edge or membrane press top • Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable	a	• 25" to 30" pneumatic height adjustment								
42" Round Meeting Table, Non- Adjustable • High-pressure laminate top with PVC edge or membrane press top • Five-blade base • Non-adjustable • 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable • High-pressure laminate top with PVC edge or membrane press top • Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable		ers, two locking								
Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable	FWMC									
Adjustable High-pressure laminate top with PVC edge or membrane press top Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable		4015 111 11 11			EW/DE49					
or membrane press top • Five-blade base • Non-adjustable • 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable • High-pressure laminate top with PVC edge or membrane press top • Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable					1 WIN 42					
Five-blade base Non-adjustable 42" diameter Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable		High-pressure laminate top with PVC edge or membrane press top.								
Mobile Teaming/Conferencing Table, Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable		 Five-blade base 								
Mobile Teaming/Conferencing Table, Non-Adjustable • High-pressure laminate top with PVC edge or membrane press top • Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking • Non-adjustable										
Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable	FWRF	12 diamotor								
Non-Adjustable High-pressure laminate top with PVC edge or membrane press top Four-blade base with middle stretcher in 1-1/2" diameter casters, two locking Non-adjustable		Mobile Teaming/Conferencing Table.		49 x 29"	FWMTT2949					
or membrane press top • Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable		Non-Adjustable								
• Four-blade base with middle stretcher in 1- 1/2" diameter casters, two locking • Non-adjustable		or membrane press top								
♦ Non-adjustable Institute		 Four-blade base with middle stretcher in 1- 								
WMTT	, A									
	FWMTT									
						B	U	W	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. = 74P edge
 - MP = Membrane edge
- Select base finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) PVC edges.
- Select membrane color. Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes

The membrane color selections are only available on (MP) membrane edges.

Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Edge color selections are only available on (74P) PVC edges.

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Tables



Approx. Packaged Weight	74P Edge (74P)	Membrane Edge (MP)	
15#	\$ 293	N/A	
15#	N/A	352	
15#	N/A	352	
67#	\$ 981	\$ 1179	
52#	\$ 795	\$ 957	
108#	\$ 1136	\$ 1370	


SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #100.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select edge style.

74P = 74P edge MP = Membrane edge

- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select membrane color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

The membrane color selections are only available on (MP) membrane edges.

Select edge color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. Edge color offerings are based
on edge style selections.
Edge color selections are only available
on (74P) PVC edges.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



	74P Edge	Membrane Edge	
Delivered Pricing	(74P)	(MP)	
\$ 986	N/A	N/A	
1186	N/A	N/A	
740	N/A	N/A	
1019	N/A	N/A	
814	N/A	N/A	
1034	N/A	N/A	
N/A	\$ 208	\$ 250	
N/A	252	305	
N/A	267	321	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 6X7 (lateral
files) or Bonduel Wisconsin 54107
(optional tops) factory. Freight class #100
(lateral files) or #70 (optional tops).

				MODEL NUMB	ER		
	MODEL	Features	WxDxH	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
	Mobile Pedestal One box drawer and one file drawer Pencil tray included in box drawer Full extension glides	Mobile	15 x 17 ⁵ / ₈ x 21 ¹¹ / ₁₆ "	FWS/1520MBF			79#
FWS							
PDCU	Cushioned Seat for Mobile Pedestal 17" deep, used with 17-5/8" deep mobile pedestal 20" deep, used with 21-5/8" deep mobile		15 x 17 x 3"	PDCU/17			5#
	pedestal						
					lacksquare	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Delivered Pricing **Delivered Pricing** Delivered Pricing Delivered Pricing Delivered Pricing Delivered Pricing **Delivered Pricing** Fabric Grade Pallas Fabric Delivered Pricing Fabric Grade Fabric Grade Pallas Fabric Pallas Fabric Pallas Fabric Unupholstered Group P1 Group P2 Group P3 Group P4 2 3 \$ 520 N/A \$ 140 \$ 149 \$ 162 \$ 172 \$ 192 \$ 198 \$ 123

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 6X7 (pedestals)
or Green Bay Wisconsin 54302 (cushioned seats) factory. Freight class #100.

			MODEL	NUMBE	R		
	MODEL		Basic Model	Trim Color	Surface Finish	Fabric Color	Approx. Packaged Weight
Overhead Cabinet with Fabric Door • 16" high flipper door	42 x 14 ¹ / ₂ x 16 ¹ / ₂ "	FWFD42				45#	
	 Fully enclosed back 						
 Load bar mount is integral to cabinet Overhead must match the width of the panel and load bar Load bar ordered separately 							
FWFD							
Overhead Cabinet with Steel Door • 16" high flipper door	42 x 14 ¹ / ₂ x 16 ¹ / ₂ "	FWFS42				49#	
	 Fully enclosed back Load bar mount is integral to cabinet Overhead must match the width of the 						
,	 Overhead must match the width of the panel and load bar 						
FWFS	Load bar ordered separately						
		42 x 14 ¹ / ₂ x 16 ¹ / ₂ "	FWFL42				45#
	Overhead Cabinet with Laminate Door • 16" high flipper door	42 X 14 / ₂ X 10 / ₂	FWFL42				40#
Fully enclosed back Load bar mount is integral to cabinet Overhead must match the width of the panel and load bar Load bar ordered separately	 Load bar mount is integral to cabinet 						
	 Overhead must match the width of the 						
FWFL							
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



•						
Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
N/A	\$ 622	\$ 634	\$ 665	\$ 634	\$ 664	
\$ 555					_	
\$ 701						

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #85.

				_		
				MODEL NUI	MBER	
						Approx.
				Basic	Trim	Packaged
	MODEL	Features	WxDxH	Model	Color	Weight
	Overhead Open Storage		20 x 13 ¹ / ₂ x 16 ¹ / ₂ "	FWRS.20		22#
الالل	Load bar mount is integral to cabinet Overhead must match the width of the panel and load bar Load bar ordered separately		25 ¹ / ₈ x 13 ¹ / ₂ x 16 ¹ / ₂ "	FWRS.25		25#
الالالالالالالالالالالالالالالالالالال			31 x 13 ¹ / ₂ x 16 ¹ / ₂ "	FWRS.31		29#
111111111111111111111111111111111111111	 Load bar ordered separately 		42 x 13 ¹ / ₂ x 16 ¹ / ₂ "	FWRS.42		36#
HRDPT						
HRUPI						
	Shelf Divider			NSD		1#
	 For both flipper door overhead and open shelf overhead 					
	Sold individually					
HRDPT						
				EMOO		F. II
(0)	Overhead Ganging Bracket To be specified when two overheads are			FWCG		.5#
6 /	used next to each other, panel mounted					
HRDPT	only • Sold individually					
	*					
	Panel Mounted Load Bar	For 20" W - 22" W Panel		FWLBPM.20		3.5#
	 Includes attaching brackets to support 	For 25" W - 27" W Panel		FWLBPM.25		4#
	overhead storage on panels	For 31" W - 33" W Panel		FWLBPM.31		5#
		For 42" W - 44" W Panel		FWLBPM.42		6#
HRDPT						
	Wall Mounted Load Bar		84"	SWLB.84		13#
	 Supports overhead storage on drywall or other non-panel applications 					
	 Note: See assembly instructions to verify 					
	proper wall specifications					
HRDPT						
				A	B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is

required.

The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing	
\$ 318	
331	
333	
340	
\$ 20	
\$ 8	
\$ 95	
98	
101	
107	
\$ 202	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

				MODEL NUM	IDED	
				MODEL NUN	IDEK	
	MODEL	Features	WxH	Basic Model	Trim Color	Approx. Packaged Weight
	Tool Rail		42 x 24"	FWTR0.4224		16#
	Mounted to bottom of overhead Has 11 slots to accommodate paper management					
HRDPT						
	Overhead Took Light Magnetic Pollect	Cabinet Width 42"	38"	UTLN42		13#
	Overhead Task Light, Magnetic Ballast, Normal Power Factor	Oubmot Width 12	00	OTENTE		10#
	 Magnetic high-power factor ballast with rapid start cool white lamp 					
	 Includes 9' cord 					
₽ HRDPT	 Mounts flush under 42" overhead cabinet or shelf 					
	Overhead Task Light, Normal Power	Cabinet Width 42"	38"	UTLV42		13#
	Factor/2-Step Dimming Magnetic high-power factor/2-step dim-					
	ming (Hi-Low) with rapid start cool white ramp					
, J	 Includes 9' cord 					
HRDPT	 Mounts flush under 42" overhead cabinet or shelf 					
	Overhead Task Light, Electronic Ballast,	Cabinet Width 42"	38"	UTLE42		13#
	Normal Power Factor					
	 Electronic ballast with rapid start cool white lamp 					
	Includes 9' cordMounts flush under 42" overhead cabinet					
HRDPT	or shelf					
	Worksurface Wire Manager • Constructed of easy-to-use high-quality	W - 2", D - 2-1/2"		WWM		1#
	Constructed of easy-to-use, high-quality black velcro					
	 Harness is fastened to table bottom with pressure-sensitive adhesive 					
HRDPT	Black only					
					B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Delivered Pricing
\$ 238
\$ 134
\$ 151
\$ 220
\$ 37

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

				MODEL NUMBER			
	MODEL		WxH	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight
	Tackboard Mounted to bottom of overhead		42 x 24"	FWTB/4224			6#
FWTB							
WZPR	Worksurface Mounted Tackable Privacy Screen 1" thick screen upholstered with tackable fabric Painted steel mounting brackets attaches to worksurface	Basic	30 x 19"	WZP30			15#
		Basic	36 x 19"	WZP36			17#
		Basic	42 x 19"	WZP42			19#
		Basic	48 x 19"	WZP48			21#
	 Provides seated privacy 	Basic	54 x 19"	WZP54			24#
	 Provides 3/4" space between screen and 	Basic	60 x 19"	WZP60			30#
	worksurface for cables 60" screen consists of two 30" screens						
	with middle support connector						
				A	B	•	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select fabric color. Refer to Vertical Fabric Pricing Addendum Refer to Vertical Fabric Pricing Addendum



Accessories

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 185	\$ 191	\$ 200	\$ 205	\$ 217	
\$ 294	\$ 302	\$ 310	\$ 324	\$ 338	


SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #85.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style. **74P** = 74P edge

MP = Membrane edge

- Select trim color.

 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 hinder
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) PVC edges (designated by Lxx). The membrane color selections are only available on (MP) membrane edges (designated by Mxx).
- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Edge color selections are only available on (74P) PVC edges.
- Select membrane color.

 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

The membrane color selections are only available on (MP) membrane edges.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



\$ 579

579

\$ 698

698

74P Edge (74P)	Membrane Edge (MP)	
\$ 628	\$ 755	
628	755	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #100.

				. I
			MODEL NUMBER	
				Арргох.
			Basic	Packaged
	MODEL	WxH	Model	Weight
	Acrylic Rectangular Screens • Frosted finish	22 x 12"	FWTPER2212	2#
	Frosted finishTop mounted to panel with translucent	27 x 12"	FWTPER2712	2.5#
	brackets	33 x 12"	FWTPER3312	3#
		44 x 12"	FWTPER4412	3.5#
HRDPT				
	Acrylic Wave Screens	22 x 12"	FWTPEW2212	2#
	Frosted finish Top mounted to panel with translucent brackets	27 x 12"	FWTPEW2712	2.5#
		33 x 12"	FWTPEW3312	3#
		44 x 12"	FWTPEW4412	3.5#
L				
HRDPT				
	Acrylic Curve Screens	22 x 12"	FWTPEC2212	2#
	Frosted finishTop mounted to panel with translucent	27 x 12"	FWTPEC2712	2.5#
4	brackets	33 x 12"	FWTPEC3312	3#
		44 x 12"	FWTPEC4412	3.5#
4				
HRDPT				
			<u> </u>	
			A	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER





D	Delivered Pricing
9	\$ 132
	150
	155
	177
9	\$ 137
	157
	175
	196
9	\$ 136
	153
	155
	190

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER		
				Approx.	
			Basic	Packaged	
	MODEL	WxH	Model	Weight	
#	Panel Mounted Markerboard	36 x 36"	FWMBP.3636	14#	
	 White porcelain paint finished surface Top mounted on panel with two brackets White trim only 				
5//	White trim only				
HRDPT					
1111011	Mall Mountaid Markovhaard	36 x 36"	FWMBW.3636	14#	
	Wall Mounted Markerboard • Includes wall mounting bracket	48 x 48"	FWMBW.4848	20#	
• Whit	Includes wall mounting bracketWhite trim only	40 X 40	FVVIVIDVV.4040	20#	
HRDPT					
				ı	
			A		
			•		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 475

\$ 518

625

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			·			
			MODEL NU	MBER		
	MODEL	H x W x D	Basic Model	Trim Color		
	Panel Mount Coat Hook		FWCHP		.25#	
	 Sold individually 					
HRDPT						
	Wall Mount Coat Hook		FWCHW		.25#	
0	Sold individually		1 1101111		.201	
0						
HRDPT						
	Worksurface Mounted Tool Rail Seven 1" slots for a total useable space of	30 x 14 ¹ / ₂ "	FWTR.3622		6#	
	 Seven 1" slots for a total useable space of 28" wide x 7" high 					
HRDPT						
	Paper Tray	2 x 9 ¹ / ₂ x 14"	PLL		1#	
	Accepts legal and letter size paperSuspends from tool rail					
	Suspenus from toor rail					
HRDPT						
		2 x 8 ¹ / ₂ x 9 ¹ / ₂ "	PTC		1#	
	Telephone Caddy • Suspends from tool rail	2 X 0 /2 X 9 /2	FIG		1#	
HRDPT						
MANAMANA	CD Holder	2 x 5 ¹ / ₂ x 7"	PDH		1#	
	Stores up to 10 CD'sSuspends from tool rail					
/MMMMMmmm	•					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing
\$ 11
\$ 9
\$ 233
\$ 55
\$ 37
\$ 24

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

			MODEL N	UMBER	R
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged
	Diagonal Storage Three slanted partitions per unit with	2 ¹ / ₂ x 7 x 12 ¹ / ₂ "	PDS		4#
	dividers				
	Suspends from tool rail				
HRDPT					
-		0 5 401/17	DI (O		4.5
	Vertical Storage Stores binders and books	9 x 5 x 10 ¹ / ₂ "	PVS		1#
	Stores binders and books Suspends from tool rail				
HRDPT					
	Hanging Folder Holder	2 x 1 x 8 ¹ / ₂ "	PFH		1#
	Hanging Folder Holder Consists of pair of holders to allow for hanging of letter and legal size folders Folders cascade down				
HRDPT	Folders cascade down Suspends from tool rail				
THIOTT	- Gasponds from toor fall				
			1	1	
			A	B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing

\$ 101

\$ 70

\$ 30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL N	IIMRFR	
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight
HRDPT	Accessory Tray Stores desk supplies Suspends from tool rail	2 x 9 ¹ / ₂ x 10"	PAT		6#
HRDPT	Pencil Cup Stores writing utensils Suspends from tool rail	4 x 4 x 3 ¹ / ₂ "	PPC		1#
HRDPT	Worksurface Task Light Black only 13 watt compact fluorescent lamp provides high light output Provides 27" of horizontal reach and 19" vertical reach Detachable plug in ballast allows quick connect		SMTL.BL		13#
			A	B	

HOW TO ORDER

Indicate the following information on order

- form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select trim color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Delivered Pricing

\$ 24

\$ 24

\$ 304

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Index

Model No.	Description	Page	Model No.	Description	Page
BL300	Modular Faceplates: Blank Filler Plate	14	FWPT3S82	82" High 120° Power Tower®	6
FC0H5442	Panel Connectors: Change of Height Posts - Unupholstered	42	FWPT82	82" Power Tower®	4
FC0HU5442	Panel Connectors: Change of Height Posts - Upholstered	42	FWPTU	Ceiling Height Power Tower®, Upholstered	2
FEREC	Panel Connectors: End-of-Run Top Cap	38	FWPU2232	ADA Acoustical Panels: ADA Height Acoustical Panels with	34
FLC360	Panel Connectors: Flexible 360°	38		Fabric Wrapped Verticals	
FOM42	Panel Connectors: Panel Off-Module Post - Unupholstered	44	FWPU2242	Acoustical Panels: Acoustical Panels with Fabric Wrapped	28
FOMU42	Panel Connectors: Panel Off-Module Post - Upholstered	44		Verticals	
FTPC	Panel Connectors: Tower Mount	38	FWRA2730	Adjustable Rectangular Table	46
FW.AMP313	Modular Faceplates: AMP	14	FWRF2730	Fixed Rectangular Table	46
FW.DE301	Modular Faceplates: Decorator	18	FWRF42	42" Round Meeting Table, Non-Adjustable	48
FW.HBL317	Modular Faceplates: Hubbell	16	FWRS.20	Overhead Open Storage	56
FW.KR314	Modular Faceplates: Krone, Leviton, Bryant, ICC	16	FWS/1520MBF	Mobile Pedestal	52
FW.LT309	Modular Faceplates: Lucent Technologies	14	FWS24240182D	Flexible WorkSpace® Lateral Files	50
FW.MT316	Modular Faceplates: MOD TAP	18	FWTB/4224	Tackboard	60
FW.N0312	Modular Faceplates: NORDX DVO-2	16	FWTCTL4730	Countertop	62
FW.0R306	Modular Faceplates: Ortronics	14	FWTCTL4736	Countertop	62
FW.SI315	Modular Faceplates: Siemon	16	FWTPEC2212	Acrylic Curve Screens	64
FW.ST302	Modular Faceplates: Standard Duplex	18	FWTPER2212	Acrylic Rectangular Screens	64
FW.T0310	Modular Faceplates: Toggle Switch	18	FWTPEW2212	Acrylic Wave Screens	64
FWALPB	Power Boxes: Ambient Light Power Box	26	FWTR.3622	Worksurface Mounted Tool Rail	68
FWALPBCH	Power Boxes: Chicago Ambient Light Power Box	26	FWTR0.4224	Tool Rail	58
FWATL	Ambient Lights: Ambient Tower Light	24	FWWPB	Power Boxes: Worksurface Mounted Power Box	26
FWATLCH	Ambient Lights: Chicago Ambient Tower Light with Fused	24	FXC2W	Panel Connectors: Fixed Straight	36
TWAILOTT	Plug	24	FXC3W	Panel Connectors: Fixed 3-Way	36
FWBC	<u> </u>	20	FXC4W	Panel Connectors: Fixed 4-Way	36
	Modular Zone Electrical: Blank Cover Assembly	20		,	
FWBW8	Modular Zone Electrical: Floor Flexible Infeed with H/Y	22	FXC90	Panel Connectors: Fixed 90°	36
FIA10 A 0.750	Block	40	NSD	Shelf Divider	56
FWCA2752	Adjustable Corner Table	46	PAT	Accessory Tray	72
FWCG	Overhead Ganging Bracket	56	PDCU/17	Cushioned Seat for Mobile Pedestal	52
FWCHP	Panel Mount Coat Hook	68	PDH	CD Holder	68
FWCHW	Wall Mount Coat Hook	68	PDS	Diagonal Storage	70
FWCW35	Modular Zone Electrical: Above Ceiling Flexible Infeed with	22	PFH	Hanging Folder Holder	70
	H/Y Block		PLL	Paper Tray	68
FWEXT2715	Worksurface Extension	48	PPC	Pencil Cup	72
FWFD42	Overhead Cabinet with Fabric Door	54	PTC	Telephone Caddy	68
FWFL42	Overhead Cabinet with Laminate Door	54	PVS	Vertical Storage	70
FWFS42	Overhead Cabinet with Steel Door	54	QB.A.B	Quad Boxes - Multiple Circuit: Prewired Circuit	8
FWGFP2266	Half Fabric/Half Glass Panels: Half Fabric/Half Glass Panel	32	QB.C.B	Quad Boxes - Multiple Circuit: Prewired Circuit	8
	with Poly Verticals		QB.E.B	Quad Boxes - Multiple Circuit: Prewired Circuits	10
FWGFU2266	Half Fabric/Half Glass Panels: Half Fabric/Half Glass Panel	32	QB.HW	Quad Boxes - Multiple Circuit: Hardwired Circuit	10
	with Fabric Wrapped Verticals		QB3S.A.B	120° Quad Boxes - Multiple Circuit: Prewired Circuit	12
FWGP2266	Glass Panels: Glass Panels with Poly Verticals	30	QB3S.C.B	120° Quad Boxes - Multiple Circuit: Prewired Circuit	12
FWGU2266	Glass Panels: Glass Panels with Fabric Wrapped Verticals	30	QB3S.E.B	120° Quad Boxes - Multiple Circuit: Prewired Circuit	12
FWLBPM.20	Panel Mounted Load Bar	56	SMTL.BL	Worksurface Task Light	72
FWM42	Panel Connectors: Wall Mount Post - Unupholstered	40	SWLB.84	Wall Mounted Load Bar	56
FWMBP.3636	Panel Mounted Markerboard	66	TLFT2427	Optional Tops	50
FWMBW.3636	Wall Mounted Markerboard	66	UTLE42	Overhead Task Light, Electronic Ballast, Normal Power Factor	58
FWMC2232	Mobile Crescent Adjustable Utility Table	48	UTLN42	Overhead Task Light, Magnetic Ballast, Normal Power Factor	58
FWMTT2949	Mobile Teaming/Conferencing Table, Non-Adjustable	48	UTLV42	Overhead Task Light, Normal Power Factor/2-Step Dimming	58
FWMU42	Panel Connectors: Wall Mount Post - Upholstered	40	WWM	Worksurface Wire Manager	58
FWMZE.A	Modular Zone Electrical: Modular Zone Electrical Box	20	WZP30	Worksurface Mounted Tackable Privacy Screen	60
FWPAL2760	Adjustable P-Shape Table	46			
FWPFL2760	Fixed P-Shape Table	46			
FWPP2232	ADA Acoustical Panels: ADA Height Acoustical Panels with	34			
I WI I ZEOZ	Poly Verticals	01			
FWPP2242	Acoustical Panels: Acoustical Fabric Panels with Poly Verticals	28			
FWPT	Ceiling Height Power Tower®, Unupholstered	2			
FWPT38	38" Power Tower®	4			

Index



You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels ... everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Working for You are registered trademarks of Krueger International, Inc.

© 2005 KI All Rights Reserved. Litho in USA. Code KI-11394/KI/VL/105