
February 6, 2006 Updated March 9, 2007 800-424-2432





Refer to KI Terms & Conditions document or visit ki.com.

4

ndex	Index	62	
CrossRoads® Circulation Desk	Typicals	58	
	Wood Chairs	56	
rossRoads® Seating	General Information	54	
	Rolling Book Carts	52	
	Atlas and Dictionary Stands	50	
	Newspaper Display Units	48	
ossRoads® Accessory Units	Storage/Accessories	46	
	82" High Periodical Shelving	44	
•	60" High Periodical Shelving	42	
rossRoads® Periodical Shelving	42" High Periodical Shelving	40	
	Curved End Panels - Double Face	38	
	Curved End Panels - Single Face	36	
	Straight End Panels - Double Face	34	
rossRoads® End Panels	Straight End Panels - Single Face	32	
	96" High Shelving	28	
	82" High Shelving	26	
	72" High Shelving	24	
	60" High Shelving	22	
one of the state o	54" High Shelving	20	
rossRoads® Shelving	42" High Shelving	18	
Tuttons .	Double Face Stations	16	
Stations	omgre i acc otations		
CrossRoads® Stand-up Computer	Single Face Stations	14	
Grossnodus Study Carreis	Double Face Carrels	12	
CrossRoads® Study Carrels	Single Face Carrels	10	
	Square and Round Tables Panel Leg Tables	6 8	
CrossRoads® Study Tables	Rectangular Tables	4	
rossRoads® Library Furniture	General Information	2	

CrossRoads® Library Furniture

General Information

SPECIFICATIONS

Study Table Top

Tabletop is 1-1/4" thick, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. All four edges shall be banded with a 1-1/4" thick and 2-1/4" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beveled to a .25" radiused bullnose at the top. The edge band has mitered corners. The underside of the top shall be fitted with 3/4" x 3/4" solid wood rails screwed to the top. Table tops are offered without grommets, with grommets, or with PowerUp® modules. Grommets and PowerUp® modules fit in the same size top cutout. For grommet and PowerUp® options, placement on table top will either be in the table center or offset to one edge. Offset grommet or PowerLIn® locations will be centered on the longest outside edge of the table and 7-3/4" from the table edge to the center of the grommets or PowerUp®. For round and square tables, grommet or PowerUp® placement on the outer edge of the table will be centered on the outer edge between two legs.

Study Table Legs

The legs are attached to the apron using dovetail joinery, a unique screw-fastening method and solid wood mitered blocks with heavy-duty screws and anchoring bolt. The legs are 2-1/4" square glued up face to face. All of the edges are eased with a 3/16" radius. For tables with grommets or PowerUp®, cords are managed by the vertical leg wire manager or the wood routed wireway. Leg wireway is scuff-resistant, high-impact rigid PVC plastic and is fastened to the leg with full-length adhesive bond. The solid wood routed wireway is 1" wide and 3/4" deep and runs from the bottom of the leg to just under the intersection with the apron. 1/4" solid wood cap attaches with (6) knurled thumbscrews. Both are UL

Study Table Aprons

A 7/8" thick solid oak or maple apron rail is fit between the legs on all four sides of the table. The apron shall be machined to have a full length arch that is 3-7/8" high at the ends and 2" at the center. The apron rails are screwed to the underside of the top. Optional apron has straight bottom with a beveled face and .13" x .13" routed groove .82" up from bottom edge.

Study Table Glides

Each leg has a 1-1/8" diameter self-leveling glide.

Study Table Worksurface Height

Standard height is 29". Optional 27" or 32" heights may be specified.

Study Table Routed Wireway

Solid wood routed wireway, 1" wide x 3/4" deep runs from bottom of leg to just under intersection with apron. 1/4" solid wood cap

attaches with (6) knurled thumbscrews. UL approved

Panel End Table Top

Tabletop is 1-1/4" thick, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. All four edges shall be banded with a 1-1/4" thick and 2-1/4" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beveled to a .25" radiused bullnose at the top. The edge band is mitered at all four corners. Table tops are offered without grommets, with grommets, or with PowerUp® modules. Grommets and PowerUp® modules fit in the same size top cutout. For grommet and PowerUp® options, placement on table top will either be in the table center or offset to one edge. Offset grommet or PowerUp® locations will be centered on the longest outside edge of the table and 7-3/4" from the table edge to the center of the grommets or PowerUp®.

Panel End Table End Panels

The end panels are 1-1/4" thick, flakeboard core construction with select oak or maple veneer on both faces. The verticle edges of the panel are banded with a 1/8" thick solid oak or maple external band with a 1/32" radius on all edges. The panel base is solid oak or maple with a .25" deep x .38" high reveal groove. The base is glued and screwed to the bottom of the end panel. The end panels are attached to the top using two 21" long, 16-gauge steel "I" brackets with six screws per bracket. The longitudinal stabilizing keel shall be 1" thick x 10" wide, solid wood construction with select oak or maple face and back. Bottom edge is banded with 1/8" solid oak or maple and attached to the end panels and the top using mortise and tenon joinery. For tables with grommets or PowerUp®, cords are managed by the vertical leg wire manager

Panel End Table Glides

Each leg has a 1-1/8" diameter nylon-based adjustable leveling glide with a 1-1/2" threaded stem.

Panel End Table Worksurface Height Standard height is 29".

Study and Stand-up Carrels Top

The worksurface is 1-1/4" thick x 34-1/2" or 48" wide x 28" deep, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. Exposed edge shall be banded with a 1-1/4" thick and 2-1/4" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beveled to a .25" radiused bullnose at the top. The worksurface is attached to the end panels and back with a 21" long, 16-gauge steel "L" bracket screwed into brass inserts in the panel and then screwed into the top of the worksurface.

Study and Stand-up Carrels End Panels

The end panels are 1-1/4" thick flakeboard core construction with Grade A oak or maple veneer on both faces. The vertical edges of the panel are banded with a 1/8" thick solid oak or maple external band with a 1/32" radius on all edges. The panels have brass inserts for mounting the worksurface at four different heights (25", 27", 29" and 32" ADA heights). The panel base is select solid oak or maple with a .25" deep x .38" high reveal groove. The base is glued and screwed to the bottom of the end panel. End panels for study and stand-up carrels are machined on one side.

Study and Stand-up Carrels Shared Panels

The intermediate panels are the same construction as the end panels, however, the worksurface and shelf inserts are on both sides of the panel. Shared panels for study and stand-up carrels are machined on both sides

Study and Stand-up Carrels Back Panels

The back panels are 3/4" thick, 5-ply plywood construction with Grade A oak or maple veneer on both faces. The top and bottom edges of the panel are banded with a 1/8" thick solid oak or maple external band with a 1/32" radius on all edges. The top edge is located 6-1/2" down from the top of the end panels and 4" up from the bottom. Back panels are attached to end panels using cam-lock fasteners. Double-faced units share 1-1/4" thick back panel.

Study and Stand-up Carrels Shelf

The storage shelf shall be 1-1/4" thick x 33-1/2" or 45-1/2" wide x 10" deep, particle-board core construction. Both faces will be covered with select oak or maple veneers and banded on the exposed edge with 1/8" solid oak or maple. The study carrel shelf is located 15" above the worksurface and will accommodate a 17" monitor. The stand-up carrel shelf is located 30" below the worksurface. Shelf is connected to end panels with shoulder screw and insert in panel and removable connectors in shelf bottom.

Study and Stand-up Carrels Glides

Each end and intermediate panel has a pair of 1-1/8" diameter nylon-based adjustable leveling glides with a 1-1/2" threaded stem.

Circulation Desk Top

Joints are secured with mortise and tenon construction, glued and screwed. Desk top is 1-1/4" thick, particleboard core construction with .05" high-pressure laminate facer and .026" thick backer on the underside.

Circulation Desk Cabinet Construction

All desk modules are flush-front design of 3/4" solid-panel construction. The front panels are 3/4" thick, 5-ply plywood with Grade A oak or maple veneer. All exterior faces are matched for color and grain. The

side panels are 1-1/4" thick flakeboard with Grade A oak or maple veneers and banded on the exposed edge with a 1/8" solid oak or maple.

Circulation Desk Adjustable Shelves

Adjustable storage shelves are 3/4" thick, 5-ply plywood construction with select oak or maple veneer and banded on exposed edge with solid oak or maple. Shelves are adjustable in 1/2" increments with metal shelf supports routed flush into the end panels and four clip-in metal shelf supports.

Circulation Desk Hinged Doors

Doors are 3/4" thick, MDF construction with Grade A oak or maple veneer on both sides. All four edges are banded with solid oak or maple edge. Each drawer shall be fitted with brushed aluminum or flat black pull and lock

Circulation Desk Storage Doors

All drawer fronts are 3/4" thick, MDF construction with Grade A oak or maple veneer on both sides. All four edges are banded with solid oak or maple edge. Each door shall be fitted with brushed aluminum or flat black pull and lock.

Circulation Desk Heights

Depending on the component, various heights are available. 27", 29", 32" and 39" may be specified.

Power and Data Management

Study tables, panel leg tables, study carrels, stand-up computer stations and circulation desk modules are available with grommets, PowerUp® system or the Connect™single circuit electrical system. The PowerUp® module is 6-1/4" long x 3" wide x 2-1/2" high. The module is constructed of textured polycarbonate and meets UL-VO minimum requirements. The module has one duplex receptacle (110 volts) and two ports for data connectors The standard module will accommodate most data connectors. The customer purchases the data connectors. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. Module comes standard with a 9 ft. cord and 3-prong plug. For both grommets and the PowerUp® system, the underside of the table is provided with a plastic channel (cord management trough, which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines. For starter and adder carrels with grommets or PowerUp® modules, round cutouts in the end panels allow wires to pass through from one unit to the other. PowerUp® door extrusion and vertical plastic wire manager are standard. The Connect™system is recommended whenever two or more PowerUp® modules per worksurface are specified (refer to Connect™price list, code KI-11326). The single-circuit 15-amp Connect™system supplies power to six laptops or three PCs. It



CrossRoads® Library Furniture

plugs into a standard power outlet source and links up to six modules. UL listed for safety. Cords are further managed by the vertical leg wire manager, which comes standard with grommets, the PowerUp® system or the Connect™system. Leg wireway is scuff-resistant, high-impact rigid PVC plastic, and is fastened to the leg with full-length adhesive bond.

Shelving End Panel

The end panels are 1-1/4" thick, flakeboard core construction with Grade A oak or maple veneer on both faces. The vertical edges of the panel are banded with a 1/8" thick solid oak or maple external band with a 1/32" radius on all edges. The panel base is solid oak or maple with .25" deep x .38" high reveal groove. The base is glued and screwed to the bottom of the end panel. Adder units are attached with 1/4" through bolts and nuts.

Shelving Shared Panel

Same construction as the end panels except brass inserts are on both sides of the panel. Shared panels for shelving are machined on both sides.

Periodical Shelving

End panels, shared panels, and top and bottom shelf assembly construction are the same as standard shelving. Adjustable shelves include 3/4" solid wood angled bracket supports and a 14-gauge steel shelf pivot bracket. A 3/4" solid wood shelf with a 1/2" x 1-1/2" stop rail is mounted at an angle of approximately 45° so that periodicals can be easily viewed. The shelf pivots and can be flipped up to lay flat for storage access below.

Book Truck

Truck sides and bottom are 3/4" plywood with top edge banded. No seams show where side panels adjoin. Descending platform is 3/4" plywood with plastic laminate top surface. Platform is guided on rollers and supported by spring compression. As the platform is loaded, it descends toward the bottom of the truck. A 25 lb. load moves the platform down 3". A 50 lb. load moves the platform to the bottom of the truck. The truck is mounted on four swivel casters.

Dictionary Stand

End panels are constructed of 1-1/4" flake-board core with oak or maple veneer and 1/8" thick solid wood edge banding. The top and bottom surfaces are attached to the end panel using mortise and tenon joinery and unique screw attachment. The top surface is constructed of 3/4" plywood with a plastic laminate worksurface (customer-specified). One 3/4" adjustable shelf has a 20" adjustability range using steel pins and drilled holes.

Atlas Stand

End panels are constructed of 1-1/4" flakeboard core with oak or maple veneer and 1/8" thick solid wood edge banding. The top and bottom surfaces are attached to the end panel using mortise and tenon joinery and a unique screw attachment. The top surface is constructed of particleboard core with a plastic laminate worksurface (customerspecified). Five 3/4" plywood sliding shelves have a 1/2" x 1-1/2" stop rail at the edge of each shelf.

Newspaper Display Unit End Panels/Shared Panels

End panels are constructed of 1-1/4" flakeboard core with oak or maple veneer and 1/8" thick solid wood edge banding. End panels for newspaper display units are machined on one side. Shared panels for newspaper display units are machined on both sides.

Newspaper Display Unit Top Shelf/Cornice Unit

Shelf is 3/4" thick, solid select oak or maple construction. The flush-fitting cornice rail at the face sides is 3/4" thick x 3" high solid oak or maple and is attached with 1-1/4" thick wood cleats and corner blocks.

Newspaper Display Unit Base

Pre-assembled box has a finished outer kick rail which enables shelving to be assembled in the vertical position. Bottom shelf is set into place and positioned by stop rails attached to the bottom. Two adjustable shelves are 3/4" thick solid oak or maple construction with the front edge in select oak or maple with matching color and grain. The shelf is notched at the ends to fit over dowel pins and prevent accidental removal. Two 1" thick rails mounted on the end panels are notched to hold eight newspaper sticks at an angle for easy removal and display.

Rolling Book Cart

All end panels and shelves are 3/4" plywood with oak or maple veneer laminate and a 1/8" solid wood edge banding. Shelves are attached to the end panels using mortise and tenon joinery. Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels. Casters are 4" diameter twin wheel and either all swivel or two swivel and two stationary. Two cart sizes: 30" wide x 35" high x 15" deep with two shelves and 40" wide x 41" high x 15" deep with two shelves.

Rolling Book Cart With Slanted Shelves

All end panels and shelves are 3/4" plywood with oak or maple veneer laminate and a 1/8" solid wood edge banding. Shelves are attached to the end panels using mortise and tenon joinery. Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels. Casters are 4" diameter twin wheel and either all swivel or two swivel and two stationary. Two cart sizes: 30" wide x 35" high x 16.5" deep with two shelves slanted inward with slanted shelf backs, and 40" wide x 41" high x 16.5" deep with two

shelves slanted inward with slanted shelf backs

CrossRoads® Study Tables Rectangular Tables

		MODEL N	IUMBER								
	D x W	Basic Model	Wood Type	Apron Detail	Height	Grom./ PowerUp	Grom./ Module Location	Grom./ Module Color	Wood Finish	Surface Finish	
	30 x 60"	CRT3060									
	30 x 72"	CRT3072									
	30 x 84"	CRT3084									
₩ Ψ	30 x 96"	CRT3096									
Straight Apron, No Grommets	36 x 60"	CRT3660									
	36 x 72"	CRT3672									
	36 x 84"	CRT3684									
	36 x 96"	CRT3696									
"	42 x 60"	CRT4260									
Curied Asses No Crommete	42 x 72"	CRT4272									
Curved Apron, No Grommets	42 x 84"	CRT4284									
	42 x 96"	CRT4296									
	48 x 60"	CRT4860									
Ψ	48 x 72"	CRT4872									
\mathbb{U}	48 x 84"	CRT4884									
Curved Apron, 2 Grommets	48 x 96"	CRT4896									
₩ Ψ											
ω Straight Apron, 3 Grommets RT											
ectangular Table 2, 3 or no grommets or PowerUp®											
modules											
Straight or curved apron											
		A	B	•	•		•	6	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.
 - = Oak = Maple
- Select apron detail.

PCRV = Curved apron **PSTR** = Straight apron

Select height.

27	= Junior height - 27"
29	= Adult height - 29"
32	= ADA wheelchair height - 32"

 Select grommet/PowerUp 60" & 72" wide tables are available with 2 grommets or 2 PowerUp modules or

84" & 96" wide tables are available with 3 grommets or 3 PowerUp modules or

none.	
2G	= 2 Grommets; add \$74
2P	= 2 PowerUp modules; add
\$148	
3G	= 3 Grommets; add \$84
3P	= 3 PowerUp modules; add
\$190	

Grommet/module location

NG

CTRG = Center grommet/module location **EDGG** = Edge grommet/module location NA = No grommet was selected

= No grommets

G Select grommet/module color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select wood finish (for table edge &

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$22

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact

CrossRoads® Study Tables Rectangular Tables

Approx. Packaged Weight	Freight Excluded Pricing Oak	Freight Excluded Pricing Maple
140#	\$ 1326	\$ 1433
161#	1397	1509
174#	1555	1842
187#	2119	2288
145#	1645	1780
166#	1713	1912
179#	1970	2149
192#	2342	2553
154#	1748	1896
171#	1829	2010
185#	2095	2272
198#	2466	2675
171#	1824	1969
198#	1980	2138
214#	2290	2476
230#	2474	2673

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

OPTIONS

Electrical GangingContact KI for electrical ganging of multiple

Wood Leg WirewayIf grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add RL to end of model number for routered wood leg wireway option and add \$104 to

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #85.

CrossRoads® Study Tables Square and Round Tables

		MODEL NUMBER								
	D x W	Basic Model	Wood Type	Apron Detail	Height	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Approx. Packaged Weight
	42 x 42"	CRT4242								125#
	48 x 48"	CRT4848								130#
Straight Apron, No Grommet										
Curved Apron, 1 Grommet										
CRT										
Square Table • 1 grommet or PowerUp® module or no grommet										
Straight or curved apron										
	40"	0.DT 4.0.D								140"
	42" 48"	CRT42R								140#
	48	CRT48R								145#
Curved Apron, No Grommet										
W										
Straight Apron, 1 Grommet CRT										
Round Table										
 1 grommet or PowerUp® module or no grommet 										
Straight or curved apron										
		A	$lackbox{lack}{lack}$	•	•			•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type.

= Maple

Standard placement of grommets is in center of table.

Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard.

Select apron detail.

PCRV = Curved apron
PSTR = Straight apron

Select height.

= Junior height - 27" 29 = Adult height - 29" = ADA wheelchair height - 32" ■ Grommet/PowerUp

= 1 Grommet; add \$58 = 1 PowerUp module; add \$100

NG = No grommets

Standard placement of grommets is in center of table.

Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard.

Select grommet/module color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

G Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes Stained finish colors add \$22

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact



CrossRoads® Study Tables

	,		
Square	and	Pound	Tables
Suuait	anu	nouna	เสมเธอ

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple	
\$ 1189	\$ 1348	
1398	1588	

\$ 1405	\$ 1716
1690	1894

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

OPTIONS

Electrical Ganging

Contact KI for electrical ganging of multiple

Wood Leg WirewayIf grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add RL to end of model number for routered wood leg wireway option and add \$104 to

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #85.

CrossRoads® Study Tables

Panel Leg Tables

		MODEL NU	MODEL NUMBER								
	D x W	Basic Model	Wood Type	Panel	Base	Grom./ PowerUp	Grom./ Module Location	Grom./ Module Color	Wood Finish	Surface Finish	
	36 x 60"	CRTP3660									
	36 x 72"	CRTP3672									
	36 x 84"	CRTP3684									
	36 x 96"	CRTP3696									
Curved Panels, Curved Base, No Grommets	42 x 60"	CRTP4260									
	42 x 72"	CRTP4272									
	42 x 84"	CRTP4284									
	42 x 96"	CRTP4296									
Curved Panels, Curved Base, 2 Grommets	48 x 60"	CRTP4860									
	48 x 72"	CRTP4872									
	48 x 84"	CRTP4884									
	48 x 96"	CRTP4896									
Curved Panels, Straight Base, 3 Grommets											
Curved Panels, Curved Base, 2 Grommets											
Straight Panels, Straight Base, 3 Grommets											
Panel Leg Table											
 2, 3 or no grommets or PowerUp® modules 											
modules • 29" height only • Curved or straight panels											
 Curved or straight panels Curved or straight base 											
		A	B	•				G	•	•	
			•	•	U	•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

0 = 0ak M = Maple

Select panel.

PCRV = Curved panel
PSTR = Straight panel

Select base

BCRV = Curved base
BSTR = Straight base

● Grommet/PowerUp

60" & 72" wide tables are available with 2 grommets or 2 PowerUp modules or

84" & 96" wide tables are available with 3 grommets or 3 PowerUp modules or

2G	= 2 Grommets; add \$74
2P	= 2 PowerUp modules; add
\$148	
3G	= 3 Grommets; add \$84
3P	= 3 PowerUp modules; add
\$190	
NG	= No grommets

Grommet/Module Location

CTRG = Center grommet/module location

EDGG = Edge grommet/module lo

EDGG = Edge grommet/module location

NA = No grommet was selected

Select grommet/module color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.

Select wood finish.
 (for edge & base)
 Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$34

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI



CrossRoads® Study Tables Panel Leg Tables

	Approx. Packaged Weight	Freight Excluded Pricing Oak	Freight Excluded Pricing Maple	
	161#	\$ 2117	\$ 2171	
	184#	2089	2333	
	211#	2404	2622	
	237#	2857	3114	
	184#	2132	2313	
	209#	2232	2451	
	243#	2556	2774	
	277#	3009	3264	
•	222#	2225	2401	
	257#	2416	2609	
	291#	2794	3020	
	325#	3017	3262	

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

OPTIONS

Electrical Ganging

Contact KI for electrical ganging of multiple

Wood Leg WirewayIf grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add RL to end of model number for routered wood leg wireway option and add \$104 to

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #85.

CrossRoads® Study Carrels Single Face Carrels

		MODEL NUI	MBER									
	D x W	Basic Model	Wood Type	Panel	Base	Height	Task Light	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	
CRC Study Carrel Starter Unit-Single	30 x 36" 30 x 48"	CRCS3036S CRCS3048S										
Curved or straight panel or base Curved or straight panel or base 1 grommet or 1 PowerUp® module Standard placement of grommets is in center of table. Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard. With or without task light Adjustable or wheelchair-height adjustable												
CRC	30 x 34 ³ / ₄ " 30 x 46 ¹ / ₂ "	CRCS3036A CRCS3048A										
Study Carrel Adder Unit-Single Face Curved or straight panel or base 1 grommet or 1 PowerUp® module Standard placement of grommets is in center of table. Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard. With or without task light Adjustable or wheelchair-height adjustable												
		A	B	•	•			G	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

Select panel.

PCRV = Curved panel **PSTR** = Straight panel

Select base.

BCRV = Curved base **BSTR** = Straight base

Select height (worksurface).

= Adjustable height AH32 = Adjustable wheelchair height

Select task light

1TL = 1 Task light; add \$120 = No task light

Select grommet/PowerUp

= 1 Grommet-standard

= 1 PowerUp module; add \$42

Select grommet/module color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Select wood finish (for table edge &

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$38

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.



CrossRoads® Study Carrels Single Face Carrels

201# \$ 2391 \$ 3497 231# 2742 4016	Approx. Packaged Weight	Freight Excluded Pricing Oak	Freight Excluded Pricing Maple
231# 2742 4016	201#	\$ 2391	\$ 3497
	231#	2742	4016

146#	\$ 1796	\$ 2524
176#	2148	3041

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Study Carrels

Double Face Carrels

	MARKI NUMBER											
		MODEL NUI	NREK									
	D x W	Basic Model	Wood Type	Panel	Base	Height	Task Light	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	
	60 x 36"	CRCD6036S										
CRC	60 x 48"	CRCD6048S										
Study Carrel Starter Unit-Double												
FaceCurved or straight panel or base												
 2 grommets or 2 PowerUp® modules (1 per worksurface) 												
 Standard placement of grommets is in center of table. 												
 Note: Provide a plan layout indicating 												
grommet location on the worksurface, if other than standard.												
 With or without task light 												
 Adjustable or wheelchair-height adjustable 												
aujustable												
	60 x 34 ³ / ₄ "	CRCD6036A										
	60 x 46 ³ / ₄ "	CRCD6048A										
CRC												
Study Carrel Adder Unit-Double Face												
 Curved or straight panel or base 												
 2 grommets or 2 PowerUp® modules Standard placement of grommets is in 												
center of table.												
 Note: Provide a plan layout indicating grommet location on the worksurface, 												
if other than standard.												
With or without task lightAdjustable or wheelchair-height												
adjustable												
		A	B	•	•			G	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

0 = Oak
 M = Maple

Select panel.

PCRV = Curved panel
PSTR = Straight panel

Select base

BCRV = Curved base
BSTR = Straight base

Select height (worksurface).

AH = Adjustable height
AH32 = Adjustable wheelchair height

Select task light

2TL = 2 Task lights (1 per worksurface); add \$241

NL = No task light

Select grommet/PowerUp

2G = 2 Grommets (one per worksurface-standard)

2P = 2 PowerUp modules (one per worksurface); add \$84

- Select grommet/module color.
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 hinder
- Select wood finish (for table edge & base).
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder

Stained finish colors add \$38

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact



CrossRoads® Study Carrels Double Face Carrels

Approx. Packaged Weight	Freight Excluded Pricing Oak	Freight Excluded Pricing Maple	
415#	\$ 3792	\$ 4926	
415#	4274	5097	

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Stand-up Computer Stations

Single Face Stations

		MODEL NUM	BER							
	D x W	Basic Model	Wood Type	Panel	Base	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Approx. Packaged Weight
	30 x 36"	CRSUS3036S								197#
	30 x 48"	CRSUS3048S								227#
CRSU										
Stand-up Computer Station Starter Unit - Single Face • O.P.A.C Online Patron Access Center										
Curved or straight panel or base1 grommet or 1 PowerUp® module										
 Standard placement of grommet is in right rear corner of worksurface. 										
 Provide a plan layout indicating grommet location on the worksurface, if other than standard. 										
• 39" high worksurface										
	30 x 34 ³ / ₄ "	CRSUS3036A								146#
	30 x 46 ³ / ₄ "	CRSUS3048A								176#
CRSU										
Stand-up Computer Station Adder Unit - Single Face										
O.P.A.C Online Patron Access Center										
Curved or straight panel or base1 grommet or 1 PowerUp® module										
 Standard placement of grommet is in right rear corner of worksurface. 										
 Provide a plan layout indicating grommet location on the worksurface, 										
if other than standard. • 39" high worksurface										
		A	$lackbox{lack}{lack}$	•				•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

0 = Oak
 M = Maple

Select panel.

PCRV = Curved panel
PSTR = Straight panel

Select base

BCRV = Curved base
BSTR = Straight base

Select grommet/PowerUp

G = 1 Grommet-standard
P = 1 PowerUp module; add \$42

Select grommet/module color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

Select wood finish (for table edge & legs)
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 binder.

Stained finish colors add \$38

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact κ I

FINISH INFORMATION

Additional Stains



CrossRoads® Stand-up Computer Stations Single Face Stations

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple			
\$ 2392	\$ 3498			
2742	4017			

\$ 1796	\$ 2524
2149	304

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Stand-up Computer Stations

Double Face Stations

		MODEL NUM								
	D x W	Basic Model	Wood Type	Panel	Base	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Approx. Packaged Weight
	60 x 36" 60 x 48"	CRSUD6036S CRSUD6048S								348# 409#
CRSU Stand-up Computer Station Starter Unit - Double Face										
O.P.A.C Online Patron Access Center Curved or straight panel or base 2 grommets or 2 PowerUp® modules Standard placement of grommets is in										
right rear corner of worksurface. Provide a plan layout indicating grommet location on the worksurface, if other than standard. 39" high worksurface										
	60 x 34 ³ / ₄ " 60 x 46 ³ / ₄ "	CRSUD6036A CRSUD6048A								242# 305#
CRSU Stand-up Computer Station Adder Unit - Double Face										
O.P.A.C Online Patron Access Center Curved or straight panel or base 2 grommets or 2 PowerUp® modules										
Standard placement of grommets is in right rear corner of worksurface. Provide a plan layout indicating grommet location on the worksurface,										
if other than standard. • 39" high worksurface										
		A	B	•	•			G	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

0 = Oak
 M = Maple

Select panel.

PCRV = Curved panel
PSTR = Straight panel

Select base

BCRV = Curved base
BSTR = Straight base

Select grommet/PowerUp

2G = 2 Grommets (one per worksurface-standard)

2P = 2 PowerUp modules (one per worksurface); add \$84

Select grommet/module color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes hinder.

6 Select wood finish. (for table edge & legs)

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$38

Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Additional Stains



CrossRoads® Stand-up Computer Stations Double Face Stations

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple			
\$ 3793	\$ 4926			
4275	5097			

\$ 27	′44	\$ 3/10
32	225	4378

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Shelving 42" High Shelving

			MODEL NUMBER					
		MIODEL NO	WIDEN	1				
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Single Face	8 x 37 ¹ / ₂ "	CRFS4208S					38#
	Straight base onlyStraight or curved end panel	10 x 37 ¹ / ₂ "	CRFS4210S					50#
	 With or without back panel 	12 x 37 ¹ / ₂ "	CRFS4212S					57#
	2 adjustable and 1 fixed shelf	16 x 37 ¹ / ₂ "	CRFS4216S					79#
CRF								
GIII								
	Shelving Adder Unit - Single Face	8 x 36 ¹ / ₄ "	CRFS4208A		PSTR			32#
	 Straight end panel only 	10 x 36 ¹ / ₄ "	CRFS4210A		PSTR			42#
	 With or without back panel 2 adjustable and 1 fixed shelf 	12 x 36 ¹ / ₄ "	CRFS4212A		PSTR			47#
		16 x 36 ¹ / ₄ "	CRFS4216A		PSTR			65#
CRF								
	Shelving Starter Unit - Double Face	16 x 37 ¹ / ₂ "	CRFD4216S					79#
	Straight base only	20 x 37 ¹ / ₂ "	CRFD4220S					96#
	Straight or curved end panelWith or without back panel	24 x 37 ¹ / ₂ "	CRFD4224S					117#
	 4 adjustable and 2 fixed shelves 							
CRF								
UNF								
	Shelving Adder Unit - Double Face	16 x 36 ¹ / ₄ "	CRFD4216A		PSTR			65#
	 Straight end panel only 	20 x 36 ¹ / ₄ "	CRFD4220A		PSTR			80#
	 With or without back panel 4 adjustable and 2 fixed shelves 	24 x 36 ¹ / ₄ "	CRFD4224A		PSTR			95#
ODE								
CRF								
					1			
				B	(b	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$101 = No back panel

Select wood finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$45

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving 42" High Shelving

Freigh	t Freight	
Exclud	ed Excluded	
Pricin	g Pricing	
0ak	Maple	
\$ 7	17 \$ 757	
	53 798	
7	32 825	
11	61 1235	
\$ 5	\$ 614	
5	94 628	
6	30 666	
9	38 983	
\$ 11	12 \$ 1183	
11	32 1258	
12	52 1334	
\$ 9	\$ 999	
9	92 1054	
10	1106	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving 54" High Shelving

			MODEL NU	MBER				
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Single Face	8 x 37 ¹ / ₂ "	CRFS5408S					51#
	Straight base onlyStraight or curved end panel	10 x 37 ¹ / ₂ "	CRFS5410S					58#
	With or without back panel	12 x 37 ¹ / ₂ "	CRFS5412S					69#
	 3 adjustable and 1 fixed shelf 	16 x 37 ¹ / ₂ "	CRFS5416S					91#
CRF								
	Shelving Adder Unit - Single Face	8 x 36 ¹ / ₄ "	CRFS5408A		PSTR			37#
	 Straight end panel only 	10 x 36 ¹ / ₄ "	CRFS5410A		PSTR			48#
	With or without back panel3 adjustable and 1 fixed shelf	12 x 36 ¹ / ₄ "	CRFS5412A		PSTR			55#
	•	16 x 36 ¹ / ₄ "	CRFS5416A		PSTR			75#
CRF								
	Shelving Starter Unit - Double Face	16 x 37 ¹ / ₂ "	CRFD5416S					93#
	Straight base onlyStraight or curved end panel	20 x 37 ¹ / ₂ "	CRFD5420S					114#
	 With or without back panel 	24 x 37 ¹ / ₂ "	CRFD5424S					135#
	6 adjustable and 2 fixed shelves							
CRF								
	Shelving Adder Unit - Double Face	16 x 36 ¹ / ₄ "	CRFD5416A		PSTR			75#
	Straight end panel onlyWith or without back panel	20 x 36 ¹ / ₄ "	CRFD5420A		PSTR			93#
	6 adjustable and 2 fixed shelves	24 x 36 ¹ / ₄ "	CRFD5424A		PSTR			107#
CRF								
			A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type.

= Oak = Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$115 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$45

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24#

82" high add 27#

96" high add 35#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving 54" High Shelving

Freight	Freight	
Exclude	ed Excluded	
Pricing	Pricing	
Oak	Maple	
\$ 82	0 \$ 869	
86		
91		
131	8 1455	
\$ 66		
68		
73		
101	6 1147	
\$ 131		
139		
149	5 1596	
\$ 110		
116		
123	3 1316	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving 60" High Shelving

			MODEL NUMBER					
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Single Face	8 x 37 ¹ / ₂ "	CRFS6008S					54#
	Straight base onlyStraight or curved end panel	10 x 37 ¹ / ₂ "	CRFS6010S					67#
	With or without back panel	12 x 37 ¹ / ₂ "	CRFS6012S					81#
	 4 adjustable and 1 fixed shelf 	16 x 37 ¹ / ₂ "	CRFS6016S					103#
CRF								
	Shelving Adder Unit - Single Face	8 x 36 ¹ / ₄ "	CRFS6008A		PSTR			42#
	 Straight end panel only 	10 x 36 ¹ / ₄ "	CRFS6010A		PSTR			55#
	With or without back panel4 adjustable and 1 fixed shelf	12 x 36 ¹ / ₄ "	CRFS6012A		PSTR			63#
	,	16 x 36 ¹ / ₄ "	CRFS6016A		PSTR			85#
ODE								
CRF								
	Shelving Starter Unit - Double Face	16 x 37 ¹ / ₂ "	CRFD6016S					108#
	Straight base onlyStraight or curved end panel	20 x 37 ¹ / ₂ "	CRFD6020S					133#
	 With or without back panel 	24 x 37 ¹ / ₂ "	CRFD6024S					154#
	8 adjustable and 2 fixed shelves							
205								
CRF								
	Shelving Adder Unit - Double Face	16 x 36 ¹ / ₄ "	CRFD6016A		PSTR			85#
	Straight end panel onlyWith or without back panel	20 x 36 ¹ / ₄ "	CRFD6020A		PSTR			106#
	 8 adjustable and 2 fixed shelves 	24 x 36 ¹ / ₄ "	CRFD6024A		PSTR			123#
CRF								
			A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$122 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$56

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24#

82" high add 27#

96" high add 35#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving 60" High Shelving

Freight	Freight
Excluded	Excluded
Pricing	Pricing
Oak	Maple
\$ 855	\$ 910
902	958
956	
	1014
1403	1567
\$ 691	\$ 733
718	762
763	810
 1088	1262
1088	1202
\$ 1378	\$ 1471
1465	1566
1576	1684
1010	1001
\$ 1153	\$ 1230
1226	1307
1299	1385

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving 72" High Shelving

			MODEL NUMBER					
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Single Face	8 x 37 ¹ / ₂ "	CRFS7208S					59#
	Straight base onlyStraight or curved end panel	10 x 37 ¹ / ₂ "	CRFS7210S					77#
	With or without back panel	12 x 37 ¹ / ₂ "	CRFS7212S					91#
	 5 adjustable and 1 fixed shelf 	16 x 37 ¹ / ₂ "	CRFS7216S					115#
CRF								
	Shelving Adder Unit - Single Face	8 x 36 ¹ / ₄ "	CRFS7208A		PSTR			48#
	Straight end panel onlyWith or without back panel	10 x 36 ¹ / ₄ "	CRFS7210A		PSTR			61#
	 5 adjustable and 1 fixed shelf 	12 x 36 ¹ / ₄ "	CRFS7212A		PSTR			72#
		16 x 36 ¹ / ₄ "	CRFS7216A		PSTR			92#
CRF								
URF								
	Shelving Starter Unit - Double Face	16 x 37 ¹ / ₂ "	CRFD7216S					117#
	Straight base onlyStraight or curved end panel	20 x 37 ¹ / ₂ "	CRFD7220S					151#
	 With or without back panel 	24 x 37 ¹ / ₂ "	CRFD7224S					200#
	10 adjustable and 2 fixed shelves							
CRF								
	Shelving Adder Unit - Double Face • Straight end panel only	16 x 36 ¹ / ₄ "	CRFD7216A		PSTR			92#
	 With or without back panel 	20 x 36 ¹ / ₄ "	CRFD7220A		PSTR			120#
	 10 adjustable and 2 fixed shelves 	24 x 36 ¹ / ₄ "	CRFD7224A		PSTR			139#
CRF								
Viii								
			A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$143 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$56

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24#

82" high add 27# 96" high add 35#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving 72" High Shelving

Freight	Freight	
Excluded		
Pricing	Pricing	
Oak	Maple	
\$ 973		
1033		
1105		
1520	1718	
\$ 782		
827		
876		
1177	1369	
\$ 1622		
1745		
1881	2016	
\$ 1347		
1436		
1542	1648	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving 82" High Shelving

			MODEL NUMBER					
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Single Face	8 x 37 ¹ / ₂ "	CRFS8208S					64#
	Straight base onlyStraight or curved end panel	10 x 37 ¹ / ₂ "	CRFS8210S					87#
	 With or without back panel 	12 x 37 ¹ / ₂ "	CRFS8212S					101#
	6 adjustable and 1 fixed shelf	16 x 37 ¹ / ₂ "	CRFS8216S					127#
225								
CRF								
	Shelving Adder Unit - Single Face	8 x 36 ¹ / ₄ "	CRFS8208A		PSTR			54#
	Straight end panel onlyWith or without back panel	10 x 36 ¹ / ₄ "	CRFS8210A		PSTR			68#
	6 adjustable and 1 fixed shelf	12 x 36 ¹ / ₄ "	CRFS8212A		PSTR			81#
		16 x 36 ¹ / ₄ "	CRFS8216A		PSTR			99#
CRF								
	Shelving Starter Unit - Double Face • Straight base only	16 x 37 ¹ / ₂ "	CRFD8216S					127#
	 Straight or curved end panel 	20 x 37 ¹ / ₂ "	CRFD8220S					170#
	With or without back panel12 adjustable and 2 fixed shelves	24 x 37 ¹ / ₂ "	CRFD8224S					198#
	12 adjustable and 2 fixed sherves							
CRF								
-		16 x 36 ¹ / ₄ "	CRFD8216A		PSTR			99#
	Shelving Adder Unit - Double Face • Straight end panel only	20 x 36 ¹ / ₄ "	CRFD8216A		PSTR			135#
	With or without back panel	24 x 36 ¹ / ₄ "	CRFD8224A		PSTR			155#
	12 adjustable and 2 fixed shelves	24 X 30 /4	GNI DOZZ4A		rom			155#
CRF								
			A	B	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$159 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$61

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24#

96" high add 35#

82" high add 27#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving 82" High Shelving

Freight	Freight	
Excluded	Excluded	
Pricing	Pricing	
Oak	Maple	
\$ 1011	\$ 1075	
1076		
1153		
1637	1768	
\$ 811		
863		
913		
1265	1477	
\$ 1703		
1839		
1983	2125	
\$ 1412		
1503		
1623	1734	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight		
	Shelving Starter Unit - Single Face	12 x 37 ¹ / ₂ "	CRFS9612S					124#		
	Shelving Starter Unit - Single Face Straight base only Straight or curved end panel With or without back panel adjustable and 1 fixed shelf									
	6 adjustable and 1 fixed shelf	back panel 1 fixed shelf								
CRF										
	Shelving Adder Unit - Single Face	12 x 36 ¹ / ₄ "	CRFS9612A		PSTR			96#		
	Shelving Adder Unit - Single Face Straight end panel only With or without back panel 6 adjustable and 1 fixed shelf									
	6 adjustable and 1 fixed shelf									
CRF										
			A	B	•	O				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$173 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$61

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Additional Stains



\$ 997

\$ 1063

CrossRoads® Shelving

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple		
\$ 1299	\$ 1385		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Shelving

			MODEL NUI	MBER				
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Wood Finish	Approx. Packaged Weight
	Shelving Starter Unit - Double Face	24 x 37 ¹ / ₂ "	CRFD9624S					244#
	Shelving Starter Unit - Double Face Straight base only Straight or curved end panel With or without back panel 12 adjustable and 2 fixed shelves							
CRF								
	Shelving Adder Unit - Double Face	24 x 36 ¹ / ₄ "	CRFD9624A		PSTR			185#
	Shelving Adder Unit - Double Face Straight end panel only With or without back panel 12 adjustable and 2 fixed shelves							
	12 aujustabile aliu 2 likeu silelves							
CRF								
0111								
			A	$lackbox{lack}{lack}$	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select back panel.

= Back panel; add \$173 = No back panel

Select wood finish. (for table edge & legs) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$61

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
4" high add 15#

54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Additional Stains



CrossRoads® Shelving

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple
\$ 2284	\$ 2449
\$ 1791	\$ 1918

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® End Panels Straight End Panels - Single Face

	MODEL		MODEL NUMBI	R			
		D x H	Basic Model	Wood Type	Wood Finish	Approx. Packaged Weight	
	Straight End Panel - Single Face 42"	8 x 42"	CRESPSTR4208			8#	
	 For use as an accessory item for steel shelving 	10 x 42"	CRESPSTR4210			10#	
	 Not machined 	12 x 42"	CRESPSTR4212			12#	
	 No hardware included Will not accept standard CrossRoads® wood shelving 	16 x 42"	CRESPSTR4216			16#	
	Straight base and straight panel						
	Straight End Panel - Single Face 54"	8 x 54"	CRESPSTR5408			10#	
		10 x 54"	CRESPSTR5410			13#	
		12 x 54"	CRESPSTR5412			15#	
		16 x 54"	CRESPSTR5416			20#	
	Straight End Panel - Single Face 60"	8 x 60"	CRESPSTR6008			11#	
		10 x 60"	CRESPSTR6010			14#	
		12 x 60"	CRESPSTR6012			17#	
		16 x 60"	CRESPSTR6016			22#	
	Straight End Panel - Single Face 72"	8 x 72"	CRESPSTR7208			13#	
		10 x 72"	CRESPSTR7210			17#	
		12 x 72"	CRESPSTR7212			20#	
		16 x 72"	CRESPSTR7216			26#	
	Straight End Panel - Single Face 82"	8 x 82"	CRESPSTR8208			15#	
		10 x 82"	CRESPSTR8210			17#	
		12 x 82"	CRESPSTR8212			23#	
		16 x 82"	CRESPSTR8216			30#	
	Straight End Panel - Single Face 96"	12 x 96"	CRESPSTR9612			26#	
			1	B	1		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select wood type.

 O = Oak

= Maple

C Select wood finish. (for edge & sides) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes Stained finish colors add \$17

FINISH INFORMATION



CrossRoads® End Panels Straight End Panels - Single Face

Freigh	nt Fre	
Exclud	ded Exc	
Pricin	g Pri	
Oak	Ma	
\$ 3		
	67	
	82	
	24	
\$ 4		
	43	
	73	
	43	
\$ 4		
	73	
	00	
	72	
\$ 5		
	29	
	58	
	30	
\$ 5		
	77	
	505	
	77	
\$ 7	46 \$	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #125.

CrossRoads® End Panels Straight End Panels - Double Face

	MODEL		MODEL NUMBER				
		D x W	Basic Model	Wood Type	Wood Finish	Approx. Packaged Weight	
	Straight End Panels - Double Face 42"	16 x 42"	CREDPSTR4216			16#	
	 For use as an accessory item for steel shelving 	20 x 42"	CREDPSTR4220			19#	
	 Not machined 	24 x 42"	CREDPSTR4224			23#	
	 No hardware included Will not accept standard CrossRoads® wood shelving Straight base and straight panel 						
	ottaig.it base and straight paries						
EP .							
	Straight End Panels - Double Face 54"	16 x 54"	CREDPSTR5416			20#	
		20 x 54"	CREDPSTR5420			25#	
		24 x 54"	CREDPSTR5424			30#	
	Straight End Panels - Double Face 60"	16 x 60"	CREDPSTR6016			22#	
		20 x 60"	CREDPSTR6020			28#	
		24 x 60"	CREDPSTR6024			33#	
	Straight End Panels - Double Face 72"	16 x 72"	CREDPSTR7216			26#	
		20 x 72"	CREDPSTR7220			33#	
		24 x 72"	CREDPSTR7224			40#	
	Straight End Panels - Double Face 82"	16 x 82"	CREDPSTR8216			30#	
		20 x 82"	CREDPSTR8220			37#	
		24 x 82"	CREDPSTR8224			45#	
	Straight End Panels - Double Face 96"	24 x 96"	CREDPSTR9624			52#	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select wood type.

 O = Oak
 - = Maple
- C Select wood finish. (for edge & sides) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes Stained finish colors add \$28

FINISH INFORMATION



CrossRoads® End Panels Straight End Panels - Double Face

Exc	ight Fre Iuded Exc	
	cing Pri	
Oak	(Ma	
\$	419 \$	
	431	
	460	
\$	535 \$	
	568	
	626	
\$	563 \$	
	597	
	653	
\$	620 \$	
	653	
	710	
\$	668 \$	
	701	
	755	
\$	832 \$	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® End Panels Curved End Panels - Single Face

		MODEL NUMBE	R		
MODEL	D x H	Basic Model	Wood Type	Wood Finish	Approx. Packaged Weight
Curved End Panel - Single Face 42"	8 x 42"	CRESPCRV4208			8#
 For use as an accessory item for steel shelving 	10 x 42"	CRESPCRV4210			10#
 Not machined 	12 x 42"	CRESPCRV4212			12#
No hardware included Will not accept standard CrossRoads® wood shelving	16 x 42"	CRESPCRV4216			16#
Straight base and curved panel					
REP					
Curved End Panel - Single Face 54"	8 x 54"	CRESPCRV5408			10#
	10 x 54"	CRESPCRV5410			13#
	12 x 54"	CRESPCRV5412			15#
	16 x 54"	CRESPCRV5416			20#
Curved End Panel - Single Face 60"	8 x 60"	CRESPCRV6008			11#
	10 x 60"	CRESPCRV6010			14#
	12 x 60"	CRESPCRV6012			17#
	16 x 60"	CRESPCRV6016			22#
Curved End Panel - Single Face 72"	8 x 72"	CRESPCRV7208			13#
	10 x 72"	CRESPCRV7210			17#
	12 x 72"	CRESPCRV7212			20#
	16 x 72"	CRESPCRV7216			26#
Curved End Panel - Single Face 82"	8 x 82"	CRESPCRV8208			15#
	10 x 82"	CRESPCRV8210			17#
	12 x 82"	CRESPCRV8212			23#
	16 x 82"	CRESPCRV8216			30#
Curved End Panel - Single Face 96"	12 x 96"	CRESPCRV9612			26#
		•	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select wood type.

 O = Oak

= Maple

C Select wood finish. (for edge & sides) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$17

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® End Panels Curved End Panels - Single Face

•		
Freiç Exclı Prici	uded Exc ing Prio	uded ing
Oak	Ma	ole
		403
	377	419
	419	465
	431	481
\$	438 \$	487
	465	518
	535	597
	568	634
\$	465 \$	518
	493	550
	563	629
	597	665
		581
	550	612
	620	690
	653	728
\$		634
	597	665
	668	743
	701	781
\$	770 \$	858

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® End Panels Curved End Panels - Double Face

			MODEL NUMBE	R		
	MODEL	D x H	Basic Model	Wood Type	Wood Finish	Approx. Packaged Weight
	Curved End Panels - Double Face 42"	16 x 42"	CREDPCRV4216			16#
	 For use as an accessory item for steel shelving 	20 x 42"	CREDPCRV4220			19#
	 Not machined 	24 x 42"	CREDPCRV4224			23#
	No hardware includedWill not accept standard CrossRoads®					
	wood shelving					
	 Straight base and curved panel 					
CREP						
	Curved End Panels - Double Face 54"	16 x 54"	CREDPCRV5416			20#
		20 x 54"	CREDPCRV5420			25#
-		24 x 54"	CREDPCRV5424			30#
	Curved End Panels - Double Face 60"	16 x 60"	CREDPCRV6016			22#
		20 x 60"	CREDPCRV6020			28#
		24 x 60"	CREDPCRV6024			33#
	Curved End Panels - Double Face 72"	16 x 72"	CREDPCRV7216			26#
		20 x 72"	CREDPCRV7220			33#
		24 x 72"	CREDPCRV7224			40#
	Curved End Panels - Double Face 82"	16 x 82"	CREDPCRV8216			30#
		20 x 82"	CREDPCRV8220			37#
		24 x 82"	CREDPCRV8224			45#
	Curved End Panels - Double Face 96"	24 x 96"	CREDPCRV9624			52#
				1	1	•
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select wood type.

 O = Oak

= Maple

C Select wood finish. (for edge & sides) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes Stained finish colors add \$28

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



920

\$ 1025

CrossRoads® End Panels Curved End Panels - Double Face

•				
Freig Exclu Prici Oak	ng Ex	reight koluded ricing laple		
\$	431 \$	481		
	460	513		
	781	869		
\$	568 \$	634		
	626	696		
	793	885		
\$	597 \$	665		
	653	728		
	810	903		
\$	653 \$	728		
	710	790		
	822	916		
\$	701 \$	781		
	755	843		
	837	931		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Periodical Shelving 42" High Periodical Shelving

			MODEL NUMB	ER			
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Approx. Packaged Weight
	42" Periodical Shelving Starter Unit -	12 x 37 ¹ / ₂ x 42"	CRPERS4212S				92#
	Single Face Straight base only with back panel adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	16 x 37 ¹ / ₂ x 42"	CRPERS4216S				114#
CRPER							
	42" Periodical Shelving Adder Unit -	12 x 36 ¹ / ₄ x 42"	CRPERS4212A				82#
	Single Face Straight base only with back panel 2 adjustable pivoted shelves	16 x 36 ¹ / ₄ x 42"	CRPERS4216A				100#
	 Starter Unit - curved or straight end panel Adder Unit - straight end panel only 						
CRPER	<u> </u>						
	42" Periodical Shelving Starter Unit-	24 x 37 ¹ / ₂ x 42"	CRPERD4224S				152#
	Double Face • Straight base only with back panel						
	4 adjustable pivoted shelves Starter Unit - curved or straight end panel						
	Adder Unit - straight end panel only						
CRPER							
	42" Periodical Shelving Adder Unit -	24 x 36 ¹ / ₄ x 42"	CRPERD4224A				130#
	Double FaceStraight base only with back panel						
4 adjustable pivoted shelves Starter Unit - curved or straight	4 adjustable pivoted shelvesStarter Unit - curved or straight end panel						
	Adder Unit - straight end panel only						
CRPER							
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select wood finish.

(for edge, shelves, & side panels) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$62

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Periodical Shelving 42" High Periodical Shelving

Freight	Freight	
Excluded	Excluded	
Pricing	Pricing	
Oak	Maple	
\$ 2741	\$ 3014	
2812		
\$ 2336	\$ 2568	
2379		
Φ 4050	ф 4700	
\$ 4353	\$ 4788	
\$ 3905	\$ 4295	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Periodical Shelving 60" High Periodical Shelving

-			MODEL NUME)FD			
			MODEL NUMB	JEK T	I		
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Approx. Packaged Weight
	60" Periodical Shelving Starter Unit -	12 x 37 ¹ / ₂ x 60"	CRPERS6012S				121#
	Single Face Straight base only with back panel 3 adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	16 x 37'/ ₂ x 60"	CRPERS6016S				143#
CRPER							
	60" Periodical Shelving Adder Unit -	12 x 36 ¹ / ₄ x 60"	CRPERS6012A				103#
	Single Face Straight base only with back panel adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	16 x 36 ¹ / ₄ x 60"	CRPERS6016A				125#
CRPER							
	60" Periodical Shelving Starter Unit- Double Face Straight base only with back panel 6 adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	24 x 37 ⁴ / ₂ x 60"	CRPERD6024S				194#
CRPER	CON Desiredical Obstation Added their	24 x 36 ¹ / ₄ x 60"	CRPERD6024A				163#
CRPER	60" Periodical Shelving Adder Unit- Double Face Straight base only with back panel 6 adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	24 x 36 / ₄ x 60°	CRPERU6024A				163#
			A	lacksquare	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select wood finish.

(for edge, shelves, & side panels) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$62

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Periodical Shelving 60" High Periodical Shelving

Freight	Freight	
Excluded	Excluded	
Drieine	Deieine	
Pricing	Pricing	
Oak	Maple	
\$ 3201	\$ 3521	
3296	3625	
\$ 2790	\$ 3070	
2841	3125	
\$ 5139	\$ 5651	
\$ 5139	\$ 2021	
\$ 4648	\$ 5114	
ψ 1010	ΨΟΠΠ	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Periodical Shelving 82" High Periodical Shelving

			MODEL NUME	MODEL NUMBER			
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Approx. Packaged Weight
	82" Periodical Shelving Starter Unit -	12 x 37 ¹ / ₂ x 82"	CRPERS8212S				148#
	Single Face Straight base only with back panel 5 adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	16 x 37'/ ₂ x 82"	CRPERS8216S				174#
CRPER							
	82" Periodical Shelving Adder Unit -	12 x 36 ¹ / ₄ x 82"	CRPERS8212A				128#
	Single Face Straight base only with back panel 5 adjustable pivoted shelves Starter Unit - curved or straight end panel Adder Unit - straight end panel only	16 x 36 ¹ / ₄ x 82"	CRPERS8216A				146#
	rador one orangin one parior only						
CRPER							
	82" Periodical Shelving Starter Unit - Double Face • Straight base only with back panel • 10 adjustable pivoted shelves • Starter Unit - curved or straight end panel • Adder Unit - straight end panel only	24 x 37 ¹ / ₂ x 82"	CRPERD8224S				245#
CRPER							
	82" Periodical Shelving Adder Unit - Double Face • Straight base only with back panel • 10 adjustable pivoted shelves • Starter Unit - curved or straight end panel • Adder Unit - straight end panel only	24 x 36 ¹ / ₄ x 82"	CRPERD8224A				202#
CRPER							
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select wood finish.

(for edge, shelves, & side panels) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$62

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Periodical Shelving 82" High Periodical Shelving

Freight	Freight	
Excluded	Excluded	
Pricing	Pricing	
Oak	Maple	
\$ 4487	\$ 4935	
4560	5014	
1000	0011	
* 4040	* 4440	
\$ 4012	\$ 4413	
4081	4487	
\$ 5489	\$ 6039	
\$ 5019	\$ 5520	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

CrossRoads® Accessory Units

Storage/Accessories

			MODEL NUMBER					
	MODEL	D x W x H	Basic Model	Wood Type	Wood Finish	Surface Finish	Pull Color	Approx. Packaged Weight
	Descending Platform Book Truck Sits under the Book Return Module	22 x 26 x 30 ⁵ / ₈ "	CRDBT					84#
	4 swivel casters							
CRD								
	Wood Mobile Pedestal	24 ¹ / ₄ x 16 ¹ / ₄ x 27 ³ / ₈ "	CRDMP					60#
	 Box/Box/File - (2) 6" drawers and (1) 12" drawer 							
CRD								
				1				
			A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

Select basic model.
 For a complete circulation desk price quotation, a sketch or drawing of the modular arrangement must be included.

Select wood type.

0 = Oak

M = Maple

© Select wood finish. (for worksurface edge, shelf, side & back panels) Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Stained finish colors add \$58

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI

Select drawer pull color
 Refer to color addendum at ki.com or in
 KI Price List or KI Fabrics & Finishes
 binder.

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Accessory Units Storage/Accessories

Freight	Freight
Excluded	Excluded
Pricing	Pricing
Oak	Maple
\$ 2000	\$ 2201
\$ 2000	\$ 2201
\$ 867	\$ 955

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Accessory Units Newspaper Display Units

		MODEL NUM	BER				
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Approx. Packaged Weight
	Newspaper Display Starter Unit	12 x 37 ¹ / ₂ x 60"	CRNEW6012S				825#
	2 heightsStraight or curved end panels	12 x 37 ¹ / ₂ x 82"	CRNEW8212S				1022#
CRNWS							
	Newspaper Display Adder Unit	12 x 36 ¹ / ₄ x 60"	CRNEW6012A		PSTR		705#
	 2 heights 	12 x 36 ¹ / ₄ x 82"	CRNEW8212A		PSTR		853#
	Straight or curved end panels						
CRNWS							
				L .	L		
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type. = Oak

= Maple

Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select wood finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$58

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Accessory Units Newspaper Display Units

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple	
\$ 2735	\$ 3007	
2923	3215	
\$ 2263	\$ 2489	
2439	2683	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight excluded f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Accessory Units Atlas and Dictionary Stands

			MODEL N	LIMPED				
			MODEL N	OMREK		1		
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Surface Finish	Approx. Packaged Weight
	Atlas Stand	29 x 36 x 45"	CRATLAS					148#
	Straight or curved end panels5 sliding shelves							
CRATL								
	Dictionary Stand Straight or curved end panels 1 adjustable shelf	29 x 36 x 45"	CRDICTN					105#
CRDCT								
			A	B	•	•		
				-	-	-		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.
 - = Oak = Maple
- Select end panel.

PCRV = Curved panel
PSTR = Straight panel

Select wood finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Stained finish colors add \$58

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes Additional plastic laminate surfaces are

available but may require an upcharge and additional leadtime. Please contact

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Accessory Units Atlas and Dictionary Stands

Freight Excluded Pricing Oak	Freight Excluded Pricing Maple		
\$ 2643	\$ 2909		
\$ 1911	\$ 2102		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Accessory Units Rolling Book Carts

			MODEL NUMI	BER			
	MODEL	D x W x H	Basic Model	Wood Type	Wood Finish	Base	Approx. Packaged Weight
	Rolling Book Cart - 30" Wide 3 flat shelves Lower shelf clearance 12" Middle shelf clearance 11-1/2"	15 x 30 x 35"	CRTRK3530				43#
CRTRK	Rolling Book Cart - 40" Wide 3 flat shelves Lower shelf clearance 15-1/2" Middle shelf clearance 13-1/2"	15 x 40 x 41"	CRTRK4140				43#
CRTRK	Rolling Book Cart with Slanted Shelves 2 double face slanted shelves 1 flat shelf Lower shelf clearance 11" Middle shelf clearance 13-3/4"	16¹/₂ x 30 x 35"	CRTRK3530SL				43#
CRTRK	Rolling Book Cart with Slanted Shelves 2 double face slanted shelves 1 flat shelf Lower shelf clearance 16" Middle shelf clearance 10-3/4"	16 ¹ / ₂ x 40 x 41"	CRTRK4140SL				43#
			A	$lackbox{lack}{lack}$	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type.

= Oak = Maple

C Select wood finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$58

Select casters.

4ST = 2 Swivel/2 stationary casters

4SW = 4 Swivel casters

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Accessory Units

*	
Freight	Freight
Excluded	Excluded
Pricing	Pricing
	Maple
\$ 802	\$ 881
+ 044	+ 100F
\$ 914	\$ 1005
\$ 1119	\$ 1232
ψ 1113	ψ 12.JZ
\$ 1319	\$ 1451

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #100.

CrossRoads® Seating

General Information

SPECIFICATIONS

Chair Back Posts

Back posts shall be made of 5/4" stock, steam bent to shape and finished to 1" thickness

Chair Front Posts

Front posts shall be made of 8/4" stock and tapered on two inside faces. The front outside corners are shaped to a 3/4" radius. Finished size is 1-3/4" x 1-3/4" at the top and 1-1/4" x 1-1/4" at the bottom.

Chair Side Rails

Side rails shall be made of 4/4" stock, finished to 13/16" thickness x 2" wide and double doweled to the front and back posts using 5/8" x 2" dowels.

Chair Side Stretchers

Side stretchers shall be made of 4/4" stock, finished to 13/16" x 13/16". The stretchers shall be fastened to the front and back posts using 9/16" chucks with each joint pinned to further reinforce the joint.

Chair Top Slat

The top slat shall be made of 4/4" stock finished to 13/16" thickness and steam bent to a 24" radius. The top slat shall be shaped to form and double doweled to the back posts using 3/8" x 1-1/2" dowels.

Chair Bottom Slat

The bottom slat shall be made of 4/4" stock, steam bent to a 24" radius, finished to 13/16" thickness x 3-3/8" wide and double doweled to the back posts using 3/8" x 1-1/2" dowels.

Chair Banisters

Banisters shall be made of 6/4" stock finished 3/8" x 1" wide, steam bent to shape and mortised into the top and bottom slats.

Chair Front Rail

The front rail shall be made of 4/4" stock, finished to 13/16" x 2" wide and double doweled to the front posts using 3/8" x 2" dowels.

Chair Cross Stretchers

Cross stretchers shall be made of 4/4" stock, finished to 13/16" x 13/16" and fastened to the side stretchers using 9/16" chucks with each joint pinned to further reinforce the joint.

Chair Wood Seat

Seats shall be made of 5/4" stock, surfaced to 13/16" prior to being defect ripped on a straight-line ripsaw. Individual seat pieces shall not exceed 3-1/2". Seat stock will be mechanically glued to ensure uniform coating of polyvinyl acetate emulsion glue prior to being clamped using a pneumatic torque drive to insure proper pressure on glue joints. Seat blanks will be double surfaced prior to shaping to form and saddling. Seat shall be gained into bottom slat and fastened to each back post by one 12 x 2-1/4" tap-

ping screw concealed by a wood button. Two 12×2^n tapping screws secure the seat to the front rail and one 12×2^n tapping screw shall secure the seat to teach side rail.

Chair Corner Blocks

Corner blocks shall further reinforce the frame and are glued and screwed in place. Two 10 x 1-1/4" twin fast screws and one 12 x 2-1/4" tapping screw shall secure each block to the frame.

Chair Glue

The glue used in final chair assembly shall be polyvinyl alcohol ester blend with polyvinyl acetate.

Chair Glides

7/8" diameter rubber cushion chrome-plated glides are standard.



CrossRoads® Seating General Information

CrossRoads® Seating Wood Chairs

			MODEL NUN	IBER			
	MODEL	SEAT HEIGHT	Basic Model	Wood Type	Wood Finish	Upholstery Color	Approx. Packaged Weight
	Wood Chair	14"	CRCHR14				29#
	No unhalstery	16"	CRCHR16				32#
		18"	CRCHR18				35#
H							
U							
	Wood Chair	14"	CRCHRU14				31#
	No arms Unholstered seat	16"	CRCHRU16				34#
	Upholstered seat3 sizes - 14", 16", 18"	18"	CRCHRU18				37#
" U							
CRCHR		10"	000110110				
	Wood chair • With recessed arms	18"	CRCHRA18				45#
	No upholstery 18" size only						
	• 18" SIZE ONLY						
CRCHR							
	Wood Chair	18"	CRCHRAU18				47#
	With recessed arms Unholstered seat						
	Upholstered seat18" size only						
U CRCHR							
			A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select wood type. = Maple

= Oak

- C Select wood finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Stained finish colors add \$17
- Select upholstery grade and color.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



CrossRoads® Seating Wood Chairs

•								
Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3	Freight Excluded Pricing Vinyl Group 2	Freight Excluded Pricing Pallas Fabric Group P1	Freight Excluded Pricing Pallas Fabric Group P2	Freight Excluded Pricing Pallas Fabric Group P3	Freight Excluded Pricing Pallas Fabric Group P4
\$ 322								
322								
332								
N/A	\$ 382	\$ 408	\$ 420	\$ 382	\$ 439	\$ 467	\$ 517	\$ 547
N/A	382	408	420	382	439	467	517	547
N/A	392	417	430	392	449	477	526	556
\$ 448								
 N/A	\$ 509	\$ 534	\$ 548	\$ 509	\$ 566	\$ 594	\$ 643	\$ 673


SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled f.o.b. Madisonville, Kentucky 42431 factory. Freight class #125.

Typicals




Typical C-Shape Circulation Desk

Work Space: 132 sq. ft.
Oak Budget List Price: \$17,500
Maple Budget List Price: \$18,700


Circulation Desk Features:

Extended desk modules Mobile pedestals Book return module Descending platform book truck Cupboard storage unit Rolling book cart Shelving units Logix planters









Note: Drawing is required prior to quote for circulation desks. Contact KI


Typical L-Shape Circulation Desk

Work Space: 216 sq. ft.
Oak Budget List Price: \$13,000
Maple Budget List Price: \$14,300


Circulation Desk Features:

Extended desk modules
Mobile pedestal
Extended corner unit
Book return module
Descending platform book truck
Cupboard storage unit
Open storage unit
Transaction counter










Typical O-Shape Circulation Desk

Work Space: 250 sq. ft. Oak Budget List Price: \$18,000 Maple Budget List Price: \$19,800

Circulation Desk Features:

Extended desk modules Extended desk rilodules
Mobile pedestal
Extended corner units
Book return module
Descending platform book trucks
Cupboard storage unit Open storage unit



Typical U-Shape Circulation Desk

Work Space: 240 sq. ft. Oak Budget List Price: \$20,600 Maple Budget List Price: \$22,700

Circulation Desk Features:

Extended desk modules Mobile pedestals Extended corner units Book return modules Descending platform book trucks Cupboard storage unit Open storage unit Transaction counter

Note: Drawing is required prior to quote for circulation desks. Contact KI



Standard Desk Module

- straight base only 1 grommet or 1 PowerUp module
- 29", 32" or 39" height 311/2"D x 353/4"W

Oak w/ grommet budget list price: \$1100 Oak w/ PowerUp budget list price: \$1200

Maple w/ grommet budget list price: \$1200 Maple w/ PowerUp budget list price: \$1300




Extended Desk Module

- straight base only
- 2 grommets or 2 PowerUp modules
- knife bracket supports center of unit
- 29", 32" or 39" height
- 31¹/₂"D x 71¹/₂"W

Oak w/ grommets budget list price: \$1400 Oak w/ PowerUp budget list price: \$1500

Maple w/ grommets budget list price: \$1600 Maple w/ PowerUp budget list price: \$1700



Transaction Counter with End Panels

- veneer with wood banding for use with extended desk module
- · 10"D x 723/4"W x 103/4"H

Oak budget list price: \$850 Maple budget list price: \$950



90° Extended Corner Module

- 2-piece unit
- straight base only 2 grommets or 2 PowerUp modules
- overall radius 51.21°
- 29" or 39" height 36.2"D x 73"W (outer corner to outer corner)

Oak w/ grommet budget list price: \$2300 Oak w/ PowerUp budget list price: \$2500

Maple w/ grommet budget list price: \$2500 Maple w/ PowerUp budget list price: \$2600

Note: Drawing is required prior to quote for circulation desks. Contact KI





Book Return Module with Slot

- for use with Descending Platform Book Truck book slot opening measure 18"W x 4"H

- 39" height
 31¹/₂"D x 35³/₄"W

Oak budget list price: \$1250 Maple budget list price: \$1350



- Cupboard Storage Unit with Drawer

 1 adjustable and 1 fixed shelf
 drilled holes in outer panels for attachment to other modules
- · 39" height · 311/2"D x 37"W

Oak budget list price: \$1650 Maple budget list price: \$1800



Open Storage Unit

- 2 adjustable and 2 fixed shelf
 39" height
 31'/2"D x 35³/₄"W

Oak budget list price: \$1450 Maple budget list price: \$1600

Note: Drawing is required prior to quote for circulation desks. Contact KI

Index

Model No.	Description	Page	Model No.	Description F	Page
CRATLAS	Atlas and Dictionary Stands: Atlas Stand	50	CRFD4216A	42" High Shelving: Shelving Adder Unit - Double Face	18
CRCD6036A	Double Face Carrels: Study Carrel Adder Unit-Double Face	12	CRFD4216S	42" High Shelving: Shelving Starter Unit - Double Face	18
CRCD6036S	Double Face Carrels: Study Carrel Starter Unit-Double Face	12	CRFD5416A	54" High Shelving: Shelving Adder Unit - Double Face	20
CRCHR14	Wood Chairs: Wood Chair	56	CRFD5416S	54" High Shelving: Shelving Starter Unit - Double Face	20
CRCHRA18	Wood Chairs: Wood chair	56	CRFD6016A	60" High Shelving: Shelving Adder Unit - Double Face	22
CRCHRAU18	Wood Chairs: Wood Chair	56	CRFD6016S	60" High Shelving: Shelving Starter Unit - Double Face	22
CRCHRU14	Wood Chairs: Wood Chair	56	CRFD7216A	72" High Shelving: Shelving Adder Unit - Double Face	24
CRCS3036A	Single Face Carrels: Study Carrel Adder Unit-Single Face	10	CRFD7216S	72" High Shelving: Shelving Starter Unit - Double Face	24
CRCS3036S	Single Face Carrels: Study Carrel Starter Unit-Single Face	10	CRFD8216A	82" High Shelving: Shelving Adder Unit - Double Face	26
CRDBT	Storage/Accessories: Descending Platform Book Truck	46	CRFD8216S	82" High Shelving: Shelving Starter Unit - Double Face	26
CRDICTN	Atlas and Dictionary Stands: Dictionary Stand	50	CRFD9624A	96" High Shelving: Shelving Adder Unit - Double Face	30
CRDMP	Storage/Accessories: Wood Mobile Pedestal	46	CRFD9624S	96" High Shelving: Shelving Starter Unit - Double Face	30
CREDPCRV4216	Curved End Panels - Double Face: Curved End Panels -	38	CRFS4208A	42" High Shelving: Shelving Adder Unit - Single Face	18
	Double Face 42"		CRFS4208S	42" High Shelving: Shelving Starter Unit - Single Face	18
CREDPCRV5416	Curved End Panels - Double Face: Curved End Panels -	38	CRFS5408A	54" High Shelving: Shelving Adder Unit - Single Face	20
CHEDI CHIVOTTO	Double Face 54"	00	CRFS5408S	54" High Shelving: Shelving Starter Unit - Single Face	20
CREDPCRV6016	Curved End Panels - Double Face: Curved End Panels -	38	CRFS6008A	60" High Shelving: Shelving Adder Unit - Single Face	22
ONEDI ONVOOTO	Double Face 60"	00	CRFS6008S	60" High Shelving: Shelving Starter Unit - Single Face	22
CREDPCRV7216	Curved End Panels - Double Face: Curved End Panels -	38	CRFS7208A	72" High Shelving: Shelving Adder Unit - Single Face	24
GILDI GILVIZIO	Double Face 72"	30	CRFS7208S	72" High Shelving: Shelving Starter Unit - Single Face	24
CREDPCRV8216	Curved End Panels - Double Face: Curved End Panels -	38	CRFS8208A	82" High Shelving: Shelving Adder Unit - Single Face	26
CHEDF CH VOZ 10	Double Face 82"	30	CRFS8208S	82" High Shelving: Shelving Starter Unit - Single Face	26
CDEDDCDV0604		38	CRFS9612A	96" High Shelving: Shelving Adder Unit - Single Face	
CREDPCRV9624	Curved End Panels - Double Face: Curved End Panels -	30		0 0 0	28
ODEDDOTD 4040	Double Face 96"	0.4	CRFS9612S	96" High Shelving: Shelving Starter Unit - Single Face	28
CREDPSTR4216	Straight End Panels - Double Face: Straight End Panels -	34	CRNEW6012A	Newspaper Display Units: Newspaper Display Adder Unit	48
00500000000000	Double Face 42"		CRNEW6012S	Newspaper Display Units: Newspaper Display Starter Unit	48
CREDPSTR5416	Straight End Panels - Double Face: Straight End Panels - Double Face 54"	34	CRPERD4224A	42" High Periodical Shelving: 42" Periodical Shelving Adder Unit - Double Face	40
CREDPSTR6016	Straight End Panels - Double Face: Straight End Panels - Double Face 60"	34	CRPERD4224S	42" High Periodical Shelving: 42" Periodical Shelving Starter Unit- Double Face	40
CREDPSTR7216	Straight End Panels - Double Face: Straight End Panels - Double Face 72"	34	CRPERD6024A	60" High Periodical Shelving: 60" Periodical Shelving Adder Unit- Double Face	42
CREDPSTR8216	Straight End Panels - Double Face: Straight End Panels - Double Face 82"	34	CRPERD6024S	60" High Periodical Shelving: 60" Periodical Shelving Starter Unit- Double Face	42
CREDPSTR9624	Straight End Panels - Double Face: Straight End Panels - Double Face 96"	34	CRPERD8224A	82" High Periodical Shelving: 82" Periodical Shelving Adder Unit - Double Face	44
CRESPCRV4208	Curved End Panels - Single Face: Curved End Panel - Single Face 42"	36	CRPERD8224S	82" High Periodical Shelving: 82" Periodical Shelving Starter Unit - Double Face	44
CRESPCRV5408	Curved End Panels - Single Face: Curved End Panel - Single Face 54"	36	CRPERS4212A	42" High Periodical Shelving: 42" Periodical Shelving Adder Unit - Single Face	40
CRESPCRV6008	Curved End Panels - Single Face: Curved End Panel - Single Face 60"	36	CRPERS4212S	42" High Periodical Shelving: 42" Periodical Shelving Starter Unit - Single Face	40
CRESPCRV7208	Curved End Panels - Single Face: Curved End Panel - Single Face 72"	36	CRPERS6012A	60" High Periodical Shelving: 60" Periodical Shelving Adder Unit - Single Face	42
CRESPCRV8208	Curved End Panels - Single Face: Curved End Panel - Single Face 82"	36	CRPERS6012S	60" High Periodical Shelving: 60" Periodical Shelving Starter Unit - Single Face	42
CRESPCRV9612	Curved End Panels - Single Face: Curved End Panel - Single Face 96"	36	CRPERS8212A	82" High Periodical Shelving: 82" Periodical Shelving Adder Unit - Single Face	44
CRESPSTR4208	Straight End Panels - Single Face: Straight End Panel - Single Face 42"	32	CRPERS8212S	82" High Periodical Shelving: 82" Periodical Shelving Starter Unit - Single Face	44
CRESPSTR5408	Straight End Panels - Single Face: Straight End Panel - Single Face 54"	32	CRSUD6036A	Double Face Stations: Stand-up Computer Station Adder Unit - Double Face	16
CRESPSTR6008	Straight End Panels - Single Face: Straight End Panel - Single Face 60"	32	CRSUD6036S	Double Face Stations: Stand-up Computer Station Starter Unit - Double Face	16
CRESPSTR7208	Straight End Panels - Single Face: Straight End Panel - Single Face 72"	32	CRSUS3036A	Single Face Stations: Stand-up Computer Station Adder Unit - Single Face	14
CRESPSTR8208	Straight End Panels - Single Face: Straight End Panel - Single Face 82"	32	CRSUS3036S	Single Face Stations: Stand-up Computer Station Starter Unit - Single Face	14
CRESPSTR9612	Straight End Panels - Single Face: Straight End Panel - Single Face 96"	32	CRT3060 CRT4242	Rectangular Tables: Rectangular Table Square and Round Tables: Square Table	4 6

Index



Model No.	Description	Page
CRT42R	Square and Round Tables: Round Table	6
CRTP3660	Panel Leg Tables: Panel Leg Table	8
CRTRK3530	Rolling Book Carts: Rolling Book Cart - 30" Wide	52
CRTRK3530SL	Rolling Book Carts: Rolling Book Cart with Slanted Shelves	52
CRTRK4140	Rolling Book Carts: Rolling Book Cart - 40" Wide	52
CRTRK4140SL	Rolling Book Carts: Rolling Book Cart with Slanted Shelves	52

You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc. Working for You is a registered trademark of Krueger International, Inc.

© 2005 KI All Rights Reserved. Litho in USA. Code KI-11395/OP/IP/106