
February 6, 2006 Updated September 12, 2007 800-424-2432





Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.	Ordering C.O.M., C.O.L., and C.O.V.	2
Daybed™ Sofa	General Information	4
Day Sou Cora	Built-In	6
	Freestanding	8
Sleep Chair™	General Information	12
	Sleep Chair™	14
Warren™ Seating	General Information	16
	Sled Base Chair	18
	Systems Base Chair	20
	Castered Base Chair	22
	Limiter Base Chair	24
	Oversize Systems Base Chair	26
	Accessories/Options	28
Rose™ Seating	General Information	32
	Sled Base Chair	34
	4-Leg Metal Chair	36
	4-Leg Bentwood Chair	38
	Accessories/Options	40
Companion™ Seating	General Information	44
	4-Leg Metal Chair	46
	Accessories/Options	48
Index	Index	50

Ordering C.O.M., C.O.L., and C.O.V.


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a vertical fashion as shown in Diagram A at the fight. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M. and C.O.V. Testing.

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI-LA Attn: C.O.M. Storage 6500 S. Avalon Boulevard Los Angeles, CA 90003

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M. and C.O.V. must be labeled with the purchase order number.

C.O.M. and C.O.V. Production

Customer's fabrics must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch or upholstery material must accompany the order. KI assumes no responsibility for

wear, defects or performance of customer's own fabrics or vinyl. C.O.M. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

The C.O.M. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.


C.O.M. and C.O.V Order Processing

For products shipped from Los Angeles, $\bar{\text{C}}\text{A}$ facility, ship material to:

KI-LA Attn: C.O.M. Storage 6500 S. Avalon Boulevard Los Angeles, CA 90003

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changes Orders

KI assumes no responsibility for extra C.O.M. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., and C.O.V. Information Form			Please see information below and check the	Please see information below and check the appropriate box.				
A copy of this form should accompany test			☐ Submitted for testing.	\square Test approved. Submitted for production.				
requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.			Purchase Order Number	KI Acknowledgement Number				
Purchasing Agent (Dealer or buying organization)			In all instances, send this form to the					
Attention			C.O.M. Specialist.					
Address			A Selvage Top to Bottom	B Selvage Side to Side				
City	State	Zip						
Project Name								
Type of seating and number of units of each type								



Daybed[™] Sofa General Information









Daybed™ Sofa - Perth Arm

Rectilinear Arm

Curvilinear Arm

Three Arm

	7			
Features				
Moisture barrier sleep surface	•	•	•	•
Drawers for storage	•	•	•	•
One-piece design	•	•	•	•
One-step folddown mechanism	•	•	•	•
Optional casters to provide mobility	•	•	•	•
Standard and high back height	•	•	•	•
Sleep surface	80-1/4" x 36"	80-1/4" x 36"	80-1/4" x 36"	80-1/4" x 36"
Dimensions				
Seat height	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat width	80-1/4"	80-1/4"	80-1/4"	80-1/4"
Overall Outside Dimensions				
Width	83-1/4"	84-1/4"	83-1/4"	87-1/2"
Depth	26-5/8"	29-7/8"	31-1/8"	27-5/8"
Height - standard	28-3/8"	28-3/8"	28-3/8"	28-3/8"
Height - high back	36-1/2"	36-1/2"	36-1/2"	36-1/2"
Arm height	26"	25"	25-1/4"	25"

SPECIFICATIONS

Seat/Back/Sleep Surface

Seat/back and sleep surface consist of solid high-density, high-resiliency, polyurethane foam layered in increasing firmness from ultra-soft to ultra-firm for soft initial touch and firm orthopedic support. Surfaces are contoured to nest into comfortable, level sleep surface in open (cantilevered) position. Upholstery covers are removable. Upholstery cover membrane is retractable. Fabric selected for cover is laminated on the underside to a launderable, dry-cleanable vinyl barrier as required. Retractable cover hides the crevices between the cushions when pulled over into a sleep position and is permanently pre-tensioned and zipper-removable for cleaning and replacement. The membrane protects the sleep surface from penetration by fluids.

Mounting Deck

Cushions are attached with two wingnuts to a 3/4" edged plywood deck. Deck can be lifted off the frame to access cushion-mounting fas-

teners on the underside via handles concealed between seat cushions.

Frame

Seat cushion mounting frame made of welded steel that is screw-attached to mounting deck. Frames can be unbolted from below mounting deck so upholstery covers can be removed for cleaning or replacement.

Armcaps

Wood armcaps are constructed of hardwood in four styles and stained in a variety of col-

Base and Armature

Base constructed of heavy-wall 14-gauge welded steel tubing. Stainless steel telescoped tubes guarantee lasting rotation of internal swivel components.

Coatings/Wood Finishes

Metal finishes are electrostatically applied epoxy powder coating. Wood finishes are catalyzed lacquer over natural wood.

Glides/Wheels

Nylon glides. Optional heavy-duty dual wheels are nylon with lockable front wheels that prevent movement.

Drawers

Two 36" W x 19" D x 6" H steel-sided drawers contain an integral roller glide mechanism and have a 70# load capacity. Internal drawer bottoms faced with 3/4"-thick Melamine. Internal fronts and backs are 3/4" thick. External drawer fronts constructed of high-pressure laminate with smooth, radiused T-mold edges.

Bed Weight Limitations

350 lbs. with 120 lbs. counterweight.


Stability and Support


'Freestanding' model on wheels has solid steel counterbalance bar bolted between rear legs to ensure stability in cantilevered open "sleep" position. Built-in models have a steel frame which is end-supported between objects by others via steel support brackets. Mounting deck for built-in models will be provided by

Clearance under steel frame is 9-3/4"

Daybed[™] Sofa General Information







INFORMATION

WarrantySee Terms for general information.

Daybed™ Sofa Built-In

MODEL MODEL Basic Model Color Color Color Color Built-In, Deck Only High back version shown with dashed lines Peatures Standard back-10"H PBED.0/27/SB PBED.0/27/HB PBED.0/27/HB Built-In, Deck W/Frame High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H PBED.MF/27/SB High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H PBED.MF/27/HB PBED.MF/27/HB Built-In, Deck W/Front Panel High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H PBED.MF/27/HB									
Built-In, Deck Only • High back version shown with dashed lines • Required • Seat depth is 27" only Built-In, Deck W/Frame • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Built-In, Deck w/Front Panel • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Built-In, Deck w/Front Panel • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Built-In, Deck w/Front Panel • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Built-In, Deck w/Drawers • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Built-In, Deck w/Drawers • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Standard back-10"H High back-18"H PBED.MFC/27/BB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB				MODEL NUMBER					
High back version shown with dashed lines Paction of attachment Drawing required Seat depth is 27" only Built-In, Deck w/Frame High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel Drawing required Standard back-10"H High back-18"H PBED.MF/27/HB Standard back-10"H High back-18"H PBED.MF/27/HB Built-In, Deck w/Front Panel High back-18"H PBED.MFC/27/HB Standard back-10"H High back-18"H PBED.MFC/27/HB BED.MFC/27/HB Built-In, Deck w/Drawers Drawing required Standard back-10"H High back-18"H PBED.MFC/27/HB BED.MFC/27/HB PBED.MFC/27/HB PBED.MFC/27/HB Built-In, Deck w/Drawers Drawing required Standard back-10"H High back-18"H PBED.MFC/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB		MODEL	Features			, ,		_	
High back version shown with dashed lines Paction of attachment Drawing required Seat depth is 27" only Built-In, Deck w/Frame High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel Drawing required Standard back-10"H High back-18"H PBED.MF/27/HB Standard back-10"H High back-18"H PBED.MF/27/HB Built-In, Deck w/Front Panel High back-18"H PBED.MFC/27/HB Standard back-10"H High back-18"H PBED.MFC/27/HB BED.MFC/27/HB Built-In, Deck w/Drawers Drawing required Standard back-10"H High back-18"H PBED.MFC/27/HB BED.MFC/27/HB PBED.MFC/27/HB PBED.MFC/27/HB Built-In, Deck w/Drawers Drawing required Standard back-10"H High back-18"H PBED.MFC/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/HB	<i></i>	Ruilt-In Dock Only	Standard back-10"H	PBFD 0/27/SB					
Requires a planform for attachment Seat depth is 27" only Built-In, Deck w/Frame High back version shown with dashed lines Seat depth is 27" only Built-In, Deck w/Front Panel Seat depth is 27" only Built-In, Deck w/Front Panel High back version shown with dashed lines Orawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back version shown with dashed lines Orawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Orawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only		 High back version shown with dashed lines 							
Built-In, Deck w/Frame High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back-18"H Built-In, Deck w/Front Panel Drawing required Standard back-10"H High back-18"H Built-In, Deck w/Front Panel Drawing required Standard back-10"H High back-18"H Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Standard back-10"H High back-18"H Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Standard back-10"H High back-18"H Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Standard back-10"H High back-18"H Built-In, Deck w/Drawers High back-10"H Built-In, Deck w/Drawers High back-18"H Built-In, Deck w/Drawer		Requires a platform for attachment Drawing required	g 22011 10 11						
High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back-18"H High back-10"H High back-18"H PBED.MFC/27/BB PBED.MFC/27/HB PBED.MFC/27/HB PBED.MFC/27/HB PBED.MFD/27/HB PBED.MFD/27/HB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/HB		• Seat depth is 27" only							
High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back-10"H High back-10"H High back-18"H PBED.MFC/27/BB PBED.MFC/27/BB High back-18"H PBED.MFC/27/BB PBED.MFC/27/BB High back-18"H PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFC/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/BB	BED								
Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back-10"H High back-18"H PBED.MFD/27/SB PBED.MFD/27/HB PBED.MFD/27/HB			Standard back-10"H	PBED.MF/27/SB					
Built-In, Deck w/Front Panel High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Front Panel High back-10"H High back-18"H PBED.MFC/27/BB PBED.MFC/27/HB Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required High back-10"H High back-10"H PBED.MFD/27/BB PBED.MFD/27/BB PBED.MFD/27/HB PBED.MFD/27/HB				PBED.MF/27/HB					
High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H High back version shown with dashed lines Drawing required Seat depth is 27" only PBED.MFD/27/BB PBED.MFD/27/HB		Seat depth is 27" only							
High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H High back version shown with dashed lines Drawing required Seat depth is 27" only PBED.MFC/27/HB PBED.MFD/27/SB PBED.MFD/27/HB	BED								
High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Standard back-10"H High back version shown with dashed lines Drawing required Seat depth is 27" only PBED.MFC/27/HB PBED.MFD/27/SB PBED.MFD/27/HB									
Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back version shown with dashed lines Drawing required Seat depth is 27" only Built-In, Deck w/Drawers High back-10"H High back-18"H PBED.MFD/27/HB		Built-In, Deck w/Front Panel							
Built-In, Deck w/Drawers • High back version shown with dashed lines • Drawing required • Seat depth is 27" only Standard back-10"H PBED.MFD/27/SB PBED.MFD/27/HB		 Drawing required 	High back-18"H	PBED.MFC/27/HB					
High back version shown with dashed lines Drawing required Seat depth is 27" only High back-18"H PBED.MFD/27/HB PBED.MFD/27/HB		• Seat depth is 27" only							
High back version shown with dashed lines Drawing required Seat depth is 27" only High back-18"H PBED.MFD/27/HB PBED.MFD/27/HB	BED								
High back version shown with dashed lines Drawing required Seat depth is 27" only High back-18"H PBED.MFD/27/HB PBED.MFD/27/HB	~ <u></u>	Puilt In Dock w/Drowers	Standard hack-10"H	PRED MED/27/SR					
Prawing required Seat depth is 27" only		 High back version shown with dashed lines 							
		• Drawing required							
	BED	Coat depart to 21 only							
	טבט								
							7		
				A	$oldsymbol{\mathbb{B}}$	•	•	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

Select moisture barrier.

NOM = No moisture barrier WMB = With moisture barrier; add

\$280

Note: Some upholstery is inherently moisture proof

Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Edge color offerings are based on edge style selections.

Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for sofas without arms is
8 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V.
and C.O.L." section.



Daybed™ Sofa Built-In

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
172#	\$ 3327	\$ 3435	\$ 3497	\$ 3327	\$ 4097	\$ 4447	\$ 4795	\$ 5145
197#	3732	3839	3902	3732	4503	4851	5201	5549
172#	\$ 3663	\$ 3771	\$ 3833	\$ 3663	\$ 4432	\$ 4782	\$ 5130	\$ 5481
197#	4068	4176	4238	4068	4838	5186	5537	5885
277#	\$ 3944	\$ 4051	\$ 4113	\$ 3944	\$ 4714	\$ 5063	\$ 5412	\$ 5761
302#	4349	4456	4520	4349	5119	5468	5817	6166
314#	\$ 4435	\$ 4542	\$ 4606	\$ 4435	\$ 5205	\$ 5555	\$ 5904	\$ 6252
337#	4840	4948	5010	4840	5610	5960	6308	6658

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=Quantity dependent Added List Price= \$497

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Daybed[™] Sofa Freestanding

		MODEL NUMBE	R								
	Features	Basic Model	Arm Style	Paint Color	Upholstery Color	Moisture Barrier	Edge Color	Laminate Color	Wood Edge Color	Base	Approx. Packaged Weight
	Standard back-10"H	FBED/NA/27/SB									332#
	High back-18"H	FBED/NA/27/HB									357#
FBED											
Freestanding, No Arms • High back version shown with dashed											
lines • Seat depth is 27" only											
Seat depth is 27 only											
	Standard back-10"H	FBED.F/27/SB									402#
	High back-18"H	FBED.F/27/HB									427#
FBED											
Freestanding, Full-Panel Arms • High back version shown with dashed lines											
Seat depth is 27" only											
	Standard back-10"H	FBED.C/27/SB									420#
	High back-18"H	FBED.C/27/HB									445#
FBED											
Freestanding, Full-Panel Arms with Front Panel											
High back version shown with dashed lines											
• Seat depth is 27" only											
		A	B	•	•		•	G	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select arm style.

= Wood curvilinear; add \$252 WP = Wood Perth WS = Wood rectilinear WT = Wood Three

- Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier; add \$280

Note: Some upholstery is inherently moisture proof

- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G** Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select wood color Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select base option.

= No casters = Casters; add \$68

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Upholstered Added Lead Time=Quantity dependent Added List Price= \$497



Daybed[™] Sofa Freestanding

\$ 4316 4724 \$ 4895 5303	\$ 4424 4832	\$ 4486 4894	\$ 4316 4724	\$ 5087 5493	\$ 5435 5844	\$ 5786	\$ 6134
\$ 4895	4832	4894	4724	5493	E011		
					3044	6192	6542
5303	\$ 5029	\$ 5108	\$ 4895	\$ 5828	\$ 6294	\$ 6731	\$ 7167
	5436	5516	5303	6236	6702	7138	7575
\$ 5422	\$ 5556	\$ 5634	\$ 5422	\$ 6354	\$ 6821	\$ 7256	\$ 7693
5828	5963	6041	5828	6763	7227	7664	8101
3020		0011	0020	0100	1221	7001	0101
	3300						

UPHOLSTERY INFORMATION

C.O.M. UpholsteryC.O.M. requirement for sofas without arms is 8 yards, with wood square arms is 10 yards and the remaining arm styles (wood Perth, wood curvilinear and wood Three) 11 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Daybed™ Sofa Freestanding

		MODEL NUMBE	R								
	Features	Basic Model	Arm Style	Paint Color	Upholstery Color	Moisture Barrier	Edge Color	Laminate Color	Wood Edge Color	Base	Approx. Packaged Weight
(Standard back-10"H	FBED.D/27/SB									457#
	High back-18"H	FBED.D/27/HB									475#
FBED											
Freestanding, Full-Panel Arms with Drawers											
 High back version shown with dashed 											
lines • Seat depth is 27" only											
		A	B	•			•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select arm style.

WC	= Wood curvilinear; add \$252
WP	= Wood Perth
WS	= Wood rectilinear
WT	= Wood Three

- Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- Select moisture barrier.

NUM	= NO IIIOISTUIE Darrier
WMB	= With moisture barrier; add
\$280	

Note: Some upholstery is inherently moisture proof

- Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **6** Select laminate color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select wood color Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select base option.

NC	= No casters
C	= Casters; add \$68

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered

Added Lead Time=Quantity dependent Added List Price= \$497



Daybed[™] Sofa Freestanding

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 5911	\$ 6045	\$ 6124	\$ 5911	\$ 6845	\$ 7310	\$ 7747	\$ 8183
6317	6452	6529	6317	7251	7716	8153	8590

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for sofas without arms is 8 yards, with wood square arms is 10 yards and the remaining arm styles (wood Perth, wood curvilinear and wood Three) 11 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Sleep Chair™







Sleep Chair™-Curvilinear Arm

Three Arm

Perth Arm

Features			
One-piece design	•	•	•
Easy opening/closing of bed	•	•	•
Full-size mattress	•	•	•
Mattress contruction Ventex	•	•	•
Three non-marring casters	•	•	•
Spring-assisted mechanism	•	•	•
General Dimensions			
Width	37-3/4"	37-3/4"	37-3/4"
Depth	37-3/4"	37-3/4"	37-3/4"
Sleep position	80"	80"	80"
Sleen surface area	29-1/2"W x 78"I	29-1/2"W x 78"I	29-1/2"W x 78"I

SPECIFICATIONS

Multi-layered decreasing in density from bottom to top. Bottom foam is a hard density, middle layer is a medium density and top layer is soft density foam. Total thickness of the seat foam is 5" at the front of the chair and tapered at the back.

Back Foam

Medium density, not to exceed 2" in thickness.

Wood armcaps are constructed of hardwood in three styles and stained in a variety of col-

Mobility provided by three, non-marking rubber casters. Two casters are positioned in the back corners of the chair. The front caster is retractable and activated through a concealed lever mechanism.

Mechanism

Spring assisted to allow easy opening and closing of the bed. Mechanism construction of tubular and stamped steel. Mechanism is trifold and accommodates a full-length mattress. Mechanism allows for full-time attachment of back and seat cushions for hygienic purposes. Finish is epoxy resin, electrostatically deposited, oven baked, and gray in color. Polypropylene sleep deck.

Mattress core is 29-1/2"W x 78"L x 4.375"H and consists of 1.8 lb. density foam with a 33 lb. compression. Mattress is tapered at folding points to facilitate easy opening and closing of the mechanism to allow for sufficient room for bedding accumulation while closed. Mattress cover and sides are constructed of Ventex SOFlux Ox™, a denier oxford nylon with polyurethane coating designed for applications where an anti-microbial fluid-proof cover is required. Mattress bottom is constructed of Ventex SOFGRIP™, a non-skid fabric to hold bedding in place and prevent

mattress sliding on platform. A fireproof barrier inner liner is standard.




Sleep Chair™ General Information

INFORMATION

WarrantySee Terms for general information.

Sleep Chair™



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select arm option.

WC	= Wood curvilinear
WP	= Wood Perth
WT	= Wood Three

- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select wood color Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Sleep Chair™ C.O.M. requirement is 7 yards of 54" wide nondirectional fabric and vinyls.
For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Upholstered Added Lead Time=Quantity dependent Added list price \$323



Delivered Pric	ing Delivered Pricing	Delivered Pricing					
Fabric Grade	Fabric Grade	Fabric Grade	Vinyl Group	Pallas Fabric	Pallas Fabric	Pallas Fabric	Pallas Fabric
1 & C.O.M.	2	3	2 & C.O.V.	Group P1	Group P2	Group P3	Group P4
\$ 2667	\$ 2780	\$ 2848	\$ 2667	\$ 2996	\$ 3174	\$ 3388	\$ 3596

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Warren[™] Seating

General Information







Full-Size Sled Base Full-Size Full-Size Systems Base Full-Size Castered Base Oversize Limiter Systems Base Base **Features** Flex motion Meal tray Moisture barrier option Ottoman Rear tilt wheels Removable upholstery Ventilated mesh Poly armrest Pillow Leg Lift **General Dimensions** Width 25" 25" 25" 25" 27" 30" 30" 30" 30" Depth 30" Height 47-1/2" 47-1/2" 47-1/2" 47-1/2 47-1/2" 27" 27" Arm height 27" 27" 27" 18" Seat height 18" 18" 18" 18" 18" 18" 18" 18" Seat depth 18" Seat width 20" 20' 20" 20" 22"

SPECIFICATIONS

00-Style

Seat/Back Structural Frame

Constructed of a 1-1/2"W x 1-1/4"thick hotformed truck-grade, alloy-spring steel. Frontcantilevered from base mounting for rearward deflection. Frame allows the user to lean into well-developed lumbar support without lifting feet off the floor, thereby eliminating underthigh pressure and compromised circulation. Frame allows for a unified wave-like resilient rocking motion with a flat-bottomed chair base and no moving parts. Frame extends in front of seat at arm height to provide leverage to user when exiting chair.

Armrests

Constructed of tough, non-porous, scrubbable, integrally colored polyethylene. Armrests project forward beyond the seat front for safe and easy egress. Front armrests are supported axially to provide stability during the downward pressure exerted while entering and exiting the chair.

Arm Frame

04-Style

Constructed of 3/16" x 1-1/2" truck-grade leaf-spring steel that flexes with the structural frame of the seat and back.

05-Style

Base

Metal base is 14-gauge 1-3/8" diameter round, electric-welded steel tubing assembled with nylok fasteners and all-welded construction. Optional positioner is available on castered and systems base chairs to limit motion by locking the chair into two positions.

Coatings

Metal finishes are electrostatically applied epoxy powder coating. Optional in triple nickel chrome.

Glides

Glides are non-marring unbreakable plastic (surlyn). Front anti-tip glides, on sled base version only, are clear surlyn. Rear glides are natural surlyn.

Wheels

On the sled base, systems base, limiter base and oversize base, non-marring nylon rear tilt wheels are mounted off the floor to engage only when chair is tilted backwards for relocation.

06-Style

Upholstery Style Description

The Warren[™] Chair Series is available in four different upholstery styles. Mesh slings are available in a coordinated series of mesh colors, KI and Pallas fabrics.

00-Style Open Mesh with Fabric or Vinvl Side Trim

The perfect solution where hygiene and cleanability are paramount. The mesh sling specified with vinyl side trim allows for the use of all types of healthcare cleaning agents including bleach and steam. Mesh slings are also CAL 133 compliant.

04-Style Velcro-Removable Padded Upholstery on Back Only with Mesh

Seat

Leg Lift

A removable padded upholstery cover for the back of the chair offers the flexibility of having a full upholstered back while retaining the hygienic and cleaning benefits of the mesh seat. The back can be removed for easy cleaning and replacement or to reveal the all-mesh sling underneath.

05-Style Velcro-Removable Padded Upholstery on Seat and Back

Provides the flexibility of having either fully upholstered seat and back covers or, by removing one or both, exposing the fully functional "00" style mesh sling chair underneath. The "05" velcro-affixed covers also allow for easy cleaning and replacement of upholstery covers

06-Style Permanently Affixed Padded Upholstery, Seat and Back

A wide range of standard and C.O.M. fabric allows for complete customization in a non-removable upholstery style. The value of a padded upholstery, where the cost of velcro-



Warren[™] Seating
General Information

removability is not necessary. INFORMATION

WarrantySee Terms for general information.

Warren™ Seating

Sled Base Chair

		MODEL	. NUMBE	R						
	MODEL	Basic Model	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	
	Mesh Seat/Back with Trim, Full Size	WSF00								
ws	Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size	WSF04								
ws										
	Removable Padded Seat and Back Upholstery with Trim, Full Size	WSF05								
ws										
	Affixed Padded Seat and Back Upholstery, Full Size	WSF06								
ws										
		A	B	•	•		•	G	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upholstery trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. If mesh or removable upholstery was

If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or

standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select armrest color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier

WMB = With moisture barrier

Moisture Barrier Upcharge

Model -05 Styles; Added List Price

\$53

Model -06 Styles; Added List Price \$60



Warren[™] Seating Sled Base Chair

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
42#	\$ 1091	\$ 1099	\$ 1104	\$ 1091	\$ 1139	\$ 1162	\$ 1184	\$ 1206
43#	\$ 1190	\$ 1202	\$ 1211	\$ 1190	\$ 1287	\$ 1330	\$ 1378	\$ 1422
44#	\$ 1390	\$ 1417	\$ 1432	\$ 1390	\$ 1582	\$ 1671	\$ 1760	\$ 1845
44#	\$ 1280	\$ 1307	\$ 1322	\$ 1280	\$ 1472	\$ 1561	\$ 1649	\$ 1735

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06

Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Warren[™] Seating Systems Base Chair

	MODEL	. NUMBE	:R							
	Basic Model	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Leg Lift	Approx. Packaged Weight
	WVF00									45#
WS Mesh Seat and Back with Trim, Full Size										
	WVF04									46#
WS Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size										
WS Removable Padded Seat and Back Upholstery with Trim, Full Size	WVF05									47#
ws	WVF06									47#
Affixed Padded Seat and Back Upholstery, Full Size										
	A	$lackbox{0}{lackbox{0}{B}}$	•			•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- **6** Select armrest color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier = With moisture barrier Moisture Barrier Upcharge Model -05 Styles; Added List Price \$53

Model -06 Styles; Added List Price

Select lea lift.

NLL	= No leg lift
LL	= With leg lift; add \$424



Warren[™] Seating

Systems E	Base Chai
-----------	-----------

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 1143	\$ 1151	\$ 1155	\$ 1143	\$ 1192	\$ 1215	\$ 1235	\$ 1257
\$ 1243	\$ 1255	\$ 1265	\$ 1243	\$ 1339	\$ 1382	\$ 1430	\$ 1475
\$ 1440	\$ 1467	\$ 1482	\$ 1440	\$ 1632	\$ 1721	\$ 1809	\$ 1895
\$ 1335	\$ 1362	\$ 1377	\$ 1335	\$ 1527	\$ 1616	\$ 1704	\$ 1790

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation

C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Warren[™] Seating Castered Base Chair

	MODEL	. NUMBE	R							
	Basic Model	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Leg Lift	Approx. Packaged Weight
	WCF00									60#
S S										
lesh Seat and Back with Trim, Full ize										
	WCF04									61#
	WCF04									01#
VS										
Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size										
	WCF05									62#
emovable Padded Seat and Back										
pholstery with Trim, Full Size										
	WCF06									62#
S										
ffixed Padded Seat and Back pholstery, Full Size										
· · · · · · · · · · · · · · · · · · ·					1	1				
	A	B	•	•		•	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- **6** Select armrest color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier = With moisture barrier Moisture Barrier Upcharge Model -05 Styles; Added List Price \$53

Model -06 Styles; Added List Price

Select lea lift.

NLL	= No leg lift
LL	= With leg lift; add \$424



Warren[™] Seating Castered Base Chair

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 1585	\$ 1592	\$ 1596	\$ 1585	\$ 1634	\$ 1654	\$ 1677	\$ 1699
\$ 1685	\$ 1697	\$ 1706	\$ 1685	\$ 1781	\$ 1824	\$ 1872	\$ 1916
\$ 1000	\$ 109 <i>1</i>	\$ 1700	\$ 1000	Ф 1/01	Ф 1024	\$ 10 <i>1</i> 2	\$ 1910
\$ 1885	\$ 1912	\$ 1927	\$ 1885	\$ 2077	\$ 2166	\$ 2254	\$ 2340
\$ 1750	\$ 1777	\$ 1792	\$ 1750	\$ 1942	\$ 2031	\$ 2119	\$ 2205

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks

Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Warren[™] Seating

Limiter Rase Chair

	MODE	L NUMBE	R							
	Basic Model	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Leg Lift	Approx. Packaged Weight
WS Mesh Seat and Back with Trim, Full	WLF00									46#
Size	WLF04									47#
WS Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size										
WS Removable Padded Seat and Back Upholstery with Trim, Full Size	WLF05									48#
WS Affixed Padded Seat and Back Upholstery, Full Size	WLF06									48#
	A	B	•	•	•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or

standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select armrest color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier

WMB = With moisture barrier

Moisture Barrier Upcharge

Model -05 Styles; Added List Price

\$53

Model -06 Styles; Added List Price \$60

Select leg lift.

NLL = No leg lift

LL = With leg lift; add \$424



Warren[™] Seating Limiter Base Chair

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 1397	\$ 1407	\$ 1411	\$ 1397	\$ 1457	\$ 1484	\$ 1509	\$ 1536
\$ 1497	\$ 1509	\$ 1518	\$ 1497	\$ 1593	\$ 1636	\$ 1684	\$ 1728
\$ 1695	\$ 1722	\$ 1737	\$ 1695	\$ 1887	\$ 1976	\$ 2064	\$ 2150
Ψ 1000	Ψ 1722	Ψ 1701	Ψ 1000	Ψ 1001	Ψ 1010	Ψ 2001	Ψ 2100
\$ 1560	\$ 1587	\$ 1602	\$ 1560	\$ 1752	\$ 1841	\$ 1929	\$ 2015

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks

Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Warren[™] Seating Oversize Systems Base Chair

,	MODEL NUMBER									
	MODE	LNUMB	EK							
	Basic Model	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Leg Lift	Approx. Packaged Weight
	W000									49#
WS										
Mesh Seat and Back with Trim, Oversize										
	W004									50#
WS										
Removable Padded Upholstery Back with Mesh Seat and Trim, Oversize										
with Mesh Seat and Irim, Oversize										
	W005									51#
WS										
Removable Padded Seat and Back										
Upholstery with Trim, Oversize										
	W006									51#
WS Affixed Padded Seat and Back										
Upholstery, Oversize										
			1	1		1	1		1	
	A	B	•	•	•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select frame color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- **6** Select armrest color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier = With moisture barrier Moisture Barrier Upcharge Model -05 Styles; Added List Price \$53

Model -06 Styles; Added List Price \$60

Select leg lift.

NLL = No leg lift = With leg lift; add \$424



Warren™ Seating

D.I. 10	D.II I.D	D.II I.D.I.	D.I. I.D	D.I. I.D	D.I. I.D.	D.II I.D	D. II
Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 1668	\$ 1676	\$ 1679	\$ 1668	\$ 1717	\$ 1739	\$ 1760	\$ 1782
\$ 1768	\$ 1780	\$ 1789	\$ 1768	\$ 1864	\$ 1907	\$ 1955	\$ 1999
\$ 1968	\$ 1995	\$ 2010	\$ 1968	\$ 2160	\$ 2249	\$ 2337	\$ 2423
\$ 1870	\$ 1897	\$ 1912	\$ 1870	\$ 2062	\$ 2151	\$ 2239	\$ 2325

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation

C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

n N/C

Shipping

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

		MODE	L NUMBER			
	MODEL	Basic Model	Upholstery Color	Pillow Color	Moisture Barrier	Approx. Packaged Weight
WRBS	Removable Back Cover, Full Size	WBCF				1#
WRBS	Removable Back Cover, Oversize	WOBC				1#
WRBS	Removable Seat Cover, Full Size	WSCF				1#
WRBS	Removable Seat Cover, Oversize	WOSC				1#
		A	B	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier; add

Moisture barrier available on seat cover only.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for removable back and seat cover is 1 yard each. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section tion.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Back Cover Added Lead Time=3 weeks Added List Price= \$78 Model=Seat Cover Added Lead Time=3 weeks Added List Price= \$78



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 150	\$ 160	\$ 170	\$ 150	\$ 184	\$ 204	\$ 226	\$ 249
\$ 155	\$ 165	\$ 175	\$ 155	\$ 189	\$ 209	\$ 233	\$ 254
\$ 190	\$ 200	\$ 211	\$ 190	\$ 223	\$ 244	\$ 267	\$ 290
\$ 195	\$ 206	\$ 216	\$ 195	\$ 229	\$ 249	\$ 272	\$ 295

INFORMATION

Note: Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

		MODE	L NUMBE	R		
	MODEL	Basic Model	Wood Frame Color	Upholstery Color	Base	Approx. Packaged Weight
	Sloped Ottoman	SO				12#
<u>отт</u> отт	Wood Ottoman	WO				13#
HRDPT	 Meal Tray Not recommended on wood frames Not available on Oversize Systems Warren™ Base chairs 	MT				7#
		A	В	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select wood frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder. Note: Mesh cannot be used on ottoman.
- Select base option.

= No casters

= Casters; add \$58

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for a sloped or wood ottoman is 1.5 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=S0, W0 styles Added Lead Time=3 weeks Added List Price= \$78



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A	\$ 279	\$ 302	\$ 313	\$ 279	\$ 425	\$ 492	\$ 557	\$ 622
N/A	\$ 677	\$ 697	\$ 709	\$ 677	\$ 821	\$ 886	\$ 953	\$ 1018

\$ 137

SPECIAL SERVICES

Special Carton Marking

With specially marked information


Shipping Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Rose™ Seating

General Information





05-Style

SPECIFICATIONS

00-Style

Seat/Back Structural Frame

Constructed of a 1-1/2"W x 1-1/4"thick hotformed truck-grade, alloy-spring steel. Frontcantilevered from base mounting for rearward deflection. Frame allows the user to lean into well-developed lumbar support without lifting feet off the floor, thereby eliminating underthigh pressure and compromised circulation. Frame allows for a unified wave-like resilient rocking motion with a flat-bottomed chair base and no moving parts. Frame extends in front of seat at arm height to provide leverage to user when exiting chair.

Bentwood frame constructed from a sculpted 1–1/2" x 2" laminated hardwood base by use of heavy structural metal components that are integrated into the base.

Arms

1-3/8" diameter, 14-gauge steel tubing covered with an integrally colored, resilient dipmolded, non-porous, washable vinyl with

grip-textured finish.

Bentwood arms are constructed of laminated hardwood.

Base

04-Style

Metal base is 14-gauge 1-3/8" diameter round, electric-welded steel tubing.

Coatings/Wood Finishes

Metal finishes are electrostatically-applied epoxy powder coating. Wood finishes are catalyzed lacquer over natural wood.

Glides

Glides are nylon and non-marring. Front antitip glides, on sled base version only, are injection molded clear surlyn.

Wheels

Non-marring nylon rear tilt wheels mounted off the floor to engage only when chair is tilted backwards for relocation.

Upholstery Style Description

The Rose™ Chair Series is available in four

different upholstery styles. Mesh slings are available in a coordinated series of mesh colors, KI and Pallas fabrics.

00-Style Open Mesh with Fabric or Vinvl Side Trim

The perfect solution where hygiene and cleanability are paramount. The mesh sling specified with vinyl side trim allows for the use of all types of healthcare cleaning agents including bleach and steam. Mesh slings are also CAL 133 compliant.

04-Style Velcro-Removable Padded Upholstery on Back Only with Mesh Seat

A removable padded upholstery cover for the back of the chair offers the flexibility of having a full upholstered back while retaining the hygienic and cleaning benefits of the mesh seat. The back can be removed for easy cleaning and replacement or to reveal the all-mesh sling underneath.

05-Style Velcro-Removable Padded Upholstery on Seat and Back

06-Style

Provides the flexibility of having either fully upholstered seat and back covers or, by removing one or both, exposing the fully functional "00" style mesh sling chair underneath. The "05" velcro-affixed covers also allow for easy cleaning and replacement of upholstery covers.

06-Style Permanently Affixed Padded Upholstery, Seat and Back

A wide range of standard and C.O.M. fabric allows for complete customization in a non-removable upholstery style. The value of a padded upholstery, where the cost of velcro-removability is not necessary.



Rose[™] Seating General Information



	4-Leg High	Bentwood Low	Bentwood Mid
Features			
Flex motion	•	•	•
Meal tray	•	•	•
Moisture barrier option	•	•	•
Ottoman	•	•	•
Rear tilt wheels	•	•	•
Removable upholstery	•	•	•
Two armrest styles	•		
Ventilated mesh	•	•	•
Pillow	•		
General Dimensions			
Width	24-1/2"	25-1/2"	25-1/2"
Depth	26"	26"	26"
Height	49"	33"	43-1/2"
Arm height	26"	26"	26"
Seat height	18"	18"	18"
Seat depth	18"	18"	18"
Seat width	21"	21"	21"
Height-seat to top of back	31"	18"	27"

INFORMATION

WarrantySee Terms for general information.

Rose™ Seating

Sled Base Chair

		MODEL NUMBER									
	Features	Basic Model	Arm Style	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Approx. Packaged Weight
	Low back	RS100									30#
	Mid back	RS200									31#
	High back	RS300									32#
RSM											
Mesh Seat and Back with Trim											
Pillow available on High Back only											
	Low back	RS104									31#
	Mid back	RS204									32#
	High back	RS304									33#
RSM											
Removable Padded Upholstery Back											
with Mesh Seat and TrimPillow available on High Back only											
Fillow available oil riigii back oiliy											
	Low back	RS105									32#
	Mid back	RS205									33#
	High back	RS305									34#
	_										
RSM											
Removable Padded Seat and Back											
Upholstery with Trim Pillow available on High Back only											
Pillow available on High Back only											
	Low back	RS106									32#
	Mid back	RS206									33#
	High back	RS306									34#
RSM											
Affixed Padded Seat and Back											
Upholsterv											
Pillow available on High Back only											
			1		1		ı	1	1		
		A	B	•	•			G	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The indicates that a choice is required.

• The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select arm style.

RA = Molded tubular

RM = Moided tubular RM = Finished metal

© Select metal frame color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder.

Add; \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binde

If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select armrest color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 If RA arm style was specified, see Coordinated Finish Card.

If RM arm style was specified, the arm-

rest color will match the frame color selection.

Select moisture barrier.

NOM = No moisture barrier

WMB = With moisture barrier

Moisture Barrier Upcharge

Model -05 Styles; Added List Price

\$53

Model -06 Styles; Added List Price

\$60



Rose[™] Seating Sled Base Chair

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 900	\$ 908	\$ 913	\$ 900	\$ 948	\$ 971	\$ 993	\$ 1015
949	957	962	949	997	1020	1042	1064
1042	1050	1055	1042	1090	1113	1135	1157
\$ 990	\$ 1001	\$ 1006	\$ 990	\$ 1062	\$ 1095	\$ 1128	\$ 1160
1080	1093	1101	1080	1175	1219	1264	1308
1141	1156	1164	1141	1239	1282	1326	1371
\$ 1160	\$ 1183	\$ 1195	\$ 1160	\$ 1327	\$ 1405	\$ 1481	\$ 1559
1240	1268	1281	1240	1433	1520	1609	1696
1316	1342	1357	1316	1508	1594	1682	1781
\$ 996	\$ 1017	\$ 1028	\$ 996	\$ 1140	\$ 1207	\$ 1272	\$ 1337
1074	1095	1110	1074	1241	1319	1395	1472
1125	1149	1162	1125	1294	1371	1447	1524

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Rose[™] Seating 4-Leg Metal Chair

		MODE	L NUME	ER							
	Features	Basic Model	Arm Style	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Moisture Barrier	Approx. Packaged Weight
<u></u>	Low back	RV100									31#
	Mid back	RV200									32#
	High back	RV300									33#
RSM											
Mesh Seat and Back with Trim											
Pillow available on High Back only											
	Low back	RV104									32#
	Mid back	RV204									33#
	High back	RV304									34#
ال ال											
RSM											
Removable Padded Upholstery Back with Mesh Seat and Trim											
Pillow available on High Back only											
	Low back	RV105									33#
	Mid back	RV205									34#
	High back	RV305									35#
4 all											
RSM											
Removable Padded Seat and Back											
Upholstery with Trim ■ Pillow available on High Back only											
rt 7	Low back	RV106									33#
	Mid back	RV206									34#
	High back	RV306									35#
4 " U											
RSM											
Affixed Padded Seat and Back											
UpholsteryPillow available on High Back only											
		\downarrow	Ţ	\downarrow		\perp	1	1	1	1	
		A	B	•	•		•	G	•	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select arm style.

= Molded tubular RM = Finished metal

• Select metal frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Add: \$58 for chrome frames and use "CH" for frame color option.

- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- **G** Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select armrest color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. If RA arm style was specified, see Coordinated Finish Card.

If RM arm style was specified, the arm-

rest color will match the frame color selection.

Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier Moisture Barrier Upcharge: Model-05 Styles; Added List Price/Seat Model-06 Styles; Added List Price/Seat

\$60



Rose[™] Seating 4-Leg Metal Chair

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 960	\$ 968	\$ 973	\$ 960	\$ 1008	\$ 1031	\$ 1053	\$ 1075
1004	1012	1017	1004	1052	1075	1097	1119
1105	1113	1118	1105	1153	1176	1198	1220
\$ 1049	\$ 1059	\$ 1064	\$ 1049	\$ 1121	\$ 1154	\$ 1187	\$ 1220
1129	1141	1149	1129	1225	1269	1312	1357
1191	1205	1213	1191	1287	1332	1376	1420
A 4044	4.400 5	A 4047	A 4044	4.4070	4.450	4.500	Φ 4040
\$ 1211	\$ 1235	\$ 1247	\$ 1211	\$ 1379	\$ 1456	\$ 1532	\$ 1610
1277	1304	1319	1277	1468	1557	1644	1732
1352	1378	1393	1352	1543	1632	1720	1807
\$ 1047	\$ 1065	\$ 1077	\$ 1047	\$ 1190	\$ 1256	\$ 1322	\$ 1387
1122	1145	1159	1122	1290	1368	1443	1520
1170	1193	1206	1170	1337	1415	1491	1568
1170	1130	1200	1110	1001	1110	1101	1000

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Rose[™] Seating 4-Leg Bentwood Chair

			MODE	. NUMBE	R						
	MODEL	Features	Basic Model	Wood Frame Color	Push Bar Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Rear Tilt Wheels	Moisture Barrier	
	Mesh Seat and Back with Trim	Low back	RB100								
		Mid back	RB200								
RSW											
	Removable Padded Upholstery Back with Mesh Seat and Trim	Low back	RB104								
	with Mesh Seat and Trim	Mid back	RB204								
RSW											
\square	Removable Padded Seat and Back	Low back	RB105								
	Upholstery with Trim	Mid back	RB205								
RSW											
	Affixed Padded Seat and Back	Low back	RB106								
	Upholstery	Mid back	RB206								
RSW											
				B					G		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select wood frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select push bar color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

If mesh or removable upholstery was specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select upholstery grade/color.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- **6** Select rear tilt wheels.

NTRW = No rear tilt wheels

RTW = Rear tilt wheels; add \$27

Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier Moisture Barrier Upcharge: Model -05 Styles; Added List Price Model -06 Styles; Added List Price



Rose[™] Seating 4-Leg Bentwood Chair

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
44#	\$ 1309	\$ 1317	\$ 1322	\$ 1309	\$ 1357	\$ 1380	\$ 1402	\$ 1424
46#	1359	1367	1372	1359	1407	1430	1452	1474
45#	\$ 1452	\$ 1463	\$ 1468	\$ 1452	\$ 1524	\$ 1557	\$ 1592	\$ 1623
47#	1513	1525	1533	1513	1609	1653	1697	1740
46#	\$ 1627	\$ 1650	\$ 1664	\$ 1627	\$ 1795	\$ 1873	\$ 1948	\$ 2025
48#	1693	1720	1734	1693	1885	1972	2060	2148
46#	\$ 1464	\$ 1484	\$ 1496	\$ 1464	\$ 1610	\$ 1675	\$ 1741	\$ 1806
48#	1524	1547	1561	1524	1691	1769	1845	1923

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

California TB133 Fire Safety Code The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157 Model=06 Added Lead Time=3 weeks Added List Price= \$185

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

			MODE	L NUMBER		
	MODEL	Features	Basic Model	Upholstery Color	Moisture Barrier	Approx. Packaged Weight
	Removable Back Cover	Low back	RBCL			1#
		Mid back	RBCM			1#
		High back	RBCH			1#
RRBS						
	Removable Seat Cover		RSC			1#
(P)						
RRBS						
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier; add

Moisture barrier available on seat cover only.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for removable back and seat cover is 1 yard each. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section tion.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Back Cover Added Lead Time=3 weeks Added List Price= \$78 Model=Seat Cover Added Lead Time=3 weeks Added List Price= \$78



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 150	\$ 161	\$ 171	\$ 150	\$ 185	\$ 204	\$ 227	\$ 250
154	164	174	154	188	208	230	253
165	175	187	165	199	219	243	265
\$ 190	\$ 200	\$ 210	\$ 190	\$ 224	\$ 244	\$ 268	\$ 289

INFORMATION

Note: Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

	MODE	L NUMBER	R		
MODEL	Basic Model	Wood Frame Color	Upholstery Color	Base	Approx. Packaged Weight
Sloped Ottoman	S0				12#
ОТТ					
Wood Ottoman	W0				13#
W U					
ОТТ					
	A	B	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B** Select wood color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes
- © Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Note: Mesh cannot be used on ottoman.
- Select base/casters.

= No casters = Casters; add \$58

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for a sloped or wood ottoman is 1.5 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.
Model=SO, WO styles
Added Lead Time=3 weeks
Added List Price= \$78



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 279	\$ 302	\$ 313	\$ 279	\$ 425	\$ 492	\$ 557	\$ 622
\$ 677	\$ 697	\$ 709	\$ 677	\$ 821	\$ 886	\$ 953	\$ 1018

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory.
Freight class #175.

Companion™ Seating

General Information



Low Back (CV100)



Mid Back (CV200)



High Back (CV300)

Features			
Rear tilt wheels	•	•	•
Removable upholstery seat and back	•	•	•
Ventilated mesh	•	•	•
Pillow			•
General Dimensions			
Width	23-1/2"	23-1/2"	23-1/2"
Depth	26"	26"	26"
Height	33"	40"	45-1/2"
Arm height	26"	26"	26"
Seat height	17-1/2"	17-1/2"	17-1/2"
Seat depth	18"	18"	18"
Seat width	20-1/2"	20-1/2"	20-1/2"
Floor to top of seat	18-1/2"	18-1/2"	18-1/2"
Floor to top of back	33"	40"	45-1/2"

SPECIFICATIONS

Seat/Back

Seat and back constructed of one continuous 1" diameter round electric-welded tubing. Mesh is breathable, stain resistant vinyl-coated woven polyester, resistant to growth of bacterial and fungal microorganisms and bleach cleanable. Sling upholstery options include: all-mesh sling chairs with fabric or vinyl side trim. Velcro-removable padded upholstery on seat and back or permanently affixed padded upholstery on seat and back. High-density polyurethane foam.

Base

Metal base is 14-gauge, 1-3/8 diameter round, electric-welded steel tubing assembled with nylok fasteners and all-welded construction. Optional non-marring nylon rear tilt wheels are mounted off the floor to engage only when chair is tilted backwards for relocation

Coatings

Metal finishes are electrostatically-applied epoxy coatings.

Glides

Glides are non-marring.

Upholstery Style Description

The Companion™ Chair Series is available in four different upholstery styles. Mesh slings are available in a coordinated series of mesh colors, KI and Pallas fabrics.

00-Style Open Mesh with Fabric or Vinyl Side Trim

The perfect solution where hygiene and cleanability are paramount. The mesh sling specified with vinyl side trim allows for the use of all types of healthcare cleaning agents including bleach and steam. Mesh slings are also CAL 133 compliant.

04-Style Velcro-Removable Padded Upholstery on Back Only with Mesh

A removable padded upholstery cover for the back of the chair offers the flexibility of having a fully upholstered back while retaining the hygienic and cleaning benefits of the mesh seat. The back can be removed for easy cleaning and replacement or to reveal the all-mesh sling underneath.

05-Style Velcro-Removable Padded Upholstery on Seat and Back

Provides the flexibility of having either fully upholstered seat and back covers or, by removing one or both, exposing the fully functional "00" style mesh sling chair underneath. The "05" velcro-affixed covers also allow for easy cleaning and replacement of upholstery covers.

06-Style Permanently Affixed Padded Upholstery, Seat and Back

A wide range of standard and C.O.M. fabric allows for complete customization in a non-

removable upholstery style. The value of a padded upholstery, where the cost of velcroremovability is not necessary.



Companion[™] Seating
General Information

INFORMATION

WarrantySee Terms for general information.

Companion[™] Seating 4-Leg Metal Chair

		MODE	L NUMB	FR								
		IIIODEI	_ NOME									
	Features	Basic Model	Arm Style	Frame Color	Seat/Back Mesh Color	Upholstery Trim Color	Upholstery Color	Pillow Color	Armrest Color	Rear Tilt Wheels	Moisture Barrier	
	Low back	CV100										
	Mid back	CV200										
	High back	CV300										
CV												
Mesh Seat and Back with Trim												
Pillow available on High Back only												
	I avv baals	CV104										
	Low back Mid back	CV104										
	High back	CV304										
	Tilgii back	0 7 3 0 4										
CV												
Removable Padded Upholstery Back with Mesh Seat and Trim												
Pillow available on High Back only												
	Low back	CV105										
	Mid back	CV205										
	High back	CV305										
CV												
Removable Padded Seat and Back												
Upholstery with Trim ■ Pillow available on High Back only												
	Low back	CV106										
	Mid back	CV206										
	High back	CV306										
	riigii baok	0.000										
CV Affixed Padded Seat and Back												
Upholstery												
Pillow available on High Back only												
		A	B	•	•		•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select arm style.

= Molded tubular RM = Finished metal

- Select frame color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select seat/back mesh color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select trim color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

If mesh or removable upholstery was

specified, vinyl or fabric trim must be selected. See mesh/vinyl fabric card or standard upholstery cards.

- Select cover upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- **G** Select pillow upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.
- Select armrest color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. If RA arm style was specified, see Coordinated Finish Card. If RM arm style was specified, the arm-

rest color will match the frame color

selection.

Select rear tilt wheels.

NRTW = No rear tilt wheels

RTW = With rear tilt wheels; add \$27

Select moisture barrier.

NOM = No moisture barrier **WMB** = With moisture barrier Moisture Barrier Upcharge: Model-05 Styles; Added List Price/Seat Model-06 Styles; Added List Price/Seat \$60



Companion[™] Seating 4-Leg Metal Chair

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
24#	\$ 586	\$ 591	\$ 592	\$ 586	\$ 593	\$ 594	\$ 595	\$ 596
25#	605	610	611	605	612	613	614	615
26#	743	748	749	743	750	751	752	753
24#	\$ 745	\$ 754	\$ 760	\$ 745	\$ 811	\$ 841	\$ 871	\$ 901
25#	768	781	787	768	856	896	937	977
26#	913	930	938	913	1023	1073	1123	1175
24#	\$ 860	\$ 871	\$ 907	\$ 860	\$ 928	\$ 957	\$ 988	\$ 1017
25#	906	929	939	906	1061	1132	1201	1271
26#	1038	1056	1066	1038	1170	1230	1289	1350
24#	\$ 818	\$ 837	\$ 847	\$ 818	\$ 950	\$ 1010	\$ 1072	\$ 1131
25#	862	883	895	862	1015	1086	1157	1228
26#	1001	1022	1035	1001	1154	1225	1296	1366

UPHOLSTERY INFORMATION

C.O.M. Trim Calculation

C.O.M. requirement for 00, 04 & 05 styles is 2 yards per 2 chairs. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

C.O.M. Cover Upholstery

C.O.M. requirement for 04 style is 1 yard and for 05 and 06 styles 2 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

Note:

Combine C.O.M. Trim and C.O.M. Covers columns when calculating overall C.O.M. requirements.

OPTIONS

Model=06

Added Lead Time=3 weeks Added List Price= \$185

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=00 Added Lead Time=None Added List Price= \$31 Model=04 Added Lead Time=3 weeks Added List Price= \$96 Model=05 Added Lead Time=3 weeks Added List Price= \$157

INFORMATION

Note:

Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipped assembled freight prepaid f.o.b. Los Angeles, California 90003 factory. Freight class #175.

Companion[™] Seating Accessories/Options

			MODEL NUMBER				
	MODEL	Features	Basic Model	Upholstery Color	Moisture Barrier	Base	Approx. Packaged Weight
	Removable Back Cover	Low back	CBCL				1#
		Mid back	CBCM				1#
		High back	CBCH				1#
CMBS							
			0070				
	Removable Seat Cover		CSTC				1#
CMBS							
CMBS							
	Sloped Ottoman		S0				12#
$\langle \cdot \rangle$	Stoped Ottoman						
OTT							
	Wood Ottoman		W0				13#
OTT							
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See 'How To Build a Model Number".
- 3. Any special service required.

Note: ●The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder Note: Mesh cannot be used on ottoman. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

Select moisture barrier.

NOM = No moisture barrier WMB = With moisture barrier; add

Moisture barrier available on seat cover

Select casters.

= No casters

= Casters; add \$58

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for removable back and seat cover is 1 yard each. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." sec-

C.O.M. Upholstery

C.O.M. requirement for a sloped or wood ottoman is 1.5 yards. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Back Cover Added Lead Time=3 weeks Added List Price= \$78 Model=Seat Cover Added Lead Time=3 weeks

California TB133 Fire Safety Code

Added List Price= \$78

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=S0, W0 styles Added Lead Time=3 weeks Added List Price= \$78



Companion[™] Seating Accessories/Options

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 150	\$ 161	\$ 171	\$ 150	\$ 185	\$ 204	\$ 227	\$ 250
154	164	174	154	188	208	230	253
165	175	187	165	199	219	243	265
\$ 190	\$ 200	\$ 210	\$ 190	\$ 224	\$ 244	\$ 268	\$ 289
\$ 279	\$ 302	\$ 313	\$ 279	\$ 425	\$ 492	\$ 557	\$ 622
\$ 677	\$ 697	\$ 709	\$ 677	\$ 821	\$ 886	\$ 953	\$ 1018

INFORMATION

Note: Cannot order Moisture Barrier and California TB133 Fire Safety Code together; Select one or the other.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
Los Angeles, California 90003 factory. Freight class #175.

Index

Model No.	Description	Page	Model No.	Description	Page
ASC	Standard Sleep Chair™	14	WLF05	Limiter Base Chair: Removable Padded Seat and Back	24
CBCH	Accessories/Options: Removable Back Cover	48		Upholstery with Trim, Full Size	
CSTC	Accessories/Options: Removable Seat Cover	48	WLF06	Limiter Base Chair: Affixed Padded Seat and Back	24
CV100	4-Leg Metal Chair: Mesh Seat and Back with Trim	46		Upholstery, Full Size	
CV104	4-Leg Metal Chair: Removable Padded Upholstery Back with	46	W0	Accessories/Options: Wood Ottoman	30
	Mesh Seat and Trim		W0	Accessories/Options: Wood Ottoman	42
CV105	4-Leg Metal Chair: Removable Padded Seat and Back	46	W0	Accessories/Options: Wood Ottoman	48
	Upholstery with Trim		W000	Oversize Systems Base Chair: Mesh Seat and Back with	26
CV106	4-Leg Metal Chair: Affixed Padded Seat and Back Upholstery	46		Trim, Oversize	
FBED.C/27/HB	Freestanding: Freestanding, Full-Panel Arms with Front Panel	8	W004	Oversize Systems Base Chair: Removable Padded Upholstery Back with Mesh Seat and Trim, Oversize	26
FBED.C/27/HB	Freestanding: Freestanding, Full-Panel Arms with Front Panel	10	W005	Oversize Systems Base Chair: Removable Padded Seat and Back Upholstery with Trim, Oversize	26
FBED.D/27/HB	Freestanding: Freestanding, Full-Panel Arms with Drawers	8	W006	Oversize Systems Base Chair: Affixed Padded Seat and Back	26
FBED.D/27/HB	Freestanding: Freestanding, Full-Panel Arms with Drawers	10	***************************************	Upholstery, Oversize	20
FBED.F/27/HB	Freestanding: Freestanding, Full-Panel Arms	8	WOBC	Accessories/Options: Removable Back Cover, Oversize	28
FBED.F/27/HB	Freestanding: Freestanding, Full-Panel Arms	10	WOSC	Accessories/Options: Removable Seat Cover, Oversize	28
FBED/NA/27/HB	Freestanding: Freestanding, No Arms	8	WSCF	Accessories/Options: Removable Seat Cover, Full Size	28
FBED/NA/27/HB	Freestanding: Freestanding, No Arms	10	WSF00	Sled Base Chair: Mesh Seat/Back with Trim, Full Size	18
MT	Accessories/Options: Meal Tray	30	WSF04	Sled Base Chair: Removable Padded Upholstery Back with	18
PBED.0/27/HB	Built-In: Built-In, Deck Only	6	W31 0 4	Mesh Seat and Trim, Full Size	10
PBED.MF/27/HB	Built-In: Built-In, Deck Only Built-In: Built-In, Deck w/Frame	6	WSF05	Sled Base Chair: Removable Padded Seat and Back	18
PBED.MFC/27/HB	Built-In: Built-In, Deck w/Front Panel	6	Wolloo	Upholstery with Trim, Full Size	10
PBED.MFD/27/HB	Built-In: Built-In, Deck w/Drawers	6	WSF06		18
RB100	4-Leg Bentwood Chair: Mesh Seat and Back with Trim	38	WSFUO	Sled Base Chair: Affixed Padded Seat and Back Upholstery, Full Size	10
RB104	4-Leg Bentwood Chair: Removable Padded Upholstery Back	38	WVF00	Systems Base Chair: Mesh Seat and Back with Trim, Full	20
ND 104	with Mesh Seat and Trim	30	WVFOO	Size	20
RB105	4-Leg Bentwood Chair: Removable Padded Seat and Back Upholstery with Trim	38	WVF04	Systems Base Chair: Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size	20
RB106	4-Leg Bentwood Chair: Affixed Padded Seat and Back Upholstery	38	WVF05	Systems Base Chair: Removable Padded Seat and Back Upholstery with Trim, Full Size	20
RBCH	Accessories/Options: Removable Back Cover	40	WVF06	Systems Base Chair: Affixed Padded Seat and Back	20
RS100	Sled Base Chair: Mesh Seat and Back with Trim	34		Upholstery, Full Size	
RS104	Sled Base Chair: Removable Padded Upholstery Back with Mesh Seat and Trim	34			
RS105	Sled Base Chair: Removable Padded Seat and Back Upholstery with Trim	34			
RS106	Sled Base Chair: Affixed Padded Seat and Back Upholstery	34			
RSC	Accessories/Options: Removable Seat Cover	40			
RV100	4-Leg Metal Chair: Mesh Seat and Back with Trim	36			
RV104	4-Leg Metal Chair: Removable Padded Upholstery Back with	36			
RV105	Mesh Seat and Trim 4-Leg Metal Chair: Removable Padded Seat and Back	36			
	Upholstery with Trim				
RV106	4-Leg Metal Chair: Affixed Padded Seat and Back Upholstery	36			
SO	Accessories/Options: Sloped Ottoman	30			
SO	Accessories/Options: Sloped Ottoman	42			
SO	Accessories/Options: Sloped Ottoman	48			
WBCF	Accessories/Options: Removable Back Cover, Full Size	28			
WCF00	Castered Base Chair: Mesh Seat and Back with Trim, Full Size	22			
WCF04	Castered Base Chair: Removable Padded Upholstery Back with Mesh Seat and Trim, Full Size	22			
WCF05	Castered Base Chair: Removable Padded Seat and Back Upholstery with Trim, Full Size	22			
WCF06	Castered Base Chair: Affixed Padded Seat and Back Upholstery, Full Size	22			
WLF00	Limiter Base Chair: Mesh Seat and Back with Trim, Full Size	24			
WLF04	Limiter Base Chair: Removable Padded Upholstery Back with	24			

Index



You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc. Working for You is a registered trademark of Krueger International, Inc.

© 2006 KI All Rights Reserved. Litho in USA. Code KI-11396/OP/IP/106