May 21, 2007 Updated June 5, 2007 800-424-2432







Refer to KI Terms & Conditions document or visit ki.com.

>

Instruct™Specifications	Instruct™Specifications	2
Instruct™Classroom Furniture	All Terrain® Instructors Desk	4
	All Terrain® Mobile Instructors Desk	6
	700 Series® Instructors Desk	8
	WorkZone® Instructors Desk	10
All Terrain® Binder Towers	Pencil/Shelf/File with Outriggers	12
	Shelf/File with Outriggers	14
	Shelf/Shelf with Outriggers	16
Product Locator	Product Locator	18
Index	Index	20

Instruct ™Specifications

All Terrain® Instructors' Desk

Unit is based on a 22" deep x 22" wide and 35-1/2" high storage tower. The tower has three adjustable metal shelves and one laminate rollout shelf at the bottom of the storage unit. At the top of the storage tower is a landing pad that is made of 3/4" laminate with 74P edge, this surface is raised 3-3/4" above the top of the storage tower with aluminum extrusions.

A 1-1/4" thick laminate covered surface with a 74P edge is attached to the side of the storage tower on one end and supported by a 3" diameter support leg on the other end of the unit. There is a perforated partial modesty panel that is suspended from the underside of the surface. This modesty panel covers the area from the storage unit to the support leg.

There are three open grommets and one covered grommet for wire management on the storage tower. One grommet is on the top of the storage unit directly below the one covered grommet on the landing pad. The other two grommets are above and below the worksurface on the inside of the desk unit.

All Terrain® Mobile Instructors' Desk

This unit has an All Terrain® Binder Tower with the lectern option. Also there are four open grommets at the top and bottom of each of the binder's sides. There is a surface that is attached to the side of the Binder Tower and supported on the other end by an All Terrain® Table leg with casters. There is a perforated partial modesty panel that attaches to the leg and the binder tower.

700 Series® Instructors' Desk

This unit is identical to the standard 700 Series® Desk with the following changes. The desk has a peninsula shaped top that overhangs the desks frame to allow for collaboration with students. The frame of the desk has a 12" deep bookcase that is the end panel opposite the peninsula overhang. The bookcase is 30" or 36" wide, which is the depth of the desktop. This unit is non-handed, there is no left or right, the side with the bookcase can be reconfigured after install should the need arise.

WorkZone® Instructors' Desk

The WorkZone® Instructors' desk is based on a standard WorkZone® square shoe unit that has a worksurface supporting pedestal (BBF configuration) to support the extended side of the square shoe and a cantilevered frame on the other end. The surface is 1-1/4" thick with a high-pressure laminate.

All Terrain® Binder Tower (Lectern) option)

The lectern option can be added to any All Terrain® Binder Tower that has both a landing pad and outriggers. The podium option is an angled landing pad to allow better viewing for the instructor.

All Terrain® binder towers are available in heights and drawer combinations to suit personal or shared storage requirements.

Binder towers specified without drawers are optimized for book, binder or bin storage. These units include two adjustable shelves. Units may be specified with a single file drawer that can be used for letter files, legal files or bins, or for A4 files. Units with a file drawer include one fixed and one adjustable shelf and may also be specified with pullout pencil drawer.

All Terrain® binder towers may be specified with or without a door, on casters or glides with outriggers. The binder tower always includes a laminate either directly attached or as a raised landing pad. These tops can be specified as bowed front rectangular or as shaped

Instruct [™]Specifications



Instruct ™Classroom Furniture

All Terrain® Instructors Desk

			MODEL NU	UMBER	R				
	MODEL	D x W	Basic Model	Edge Style	Dir.	Surface Finish	Edge Color	Unit Color	Approx. Packaged Weight
	All Terrain® Instructors Desk	30 x 60"	ATTD3060	74P					196#
	 Unit based on 22"D x 22"W and 35-1/2" high storage tower 	30 x 66"	ATTD3066	74P					207#
	Tower had three adjustable shelves and one rollout shelf at the bottom (rollout shelf will	30 x 72"	ATTD3072	74P					218#
KINS	be the same as the specified laminate)Top of storage tower is a landing pad								
141140	 Perforated modesty panel 								
	74P edgeUnit has black grommets to allow wires to								
	be run into and out of the storage tower								
	Left and right configurations are based on location of work surface (left worksurface)								
	pictured)								
	Back of the tower has ventilation holes for circulation								

			A	B	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the choice is required. indicates that no

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select desk direction.

 L = Left
 R = Right
- Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select unit color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Instruct ™Classroom Furniture All Terrain® Instructors Desk

Delivered Pricing

\$ 1694

1757

1856

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 6X7 factory. Freight class #100.

Instruct ™Classroom Furniture

All Terrain® Mobile Instructors Desk

			MODEL NUI	/IBER					
	MODEL	D x W	Basic Model	Pull Style Top Direction	Edge Style	Surface Finish	Edge Color	Unit Color	Approx. Packaged Weight
All Terrain® Mobile Instructors Desk	24 x 54"	ATMTD2454		74P				174#	
	 Unit has 39" binder tower with lectern option 	24 x 60"	ATMTD2460		74P				182#
	Perforated modesty panel	24 x 66"	ATMTD2466		74P				190#
	 Locking door on binder tower when using steel front 								
d de	• 74P edge								
KINS	 Unit has black grommets to allow wires to be run into and out of the storage tower 								
Turvo	Two adjustable shelves								
	 Left unit shown with metric pull 								
			A	В	•	•		•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select door front/pull(hand)/worksurface direction

anootion	•
NL	= None, left worksurface
NR	= None, right worksurface
PL	= Frosted acrylic (left)
PR	= Frosted acrylic (right)
S1L	= Steel/inset plastic pull (left)
S1R	= Steel/inset plastic pull (right)
S2L	= Steel/aluminum metric (left)
S2R	= Steel/aluminum metric (right)
S3L	= Steel/aluminum bow tie (left)
S3R	= Steel/aluminum bow tie
(right)	
S4L	= Steel/nickel bow tie (left)
S4R	= Steel/nickel bow tie (right)

Select edge style. 74P = 74P edge

- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color.

 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select unit color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Instruct [™]Classroom Furniture All Terrain® Mobile Instructors Desk

NR & NL	PR & PL	S1	S2, S3 & S4	
No Door	Acrylic Door	Steel Front Plastic Pull	Steel Front Bow Tie or Metric Pull	
\$ 1517	\$ 2087	\$ 1738	\$ 1766	
1561	2148	1789	1818	
1605	2208	1839	1869	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 6X7 factory. Freight class #100.

Instruct ™Classroom Furniture

700 Series® Instructors Desk

			MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Edge Color	Unit Color	Approx. Packaged Weight			
	700 Series® Instructors Desk	30 x 66"	700TD3066	74P				123#			
	End panel and full modesty panelIntegrated 12" bookcase	30 x 72"	700TD3072	74P				131#			
	74P edgeUnit can be configured with peninsula on	36 x 66"	700TD3666	74P				149#			
		Unit can be configured with peninsula on the left or right.	Unit can be configured with peninsula on the left or right.	Unit can be configured with peninsula on the left or right.	 Unit can be configured with peninsula on the left or right 	36 x 72"	700TD3672	74P			
KINS	 Unit has one adjustable shelf 										
	 Recommend 72" for use when pedestal file 										
	is specified, all other components specified separately										
	 Wire pass-through at top of modesty panel 										
			A	B	•		•	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select unit color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Instruct ™Classroom Furniture 700 Series® Instructors Desk

Delivered Pricing

\$	1110
	1181
	1231
	1200

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #70.

Instruct ™Classroom Furniture



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select edge style. **74P** = 74P edge
- Select direction. = Left

= Right

Select modesty panel.

WF = w/Full Modesty Panel; add \$122 = w/Modesty Panel WM

Select paint color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

G Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Instruct ™Classroom Furniture WorkZone® Instructors Desk

Delivered Pricing

\$	1211	
	1230	
	1317	
	1336	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

All Terrain® Binder Towers

Pencil/Shelf/File with Outriggers

		MODEL NUMBER									
	WxDxH	Basic Model	Front Pull Style	Edge Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lectern Option	Approx. Packaged Weight
	21 ¹ / ₈ x 19 ¹³ / ₁₆ x 39 ³ / ₄ "	ATBT39PFRLC		74P							115#
	21¹/ ₈ x 19¹³/ ₁₆ x 44¹¹/ ₃₂ "	ATBT44PFRLC		74P							120#
ATBT											
Mobile Lectern - Bowed Front • Outrigger casters or glides											
Untrigger casters or grides 3/4" landing pad, bowed front creates space of 3-7/8" Two accessory slots											
 12" file drawer, legal front-to-back 											
Pencil drawer under top of cabinetOne fixed and one adjustable shelf											
 44" unit provides two rows and 39" 											
unit provides one row of 16-3/8 lineal											
inches for book, binder or bin storage • Lectern option pictured											
	22 x 19 ⁵ / ₈ x 39 ³ / ₄ "	ATBT39PFRLS		74P							118#
	22 x 19 ⁵ / ₈ x 44 ¹¹ / ₃₂ "	ATBT44PFRLS		74P							123#
ATBT											
Mobile Lectern - Shaped											
 Outrigger casters or glides 3/4" landing pad, shaped top creates space of 3-7/8" 											
 Two accessory slots 											
12" file drawer, legal front-to-backPencil drawer under top of cabinet											
 One fixed and one adjustable shelf 											
 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal 											
inches for book, binder or bin storage											
 Lectern option pictured 											
		A	B				A	A			

74PL

(left)

L4R

(right)

Select edge style. **74P** = With

Select base style.

4MW

bl/wh

L4L

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

•The absence of the choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Above models include factory-installed counterbalance weight.

B Select door front/pull style (hand)

L2R

(right) **L2L**

(left)

L3R

ע	Select	uuui	rront/puit style (nanu)
	N	=	None
	S1R	=	Steel/inset plastic pull (right)
	S1L	=	Steel/inset plastic pull (left)
	S2R	=	Steel/aluminum metric (right
	S2L	=	Steel/aluminum metric (left)
	S3R	=	Steel/aluminum bow tie
	(right)		
	S3L	=	Steel/aluminum bow tie (left)
	S4R	=	Steel/nickel bow tie (right)
	S4L	=	Steel/nickel bow tie (left)
	PR	=	Frosted acrylic (right)
	PL	=	Frosted acrylic (left)

= Laminate/aluminum metric

= Laminate/aluminum metric

= Laminate/aluminum bow tie

Select unit color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

= Laminate/aluminum bow tie

= Laminate/nickel bow tie (left)

= With 74P edge, laminate sur-

4CW = 4 bl/wh casters (2 locking)

= 2 casters bl/wh, 2 glides

= 4 bl/wh glides

= Laminate/nickel bow tie

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

G Select edge color.

Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. Edge color offerings are based
on edge style selections.

Select front surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select lectern option.
Select to have the landing pad angled for better viewing of presentation material

LO = Lectern; add \$22

NL = No lectern



All Terrain® Binder Towers Pencil/Shelf/File with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 938	\$ 1056	\$ 1071	\$ 1242	\$ 1242	
950	1070	1085	1280	1289	

\$ 952	\$ 1070	\$ 1083	\$ 1255	\$ 1255	
961	1083	1097	1292	1302	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #100.

All Terrain® Binder Towers

Shelf/File with Outriggers

		MODEL NUM	IBER								
	WxDxH	Basic Model	Front Pull Style	Edge Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lectern Option	Approx. Packaged Weight
	21 ¹ / ₈ x 19 ¹³ / ₁₆ x 39 ³ / ₄ "	ATBT39FRLC		74P							114#
ATBT Mobile Lectern - Bowed Front Outrigger casters or glides 3/4" landing pad, bowed front creates space of 3-7/8" Two accessory slots	21 ¹ / _s x 19 ¹³ / ₁₆ x 44 ¹¹ / _{s2} "	ATBT44FRLC		74P							114#
 12" file drawer, legal front-to-back One fixed and one adjustable shelf 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book, binder or bin storage Lectern option pictured 											
	22 x 19 ⁵ / ₈ x 39 ³ / ₄ "	ATBT39FRLS		74P							117#
ATBT Mobile Lectern - Shaped Outrigger casters or glides 3/4" landing pad, shaped top creates space of 3-7/8" Two accessory slots 12" file drawer, legal front-to-back One fixed and one adjustable shelf 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book, binder or bin storage Lectern option pictured	22 x 19 ⁵ / ₈ x 44 ¹¹ / ₂₂ "	ATBT44FRLS		74P							122#
		A	B	•			•	•	•	•	

74PL

(left)

L4R

(right)

L4L

Select edge style. **74P** = With

Select base style.

4MW

bl/wh

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Above models include factory-installed counterbalance weight.

B

(right) **L2L**

(left)

L3R

•	Select do	oor front/pull style (hand).
	N	= None
	S1R	= Steel/inset plastic pull (right)
	S1L	= Steel/inset plastic pull (left)
	S2R	= Steel/aluminum metric (right)
	S2L	= Steel/aluminum metric (left)
	S3R	= Steel/aluminum bow tie
	(right)	
	S3L	= Steel/aluminum bow tie (left)
	S4R	= Steel/nickel bow tie (right)
	S4L	= Steel/nickel bow tie (left)
	PR	= Frosted acrylic (right)
	PL	= Frosted acrylic (left)
	L2R	= Laminate/aluminum metric

= Laminate/aluminum metric

= Laminate/aluminum bow tie

 Select unit color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

4CW = 4 bl/wh casters (2 locking)

= 2 casters bl/wh, 2 glides

= 4 bl/wh glides

= Laminate/aluminum bow tie

= Laminate/nickel bow tie (left)

= With 74P edge, laminate sur-

= Laminate/nickel bow tie

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

6 Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select front surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select lectern option. Select to have the landing pad angled for better viewing of presentation material

= Lectern; add \$22 = No lectern



All Terrain® Binder Towers Shelf/File with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 877	\$ 995	\$ 1010	\$ 1181	\$ 1181	
888	1009	1023	1219	1228	

\$ 890	\$ 1022	\$ 1022	\$ 1192	\$ 1194
901	1009	1036	1231	1242

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #100.

All Terrain® Binder Towers

Shelf/Shelf with Outriggers

		MODEL NUI	MBER								
	WxDxH	Basic Model	Front Pull Style	Edge Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lectern Option	Approx. Packaged Weight
	21 ¹ / ₈ x 19 ¹³ / ₁₆ x 39 ³ / ₄ "	ATBT39RLC		74P							79#
ATBT	21 ¹ / ₈ x 19 ¹³ / ₁₆ x 44 ¹¹ / ₃₂ "	ATBT44RLC		74P							84#
Mobile Lectern - Bowed Front											
Outrigger casters or glides 3/4" landing pad, bowed front creates space of 3-7/8"											
Two accessory slotsTwo adjustable shelves											
 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal 											
inches for book, binder or bin storage											
Lectern option pictured											
	22 x 19 ⁵ / ₈ x 39 ³ / ₄ "	ATBT39RLS		74P							82#
	22 x 19 ⁵ / ₈ x 44 ¹¹ / ₃₂ "	ATBT44RLS		74P							87#
manner (manner manner m											
ATBT											
Mobile Lectern - Shaped											
 Outrigger casters or glides 3/4" landing pad, shaped top creates space of 3-7/8" 											
space of 3-7/8" • Two accessory slots											
 Two adjustable shelves 											
 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal 											
inches for book, binder or bin storage • Lectern option pictured											
- Locietti optioti pictarea											
				L .							
		A	B	•	•			G	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The indicates that a choice is required.

 The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

(right)

74PL

3	Select	door	front/pull style (hand).
	N	=	None
	S1R	=	Steel/inset plastic pull (right)
	S1L	=	Steel/inset plastic pull (left)
	S2R	=	Steel/aluminum metric (right)
	S2L	=	Steel/aluminum metric (left)
	S3R	=	Steel/aluminum bow tie
	(right)		
	S3L	=	Steel/aluminum bow tie (left)
	S4R	=	Steel/nickel bow tie (right)
	S4L	=	Steel/nickel bow tie (left)
	PR	=	Frosted acrylic (right)
	PL	=	Frosted acrylic (left)
	L2R	=	Laminate/aluminum metric
	(right)		
	L2L	=	Laminate/aluminum metric
	(left)		
	L3R	=	Laminate/aluminum bow tie

= Laminate/aluminum bow tie

(left)	
L4R	= Laminate/nickel bow tie
(right)	
41	Landards Indial Income Part (186)

= Laminate/nickel bow tie (left)

Select edge style.

74P = With 74P edge, laminate surface

Select base style.

4CW = 4 bl/wh casters (2 locking) = 4 bl/wh glides = 2 casters bl/wh, 2 glides 4MW bl/wh

 Select unit color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder. Surface finish offerings are based on edge style selections.

G Select edge color. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select front surface finish. Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Select lectern option. Select to have the landing pad angled for better viewing of presentation material = Lectern; add \$22

= No lectern



All Terrain® Binder Towers Shelf/Shelf with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 809	\$ 927	\$ 942	\$ 1113	\$ 1113	
820	941	955	1151	1161	

\$ 823	\$ 941	\$ 955	\$ 1126	\$ 1127	
832	955	968	1164	1174	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 6X7 factory. Freight class #100.

Product Locator

Instruct™Classroom Furniture



ATTD3060

All Terrain® Instructors Desk: All Terrain® Instructors Desk


Page: 4



ATMTD2454

All Terrain® Mobile Instructors Desk: All Terrain® Mobile Instructors Desk


Page: 6



700TD3066

700 Series® Instructors Desk: 700 Series® Instructors Desk

Page: 8



WZTD244866

WorkZone® Instructors Desk: WorkZone® Instructors Desk

Page: 10

All Terrain® Binder Towers



ATBT39PFRLC

Pencil/Shelf/File with Outriggers: Mobile

Lectern - Bowed Front

Page: 12



ATBT39PFRLS

Pencil/Shelf/File with Outriggers: Mobile

Lectern - Shaped Page: 12



ATBT39FRLC

Shelf/File with Outriggers: Mobile Lectern -

Bowed Front Page: 14



ATBT39FRLS

Shelf/File with Outriggers: Mobile Lectern -

Shaped Page: 14



ATBT39RLC

Shelf/Shelf with Outriggers: Mobile Lectern

- Bowed Front Page: 16



ATBT39RLS

Shelf/Shelf with Outriggers: Mobile Lectern

- Shaped Page: 16





Index

Model No.	Description	Page
700TD3066	700 Series® Instructors Desk: 700 Series® Instructors Desk	8
ATBT39FRLC	Shelf/File with Outriggers: Mobile Lectern - Bowed Front	14
ATBT39FRLS	Shelf/File with Outriggers: Mobile Lectern - Shaped	14
ATBT39PFRLC	Pencil/Shelf/File with Outriggers: Mobile Lectern - Bowed Front	12
ATBT39PFRLS	Pencil/Shelf/File with Outriggers: Mobile Lectern - Shaped	12
ATBT39RLC	Shelf/Shelf with Outriggers: Mobile Lectern - Bowed Front	16
ATBT39RLS	Shelf/Shelf with Outriggers: Mobile Lectern - Shaped	16
ATMTD2454	All Terrain® Mobile Instructors Desk: All Terrain® Mobile Instructors Desk	6
ATTD3060	All Terrain® Instructors Desk: All Terrain® Instructors Desk	4
WZTD244866	WorkZone® Instructors Desk: WorkZone® Instructors Desk	10

Index



You make the rules. We make the rest.®

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc. Working for You is a registered trademark of Krueger International, Inc.

© 2007 KI All Rights Reserved. Litho in USA. Code KI-11459/KI/IP/407