KI/AGI P.O. Box 7929 High Point, NC 27264 I-800-424-2432 www.ki.com

AGI is a division of



delivered pricing

Effective

Updated October 15,2007 October 1, 2007

ALPHABETICAL INDEX



1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 1.800.424.2432 www.ki.com

HEALTHCARE SEATING	
BRIAR® (Sleepers)	13
BRIAR® (Recliner)	14
BRIAR® (Patient Chair)	15
BRIAR® (Bariatric)	16
EDEN™	17
FLEX™ (Sleepers)	19
FLEX™ (Recliner)	20
FLEX™ (Patient Chairs)	21
FLEX™ (Bariatric)	22
FLEX™ (Glider)	22
LARESTA® (Day Bed)	23
PERTH® (Sleepers)	26
PERTH® (Recliner)	27
PERTH® (Patient Chairs)	28
PERTH® (Bariatric)	29
PERTH® (Glider)	29
SOLTÍCE® (Sleepers)	30
SOLTÍCE® (Recliner)	31
SOLTÍCE® (Patient Chairs)	32
SOLTÍCE® (Bariatric)	34
SOLTÍCE® (Glider)	35
THREE® (Sleepers)	36
THREE® (Sleeper Recliner)	37
THREE® (Bariatric)	38
MULTIPLE SEATING	
BRIAR® (Multiple Seating)	39
BRIAR® (Replacement Covers)	45
BRIAR® (Connecting Tables)	46
FLEX™ (Multiple Seating)	47

,	
FLEX™ (Replacement Covers)	53
FLEX™ (Connecting Tables)	54
PERTH® (Multiple Seating)	55
PERTH® (Replacement Covers/ Cushions)	60
PERTH® (Connecting Tables)	61
SOLTÍCE® (Multiple Seating)	62
THREE® (Multiple Seating)	63
LOUNGE SEATING	
BRUEN™	66
CINTURÓN™	67
CODY™	68
GRAND SALON®	69
IVEY™	70
JESSA™	71
LIDO™	72
LOLA [™]	74
MESA TM	75
NEENA™	76
POMFRET™	77
RELAX™	78
SOLTICE®	79
TEA CUP™	83
GUEST SEATING	
AERDYN®	85
 ASTON™	85
BANTAM™	86
CANAAN™	86

MULTIPLE SEATING, cont.

GUEST SEATING , cont.	
GORKA™	87
IVEY™	89
POMFRET™	89
QUATRO™	90
SOLTÍCE®	91
SOLTÍCE® (Folding Chair)	92
PROFESSIONAL SEATING	
BASE OPTIONS	93
BONN™	94
CINTURÓN™	95
ESS™	96
GORKA™	97
MESA™	99
BENCHES	
GRAND SALON®	100
HANCOCK™	100
KURV™	101
NEENA™	103
THREE®	104
TABLES	
BRIAR® (Freestanding)	105
DEVON™	106
FLEX™ (Freestanding)	107
ORLO®	108
RA ^v DO™	109
VELO®	110

Product	Page	Product
B-2 B-221 B-222 B-3 B-4	17	BT BET BT45 BT90
B-6 B-7	18	FG FOCL
B-8 BIB BIP BID	23	FLS2 FLS2C FLSS FLSSC
BLS2 BLS2C BLSS	13	FNS FS1 FSS
BLSSC BO33-L BH33-L BO33-R BH33-R BO33-LR BH33-LR BH33-LR BHAG-L	42	FO43-L FP43-L FO43-R FP43-R FO43-LR FP43-LR FOAC-L FPAC-L FOAC-R FPAC-R FPAC-R
BOAC-R BHAC-R BOACC-L BHACC-L BOACC-R BHACC-R BOACCC-L BHACCC-L BOACCC-R	43	FPACC-R FPACC-R FOACCC-L FPACCC-L FOACCC-R FPACCC-R
BHACCC-R BOC BHC BOC-L BHC-L BOC-R BHC-R BOC-LR BHC-LR	39	FOC FPC-L FPC-L FOC-R FPC-R FOC-LR FPC-LR FOCC FPCC
BOCC BHCC-L BHCC-L BOCC-R BHCC-R BOCC-LR BHCC-LR	40	FOCC-L FPCC-L FPCC-R FPCC-R FPCC-LR FPCC-LR FOCCC FPCCC FPCCC-L FPCCC-L FPCCC-L FPCCC-R
BOCCC BHCCC BOCCC-L BHCCC-L BOCCC-R BHCCC-LR BHCCC-LR BHCCC-LR BH33	41	FOCCC-LR FPCCC-LR FO33 FP33 FO33-L FP33-I
BOCL	16	FO33-R FP33-R FO33-I B
BOX BHX BOXC BHXC	15	FO33-LR FP33-LR FO43 FP43
BPO BPH BRS-23 BRB-26 BRPH BOT BOT-2		FOX2 FOX2C FOP FOPC FPP FPPC FOT
BR BRRC BRHS BRMR	14	FR FRC FRHS
BRS-23 BRB-23 BRS-33 BRPH	45	FRS-23 FRS-33 FRS-43 FRB-23 FRP-IL

Page	Product	Page
46	FRP-IR FRP-OL FRP-OR FRP-TL FRP-TR	53
22	FSB/BR	24
19	FSB/FL FSB/PE FSB/SL FSP/BR FSP/FL FSP/PE	
	FSP/SL FSD/BR FSD/FL FSD/PE FSD/SL	
30		54
	FT FT-L FT-R FT45-I FT45-O FT90-C FT90-I FT90-O FT3	
51	POCL PG PGC	29
47	PLS PLSC PLSS PLSSC	26
48	POAC-L PPAC-L PPAC-R PPAC-R PPACC-L PPACC-L PPACC-R PPACC-R PPACC-L PPACCC-L POACCC-L POACCC-R PPACCC-R	58
	POC PPC POC-L PPC-L POC-R PPC-LR PPC-LR POC-LR POCC PPCC	55
49	POCC-L PPCC-L PPCC-R PPCC-R PPCC-LR PPCC-LR PPCCC PPCCC PPCCC POCCC-L PPCCC-L POCCC-L PPCCC-L PPCCC-R	56
20	POCCC-LR PPCCC-LR PO33 PP33 PO33-L PO33-L PO33-R PP33-R PO33-LR	57
53	PO33-LR PP33-LR POP PPP POPC	28
	PPPC POX	

Product	Page
PPX POXC PPXC POT	28
PR PRRC PRW PRWC	27
PRB-23 PRS-23 PRB-33 PRS-33	60
PT PET PT45 PT90 PT3	61
SA833 833-BK 833-BK 833-ST 833-AL/(FF/LF) SA843 843-BK 843-ST 843-AL/(FF/LF) SP923 923-BK 923-ST 923-CA/(RF/LF) 933-BK 933-BK 933-ST	81
SLS SLSC SLSS SLSSC	30
SOC SPC SAC SMS-BK SMS-ST SMS-OA/(RF/LF) SMS-CA/(RF/LF) SMS-AL SMS-AC	91
SOCC SOCCC SPCC SPCC	62
SOCL SPX SRB-BK SRB-ST SRB-OA/(RF/LF) SRB-AC SRB-SC SRB-SC SRB-CA/(RF/LF)	34
SOG SRG-BK SRG-ST SRG-OA/(RF/LF) SRG-AC SPG SRG-CA/(RF/LF)	35
SO823 823-BK 823-BK 823-ST 823-OA/(RF/LF) 823-AC SO833 833-BK 833-ST 833-OA/(RF/LF) 833-AC SO843 843-BK 843-BK 843-ST 843-OA/(RF/LF)	79

Product	Page
SOP SRP-BK SRP-ST SRP-OA/(RF/LF) SRP-AC SPP SRP-BK SRP-ST SRPCA/(RF/LF) SRP-AC	32
SP823 823-BK 823-ST 823-CA/(RF/LF) 823-AC SP833 833-BK 833-ST 833-CA/(RF/LF) 833-AC SP843 843-BK 843-ST 843-CA/(RF/LF) 843-AC SA823 823-BK 823-ST 823-BK	80
SP943 943-BK 943-ST 943-CA/(RF/LF) SA923 923-BK 923-BK 923-ST 923-AL SA933 933-BK 933-BK 933-ST 933-AL SA943 943-BK 943-BK	82
SPX SRR-BK SRR-SC SRR-CA/(RF/LF)	33
SR SRR-BK SRR-SC SRR-CA/(RF/LF) SRR-AC SRR-FT SRR-SCP SRR-LCP	31
SUFC	92
T723 T733 T743	65
TB-48 TB-60	104
TLS TLSC TLSS TLSSC	36
TPC TPCR TP33 TPCC TP43	63
TPCCC T623 T633 T623CC T643 T623CCC	64

Product	Page
TPCL	38
TSR TSR-RSB TSR-RFR TSR-RHR	37
540 541 542 548 560 578 548W 560W	101
578W 548U 560U 578U 578-G 578W-G 578U-G	102
601	90
613 613-T	78
700 700PC 701 701PC 702 702PC 703 703PC	87
704 704PC 705 705PC 706 706PC 707 707PC	88
712 713 713PC 714 715 715PC	97
716 717 717PC 718 719 719PC	98
748 760	100
1025 1026 1125 1126	95
1301	86
1501	85
1601 1603	86
1701	85
1801	89
2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2011 2012 2013	108

ct	Page	Product	Page
Dep.	38 37	2101L 2101PV 2101G	110
RSB RFR RHR		2101S 2102L 2102PV 2102G	
	101	2102S 2103L 2103PV 2103G 2103S 2104L 2104PV 2104G	
-G G	102	2104S 2105L 2105PV 2105G 2105S 2110L 2110PV 2110G	110
	90	2110G 2110S	
	78	4503 4506 4507	105
	87	4508 4513	
		4516 4517	
		4518	107
		5502 5503 5504	107
	88	5505 5506	
		5507 5510 5511	
		5512 5513	
		5514	
;	97	5515 5516 5517 5520	
		5623 5633 5643	71
	98	5613-T	
; >		5723 5733 5735 5713-T	83
	100	5923 5923WA	74
	95	5933 5933WA 5943 5943WA 5920	
	86	6123 6133	67
	85	6143	
	86	6223 6223WA 6233	69
	85	6233WA 6243	
	89	6243WA 6220	
	108	6248 6260	100
		6423 6433 6443	77
		6503 6506 6507 6508 6509 6510	106

Product	Page
7225 7226	99
7425 7226 7525 7526	94
7502 7602 7602 7602 7603 7603 7603 7603 7603 7605 7606 7606 7606 7606 7607 7607 7607	109
7923 7933 7943	76
7948 7960	103
8000 8010	66
9025 9026 9225 9226	96
34000	89
34023 34033 34043	70

TERMS AND CONDITIONS OF SALE

Our Catalog and Price List are not available to the general public. They are issued to the trade solely for the purpose of inviting purchase from us of these models. Possession of this price list does not constitute authority to purchase. Orders are only accepted by issuance of formal order acknowledgement and are subject to the terms and conditions of sale set forth herein.

TERMS: <u>ALL PRICES LISTED HEREIN ARE DELIVERED PRICING.</u> Net 30 days: Special tax required by law in individual states must be added to indicated prices. All prices are subject to change without prior notice. All custom/nonstandard products are subject to a fifty percent (50%) advance deposit. Net 30 days from invoice.

ACKNOWLEDGEMENTS: All orders will be processed by KI. If there is any discrepancy, please notify KI through your Customer Service representative immediately. All inquiries and correspondence should be directed to:

KI PO Box 8100 Green Bay, WI 54308-8100 Phone: 800.454.9796 Fax orders to: 800.405.2264

Orders will be manufactured and invoiced based upon the information supplied and per terms on each acknowledgement. If a confirming order is sent to KI, the order must be marked "Confirming Order. Original order sent via fax." KI will not be responsible for any duplication of orders caused by unmarked copy, confirming orders or orders sent via fax more than once.

ORDER SCHEDULING: Orders will be scheduled after the following raw materials or information is received:

- All COM's have been received
- · Special finishes have been approved
- Ordering information has been answered

DESIGN SPECIFICATIONS: The products shown in our Catalog and Price List are, and remain, our property and we reserve the exclusive right to manufacture the models shown. All dimensions and weights shown are to be considered approximate. We reserve the right to make changes in the dimensions, style, or specifications of any item shown, if in our opinion, said changes will improve the quality of appearance of the item. We assume no responsibility for overall width of an item unless items or groups are special ordered to fit an exact space. Please note all dimensions shown in this price list are in inches.

NEW ACCOUNTS: New accounts can only be established with:

- Approval of a KI Sales Representative
- A valid purchase order
- A tax certificate
- · Payment or Credit References

CHANGES AND CANCELLATIONS: Orders entered and acknowledged cannot be changed or cancelled without KI's consent. Orders involving special finish, special size, or special upholstery cannot be cancelled. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. COMPLETED ITEMS CANNOT BE CANCELLED.

SPLIT SHIPMENTS: Orders can be split shipped (including COM as it arrives) only with faxed or written authorization.

REVISED ORDERS: Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional upcharge.

SHIPPING: KI reserves the right to use its own or commercial carriers for the best way to ship, at its own discretion. Normal delivery is dock-to-dock. Special requests, such as inside delivery, residential delivery, "call before", etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the cosignee.

TITLE TO MERCHANDISE: Title to merchandise shall pass to the buyer upon delivery by KI to the carrier. For purposes of risk or loss, all shipments are F.O.B. Factory. Buyer acknowledges that once KI delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking any appropriate recourse against the carrier.

FREIGHT TERMS: Freight charges will be prepaid on all shipments unless special arrangements have been made or freight excluded pricing is used. Delivered pricing is based on shipment to the 48 U.S. contiguous states. For shipments destined to other U.S. states, possessions or territories, delivery will be made to a prearranged port.

REDELIVERY OF FREIGHT: When redelivery of merchandise is required because the customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least one week prior to the scheduled ship date, the actual costs for freight, restocking and rehandling, plus 5% of the order value, will be billed to the customer.

CAUTION: After obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damage or shortages.

TRANSIT, LOSS, OR DAMAGES: All items are packed to comply with carrier requirements. All shipments should be carefully inspected by the cosignee before acceptance, and the delivering carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 15 days of delivery. Carrier liability ceases after 15 days. If shipment is not received within 30 days, please contact KI. Neither KI nor carrier will assume obligation for lost or damaged shipment claims after 9 months of shipping date.

SHORTAGE CLAIMS: Shortage claims reported after 10 days beyond shipment date will not be honored.

UNOPENED SHIPMENT DAMAGE CLAIMS: Neither KI nor the carrier will be responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise.

REPAIR AND REPLACEMENT: Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

RETURNS: KI will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a rehandling/restocking charge, the amount of which will be determined after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted.

DAMAGED MATERIALS AND ALL ITEMS SPECIALLY BUILT TO ORDER CANNOT BE RETURNED UNDER ANY CONDITIONS.

LITERATURE REQUESTS: All requests for KI finish samples, fabric samples, and literature should be directed to:

KI Literature Department Phone: 920.468.2175

FINISHES

WOOD FINISHES: The nine KI/AGI standard wood finishes at 40 sheen are as follows:

Barley Bourbon Cherry Storm Cordovan Monticello Maple

Biltmore Cherry Brighton Walnut Cognac Ebony

Since wood is a natural product, some variations in color will occur in the finishing process. We attempt to blend these to lessen variations. This cannot always be done to perfection.

SPECIAL FINISH MATCHES: KI/AGI can match special finish requests at an upcharge of \$55.00 List per item, up to 12, or a maximum extra charge of \$600.00 List per order, per color. Special finish requests must be sent to your KI/AGI Customer Representative. Upon receipt from KI/AGI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval. The approval form accompanying the strike-off should be faxed to your KI/AGI Customer Service Representative. Upon receipt of the signed approval form, KI/AGI will proceed with the order. Disapproved samples may be sent back to KI/AGI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders.

ZIM FINISHES: Zim finishes are only available on the Zimbord Tops used on the Ra^vdo Collection. Zimbord is a special grade of reconstituted wood by-product.

Apollo Wine Stout Terra Absolute

POWDER COAT FINISHES: KI/AGI offers the following powder coats as standard. Consult product information section for each applicable product.

Textured Black (fine textured matte finish)

Silver

Pewter

KI/AGI POWDER COAT MATCH FINISHES: The following KI/AGI finishes are available as standard:

SA – Sand GF

GR – Blue Gray

WG - Warm Gray

BL - Black (Gloss)

All other KI/AGI powder coat finishes are available for an upcharge of \$855.

*Reference KI-32358 Finishes Card for more details about KI/AGI Finishes.

CALIFORNIA CA 117

CALIFORNIA CA 117 FIRE SAFETY CODE: All seating products manufactured by KI will meet or exceed the standards set forth by the California Technical Bulletin 117.

CALIFORNIA TB 133

CALIFORNIA TB 133 FIRE SAFETY CODE: Many seating products can be manufactured to the standards set forth in California Technical Bulletin 133. For products that are available in the California TB 133 version, see individual product sections in the price list under options. No furniture will comply if poly arm caps are selected.

STYLE AND FABRIC AVAILABILITY: Many styles can be manufactured to comply with TB133, depending on the fabric content of a selected upholstery textile. When considering KI, Pallas Fabrics, or C.O.M. for use on a chair that needs to pass California 133, please contact KI Customer Service. When a C.O.M. is selected, a sample of the C.O.M. material attached to its composition description card must be submitted to KI for approval.

*Certain C.O.M. materials may require a sample burn test for certification. A sample product will be built with the C.O.M. material and tested. The cost of testing (\$400.00 Net) must be added to the cost of a test sample including appropriate upcharges to receive certification.

PRICING: TB133 requires special construction procedures, and an upcharge applies to each product ordered as such. List price upcharges can be found in the price list under "Options."

GENERAL INFORMATION: Specifications, test procedures and requirements pertaining to flammability regulations can change. KI will make every effort to keep our information and services pertaining to flame specifications up-to-date. However, we do reserve the right to alter the products, fabrics/leathers, or upcharges associated with any of the above or any other flame specifications.

WARRANTIES

KI Lifetime Warranty

KI warrants all products it manufactures to the original purchaser against defects in materials and craftsmanship which arise during normal usage. This warranty shall extend for the LIFETIME of all products manufactured by KI. On components furnished by KI, but manufactured by others, the written warranty of such other manufacturer, if any, shall be assigned to the initial purchaser by KI. This LIFETIME warranty applies regardless of the number of shifts the KI products are used each day, If a product is defective, KI will, at its option either repair or replace the defective product with a comparable component or product.

This LIFETIME warranty shall not apply to color, grain or texture of wood due to natural variations, and shall not apply in cases of damage in transit, improper maintenace, normal wear and tear, misuse or abuse. A product will not be considered defective, and KI shall not be obligated to repair or replace it, if the product is not installed or used as recommended in KI's written planning, installation or user guides.

EXCEPT AS STATED ABOVE, KI MAKES NO EXPRESS OR IMPLIED WARRANTIES TO ANY PRODUCT, AND IN PARTICULAR MAKES NO WARRANTY OF FITNESS FOR ANY PARTICULAR USE. AT KI'S OPTION, PRODUCT REPAIR, REPLACEMENT OR REFUND OF PURCHASE PRICE IS THE INITIAL PURCHASER'S EXCLUSIVE REMEDY FOR ANY AND ALL PRODUCT DEFECTS. KI shall not be liable for consequential, economic or incidental damages arising from any product defect.

CUSTOMER'S OWN MATERIAL (COM/COL)

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion, If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M. AND C.O.L. SHIPMENTS MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

1. Name and address

- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER.

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRED BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	7" - 13" REPEAT	14" - 21" REPEAT	22" - 27" REPEAT	OVER 27" REPEAT
54"	0	15%	20%	25%	30%	40%
51" - 53"	10%	25%	30%	35%	40%	50%
48" - 50"	15%	30%	35%	40%	45%	55%
45" - 47"	30%	45%	50%	55%	60%	70%
36" - 44"	50%	65%	70%	75%	80%	90%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.

QTY

COM TO BE USED

ON THE FOLLOWING:

COM PRIOR APPROVAL DATA SHEET

ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- · The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:


(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)

YOUR COMPANY NAME/PHONE/FAX NUMBER:

Vertical Repeat: _____ Horizontal Repeat: _____ Fiber Content:

Direction Stripe/Pattern is to be applied: (Check one)

Vertical	☐ Horizontal	☐ Factory Discretion
----------	--------------	----------------------



	_
PRODUCT NAME/NUMBER	

10-DAY QUICK SHIP PROGRAM (QSP)

The KI/AGI 10-DAY QUICK SHIP PROGRAM (QSP) offers a wide selection of styles in Lounge, Executive, Conference, and Club seating in a variety of KI/AGI upholstery, COM, and COL. Solid maple occasional tables are also available in a selection of wood finishes.

Shipment of QSP items is within 10 working days from receipt of order, with approved credit, for items covered with KI/AGI QSP fabrics. COM/COL orders require 10 working days for shipment from receipt of the COM/COL. Information concerning COM/COL can be found in the General Information section of this Price List under the heading titled "Customers Own Material."

ALL QUICK SHIP ORDERS MUST BE LABELED AS SUCH WITH THE LETTERS "QSP" OR "QUICK SHIP" WRITTEN ON THE PURCHASE ORDER. ANY ORDERS FOR ITEMS NOT IDENTIFIED IN THIS MANNER WILL BE HANDLED AS A NORMAL ORDER TO BE SHIPPED IN THE USUAL TIME FRAME.

Check with factory for QSP availability when ordering more than 12 of an item.

The following styles/style numbers are available on Quick Ship:

Lounge Seating	Benches	Office Seating	Office Seating	Tables
		(Guest Chairs)	(Swivel Chairs)	
Cinturon	Hancock	Bantam	Bonn	Devon 6503
lvey		Bruen	Ess	Devon 6506
Jessa		lvey	Mesa	Devon 6509
Mesa		Pomfret		Ra ^v do 7502
Neena		Quatro		Ra ^v do 7503
				Ra ^v do 7505
				Ra ^v do 7608

FABRIC PRICES

All upholstery covers shown in this catalog can be purchased by the yard. All prices are LIST PRICE - F.O.B. Factory, High Point, NC. For fiber contents, see swatch cards. Minimum order for fabric is "1" yard. Minimum order for leather is "1" hide (approx. 50 sq. ft.).

Grade	С	D	Е	F	G	Н	1	J	K	L	М
FABRIC LIST PRICE PER YARD	44	55	61	72	84	99	111	138	183	17 sq.ft./ 222yd.	22 sq.ft./ 297yd.

MISCELLANEOUS OPTIONS

CONTRASTING COVER REQUIREMENTS: There are three options KI/AGI offers for contrasting covers:

- 1. All fabrics KI/AGI in-grade: Price at highest in-grade and waive contrast upcharge;
- 2. One COM fabric, one KI/AGI in-grade: Price at in-grade list and waive contrast upcharge;
- 3. All COM fabric: Price at COM list plus contrasting cover upcharge as required. See specific product for cost. If specific product does not list contrast upcharge, refer to prices below.

The following is a guide for those options not specifically covered in the product information section. When appropriate, the following upcharges apply.

CONTRASTING COVERS: Lounge Chair - Professional Seating - Guest Chair - seat and/or back, \$44.00 list - specify.

Love Seats – Gliders – Recliners – Lounge Sleepers – seat and/or back, \$66.00 list – specify. Sofa – seat and/or back, \$83.00 list – specify.


Flex, Briar, Perth, Eden & Soltice – seat and/or back, \$28.00 list – specify.

Consult customer service for yardage requirements if not covered in the product information section on each product page.


ATTACHING CUSHIONS: Semi-attached uses snap and "D" ring, \$22.00 list per seat and/or back – specify.

Permanently attached, \$22.00 list per seat and/or back - specify.


TABLET TOP OPTIONS




Standard Jessa Tablet



Standard Teacup Tablet



Option 1 Bowfront Tablet - Veneer
Option 2 Bowfront Tablet - Laminate



Option 3 Teardrop Tablet - Veneer
Option 4 Teardrop Tablet - Laminate
Option 5 Teardrop Tablet - Laminate
w/Edge T-Mold

For Option 5 Teardrop, no charge - specify.

For Option 1 Bowfront and Option 3 Teardrop - add \$83 list.

For Option 2 Bowfront and Option 4 Teardrop - add \$50 list.

PRICES

TABLET ARM SPECIFICATIONS

Right-facing (left-handed) tablet is available if specified. Chair will be produced standard unless right-facing specifications are listed on Purchase Order. Wilsonart Black 1595-60 laminate top and black edge T-molding standard. Top available in any standard laminate – please specify. See Color Addendum for selections. Specialty laminates available on a "per quote" basis. Tablet is removable - standard.

OPTIONS FOR STANDARD TABLETS

Standard tablets interchangeable between Jessa and Teacup chairs – specify.

Black tablet connection hole cover – \$39 list. (turned aluminum, textured black powder coat)

Non-removable tablet – specify and add \$17 list each.

OPTIONS FOR STANDARD TABLETS

Option 1 Bowfront or Option 3 Teardrop

Figured birch laminated wood veneer available in all standard KI finishes – specify.


Option 2 Bowfront or Option 4 Teardrop

Wilsonart Black 1595-60 laminate top with black edge T-mold standard. Tops available in any standard laminate – please specify. See page 9 for details. Edge is birch laminated wood veneer available in standard KI finishes – specify.

Option 5 Teardrop

Wilsonart Black 1595-60 laminate top and black edge T-molding standard. Top available in any standard laminate – please specify.

ARTICULATING OPTION



ARTICULATING ARM:

FEATURE

- Mechanism allows 360° range of motion.
- Double swivel action.
- Pivot point increases lateral movement.
- Metal to metal connection.

Available on Standard Jessa Tablet or Option 1 and 2 Bowfront tops only.

BENEFIT

- Allows user to position tablet for maximum comfort.
- · Better adjustability for various body types.
- · Easier egress and ingress of chair.
- Provides strength and reliability.

For Articulating Arm – specify and add \$28 list each.

STANDARD LAMINATES

Special Note: Colors of wood and plastic laminate vary. For critical matches, request two current samples for matching. One sample is for your records, and one is to be submitted with the order through special finishes.

The following is a list of laminates KI/AGI has established as "standards", as well as the KI/AGI finish that is recommended as a compliment:

KI/AGI Finish	Suggested Laminate Match
Barley	Nevamar - Santa Rosa Plum Tree (WZ2001T)
Biltmore Cherry	Wilsonart – Biltmore Cherry (7924-38)
Bourbon	Nevamar – Regency Mahogany (W8352T)
Brighton Walnut	Wilsonart - Brighton Walnut (7922-38)
Cherry Storm	Wilsonart - Wild Cherry (7054-38)
Cognac	Nevamar - Crown Cherry (W8294T)
Cordovan	Nevamar - Crest Mahogany (W8343T)
Ebony	Wilsonart - Black (1595-60)
Monticello Maple	Wilsonart - Monticello Maple (7925-38)

Pallas

KI/AGI and **PALLAS** have joined together to establish this program which makes it easier to use PALLAS textiles on KI/AGI seating. The entire PALLAS fabric line is available via this program. The KI/AGI Textile Ingrade Program enables you to issue only one (1) purchase order for any KI/AGI seating product with any PALLAS fabric pattern.

For information and color swatches, refer to your PALLAS library. FOR FABRIC SAMPLES CALL PALLAS AT 1-800-472-5527.

Fabrics are subject to availability from PALLAS. There may be occasional stocking conditions that affect delivery. PALLAS reserves the right to discontinue patterns or colors from its program. The selection of **PALLAS** textiles as part of the KI/AGI Textile Ingrade Program signifies only that the fabrics can be applied to KI/AGI seating products. This approval does not constitute any warranty, nor any responsibility, on the part of KI/AGI as to appearance, behavior, or durability of the fabric.

ALL FABRICS WILL BE APPLIED AT THE FACTORY'S DISCRETION. UNLESS THE CUSTOMER SPECIFIES OTHERWISE. Unless the pattern dictates differently, all goods will be cut "up the roll" (topped) as opposed to railroaded; stripes are applied vertical.

If for any reason, you chose to order from PALLAS directly and ship to KI/AGI, use the usual KI C.O.M. procedure found on page 6 of this Price List.

Check with KI/AGI for price grade of any pattern not listed.

ALPHABETICAL LISTING OF PALLAS FABRIC NAMES /LEGEND CODES AND KI/AGI PRICE GRADE

Pattern Fabric Name	Legend Codes	KI High Point AGI Grade	Pattern Fabric Name	Legend Codes	KI High Point AGI Grade	Pattern Fabric Name	Legend Codes	KI High Point AGI Grade
Alluvia	Α	K	Latifolia	Α	G	Touchstone	Α	K
Arbor	Α	L	Lunette	Α	I	Transom	Α	J
Astrance	Α	G	Mache	Α	Н	Trio	Α	J
Aurora	Α	1	Madras	A/G	I	Turtle Neck	Α	J
Balustrade	Α	J	Maidenhair	Α	K	Ur	A/G	I
Billows	Α	I	Majolica	Α	I	Urny	A/G	I
Boxseat	Α	G	Malta	Α	Н	Vineyard	Α	J
Busy Bee	Α	J	Marrakesh	A/G	G	Watercourse	Α	I
Casablanca	A/G	J	Masada	Α	F	Whisk	Α	L
Celestine	Α	J	Meadowrue	Α	F	Work Horse	Α	I
Cha Cha	A/G	J	Meteor	Α	Н	Zenith	A/G	F
Chateau	Α	J	Metro	A/G	Н	Zephyr	Α	I
Checkmates	Α	F	Milky Way	A/G	Н			
Chroma	Α	J	Monte Alban	A/G	I	l e	gend	
Chrysanthum	Α	G	Newgrange	Α	Н	A – APPROVED		rad with
Congruence	Α	I	Notations	A/G	Н	expectation, me		
Criss Cross	Α	J	Paseo	A/G	Н	client is being a	dvised that	t this
Crossword	A/G	Н	Ping Pong	A/G	F	fabric could be		
Dapple	A/G	Н	Plateau	Α	I	stiff hand, backe		
Djemal	A/G	Н	Prism	Α	J	or have fibers th		
Delphinium	Α	G	Raku	Α	Н	memory. These tendency to gat		
Eclipse	Α	I	Regalia	A/G	Н	or exhibit fullnes	ss.wrinkles	and
Escalator	Α	I	Ridge	Α	K	puddlinge on va	rious mod	lels.
Etruria	A/G	I	Savannah	Α	J	See foot note "*	1 – Please	e_check
Fresco	Α*	Н	Savoy	A/G	Н	with KI Custome		
Fu Hao	A/G	I	Shorthand	A/G	Н	for detail approve pattern and fabi		
Furrow	Α	J	Spellcheck	A/G	G	pattern and lab	10 001013.	
Graffito	A/G	I	Spray Rose	Α	I	DA - DISAPPR	OVED	
Grasmere	Α	G	Stairway To Hear	ven A/G	I			
Helix	Α	I	Step Ladder	Α	I	G – AVAILABLE		
Holy Cow	Α	Н	Stripe up the Bar	nds A	K	SEATING PRO Consult Custom		
Illusion	Α	J	Sutton Hoo	A/G	G	yardage minimu		
Impasto	A/G	Н	Tangier	A/G	G	cost.		
Jacks	Α	J	Tanis	Α	J			
Jardin Du Luxemb	bourg A	G	Terrazzo	A/G	Н	* – Please chec		
Kwaart	Ã	J	Thunder	Α	I	Customer Servi approvals speci		
Larkspur	Α	G	Tidemark Stripe	A/G	Н	approvats speci	ווט נט ומטוו	U 001013.

KI/AGI INGRADE PROGRAM



Pattern Name	Approval Code	KI/AGI Grade	Pattern Name	Approval Code	KI/AGI Grade	Pattern Name	Approval Code	KI/AGI Grade
Aeriel	RB	D	Kudzu	Α	Е	Vinyl Group 1	DA	Not Available
Cahoots	Α	С	On Cue	RB	С	Vinyl Group 2	Α	E
Esposito	Α	D	Instinct	Α	E	Group 1D	DA	Not Available
Everett	RB	С	Subway	Α	Ε	KI Leathers	Α	M
Everglade	Α	D						

Approval Code Legend: A = Approved / RB: Requires Backing / DA: Disapproved Fabrics that require backing come from supplier with backing added at no upcharge to client.

KI/AGI FABRIC PROGRAM

Quick Ship Program (QSP)

Celina Leather –	Grade L	#3099 Black #3058 Burgundy #3022 Tan #3009 Taupe	Ping Pong –	Grade F	#27.104.021 Bark #27.104.011 Black #27.104.158 Claret #27.104.229 Cornsilk #27.104.127 Navy Blue
Esposito –	Grade D	#001 Allspice #006 Caribbean #009 Lichen #005 Midnight #007 Moss #003 Pansy			#27.104.219 Rattan #27.104.095 Sage #27.104.117 Slate Blue #27.104.075 Stem Green #27.104.209 Topaz #27.104.169 Venetian Red #27.104.137 Violet
Impression – (leather look-a-like)	Grade I	#1209 Black #1207 Bordeaux #1211 Indigo #1210 Saddle	Sutton Hoo –	Grade G	#27.083.056 Bluegrass #27.083.044 Midnight #27.083.071 Moonlight #27.083.099 Morning #27.083.065 Seabed #27.083.033 Twilight

Textile Card 4:

Impression/Classic Impression (leather look-a-like, 100% nylon)

Impression (G	rade I)	Classic Impression (Grad					
Name	Color#	Name	Color#				
Antique Blue Black* Blueberry Bluestone Bordeaux* Camel Cedar Charbrown Cinder Gravel Grey Hershey Indigo* Mushroom Natural Russet Saddle* Spruce	1220 1209 1227 1226 1207 1202 1212 1212 1221 1215 1219 1222 1225 1211 1223 1218 1224 1210 1213	Baltic Black Black Rose Blueberry Butter Chalet Chestnut Claret Dune Evergreen Juniper Khaki Lagoon Mocha Oak Periwinkle Pesca Royal Purple	1288 1294 1278 1276 1282 1284 1274 1293 1272 1291 1292 1283 1290 1286 1281 1287 1289 1285				
Taupe Teal	1205 1214	Storm Truffle Winesap	1279 1275 1280				

^{*}Quick Ship Fabrics

KI/AGI FABRIC PROGRAM (cont.)

Textile Card 5:

Celina Semi-Analine Leather Analina Analine Leather

Celina (Grade	L)	Analina (Grad	Analina (Grade M)						
Name	Color#	Name	Color#						
Black*	3099	Black	6090						
Bone	3004	Bordeaux	6030						
Burgundy*	3058	Eggplant	6060						
Cinnamon	3040	Khaki	6020						
Navy	3073	Latte	6000						
Parchment	3013	Midnight	6070						
Pewter	3087	Mocha	6050						
Spruce	3066	Rainforest	6080						
Tan*	3022	Saddle	6030						
Taupe*	3009	Umber	6010						

^{*}Quick Ship Leathers

MOR-CARE Collection Vinyls:

Pattern Name	Prefix	SKU's
Aspire	AE –	21 – E
Cumulus	CU –	11 – E
Duration	DU –	60 – E
Foliage	FC -	10 – E
Ovation	OV –	13 – E
Tobago	TO –	14 – E
Tradition	TR –	15 – E
Vogue	VO –	15 – E


SLEEPERS LIST PRICES

LEATHER BRIAR BRLS Style COM FABRIC GRADES GRADES **SPECIFICATIONS** COM С D Ε F G Н Κ Ydg. M No. **BLS2** Lounge Sleeper W33 D37.5 H33.5 Seat: W27.5 D20 H18 Arm: H27 Total Depth: 82D Sleep Surface: W27.5 D77 T3.5 (cushions) 0 Weight: 165 lbs. BLS₂ 8 25 2334 2383 2469 2569 2748 2772 2907 3076 3413 3751 4087 4764 BLS2C Lounge Sleeper Replacement Arm Panels, Seat & Back Cushions BRLS2C 7 813 856 928 1014 1072 1186 1301 1444 1730 2017 2303 2876

BLSS Loveseat Sleeper

W61.5 D37.5 H33.5 Seat: W56 D20 H18 Arm: H27 Total Depth: 82D Sleep Surface: LFS, RFS: W27.5 D77 T3.5 (cushions) DS: W56 D77 T3.5 (cushions)

(Loveseat prices shown reflect LFS & RFS only See OPTIONS below for DS pricing)



Weight:

LFS, RFS: 220 lbs.

DS: 255 lbs.

BLSS 13 BLSSC Loveseat Sleeper Rep. Arm Panels, Seat & Back Cushions - LFS & RFS

3674 **BLSSC** 5.5 835

3757 869

3890 4049 4155 925 992 1038

4368 4580

1128

4847 5378 5910 6442 1330 1555

1781 2006 2455

BLSSC Loveseat Sleeper Rep. Arm Panels, Seat & Back Cushions - DS

BLSSC 8.5

1273 1324

1412

1516 1586 1725 1864

1218

2038 2385

2734 3081 3779

7514

PRODUCT INFORMATION

CONSTRUCTION - BLS2/BLSS

Seat and back frame constructed of welded structural steel. Back frame constructed of kiln dried hardwood and laminated plywood. Arms constructed of kiln dried hardwood. Cushions are multiple densities of polyurethane foam. Storage compartments constructed of laminated plywood, black standard.

Storage dimensions: W21.25 D18.5 H9.5

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one vard needs to be added, i.e. this order would require three additional vards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Cognac Barley Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Finish

5. Fire Code 6. Options

BLSS list price for DS is the

LFS or RFS BLSS list price plus \$1065 list upcharge.

OPTIONS

BLS2 - Casters, rear only (LFS with locks) - specify and add \$55 list.

Casters, front (fixed) and rear (locking/swivel) - specify and add \$111 list.

Casters are not available on BLSS loveseat sleeper

TB133 UPCHARGE BLS2

\$315 BLSS/BLSS DS 414 BLS2C/BLSSC 116


MOISTURE BARRIER


BLS2 \$111 BLSS/BLSS DS 249 BLS2C/BLSSC 173

BLS2/BLSS - Pull handle standard in Gloss Black: Sand. Warm Grav. & Blue Grey available - please specify.



LFS (open, left side facing)





If RFS or DS is not specified, unit will be produced LFS.

RECLINER LIST PRICES

BRIAR BRRL	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GI F	RADES G	Н	1	J	K		THER NDES M
BR Recliner															
	W26.75 D33.5 H44 Seat: W20 D20 H19.5 Full Recline: 62D Arm: H24.5														
	Weight: 150 lbs. Frt. Class: 150	BR	4.5	1762	1795	1851	1922	1972	2069	2166	2356	2592	2833	3072	3551
BRRC Recliner Replacement Cover Set															
		BRRC	4.5	377	408	462	529	578	670	761	945	1169	1398	1627	2084
BRHS Recliner Replacement Head Support Covers															
		BRHS	.75	75	78	85	92	96	106	115	133	155	180	199	242
BRMR Recliner Replacement Magazine															
Back Cover		BRMR	.75	75	78	85	92	96	106	115	133	155	180	199	242


RECLINING POSITIONS (non-locking)



Position 1: Seated with feet on floor, foot rest unarmed, seat back in fully upright position (70 degree angle)



Position 2: Foot rest extended, seat back in mid back reclining position (60 degree angle)



Position 3: Foot rest extended, seat back in fully reclined position (30 degree angle)

PRODUCT INFORMATION

CONSTRUCTION

Seat platform constructed of tubular steel and kiln dried hardwood. Back constructed of kiln dried hardwood and laminated plywood. Arms constructed of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Cognac Barley Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish

5. Fire Code

6. Options

0 ITI Art Ma

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional

yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

RECLINER OPTIONAL EQUIPMENT

Articulating table wood veneer – specify finish	\$193
laminated top - see Color Addendum	193
for stardard selections.	
Casters (rear locking) and push bar	149
Casters, fixed – per pair	83
Rear mounted push bar only	83
Lateral head supports (COM required – 1.5 yds. per pair)	138

-	-		
EM		SPEC	IFY (facing)
rticulating	Side Table	Left	Right
agazine/S	torage	Left	Right

I.V. Pole Left Rear Left Front Right Rear Right Front

Note: I.V. Pole front mount ONLY when ordering Lateral Head Supports

Magazine rack (COM required - .5 yd.) \$166 Upholstered arm caps (pair) (COM required – 1.25 yds.) 83 I.V. pole 249 Adjustable pillow headrest (COM required - .75 yd.) 149 Foley catheter attachment 37 Posey restraints (only opening in arms) 83 Black polyurethane arm caps (pair) 77 TB UPCHARGE 254 Not available with poly cap option

MOISTURE BARRIER 111

Note: Casters not meant or warranted for patient transport.

PATIENT CHAIR LIST PRICES

BRIAR BMPC/BRPC		Style	СОМ					FABRIC GF	RADES						THER ADES
DRIAN BIMPC/BRPC	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
BOX Motion Patient Chair (open arm – she BHX Motion Patient Chair (closed arm)	own)														
	W24.5 D29.75 H42.75 Seat: W21 D19.75 H18 Arm: H26.5														
	Weight: 65 lbs.	вох	2	1541	1554	1575	1599	1669	1702	1735	1776	1858	1939	2021	2185
	Frt. Class: 175	BHX	2.75	1588	1603	1629	1660	1680	1720	1761	1813	1915	2018	2119	2324
BOXC Replacement Cover Set BHXC Replacement Cover Set (replacement	ent arm panel below)	BOXC BHXC	2 2	383 383	396 396	415 415	440 440	456 456	490 490	522 522	562 562	645 645	727 727	809 809	971 971
BPO Patient Chair (open arm) BPH Patient Chair (closed arm – shown)															
	W23.5 D27.5 H44 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 65 lbs.	ВРО	2	989	1003	1031	1064	1088	1134	1180	1271	1382	1497	1610	1838
	Frt. Class: 175	BPH	2.75	1099	1118	1153	1192	1222	1277	1333	1444	1582	1720	1860	2138
BRS-23 Replacement Seat Cover – Chair		BRS-23	1	111	116	126	139	148	166	183	218	261	305	348	435
BRB-26 Replacement Back Cover – High	Back Chair	BRB-26	1.33	122	130	145	164	177	201	225	274	333	393	454	575
BRPH Replacement Arm Panel Cover - C	losed Arm	BRPH	.33	59	60	62	65	67	72	76	86	96	108	118	140
BOT Ottoman	W18.5 D20 H17.5-front H12.5-rear														
	Weight: 20 lbs. Frt. Class: 150	вот	1	425	431	442	455	465	483	501	537	581	625	671	761
BOT-2 Ottoman	W18.5 D20 H14.5-front H10.5-rear														
	Weight: 20 lbs. Frt. Class: 150	ВОТ-2	1	425	431	442	455	465	483	501	537	581	625	671	761
PRODUCT INFORMATION															
The motion of models BOX & BHX is achieved with a spring steel system strantilevered off a steel understructure. Arms constructed of kiln dried white hardwood maple. Cushioning of multiple m	ONSTRUCTION – BPO/BPH eat frame constructed of welded structed. Back constructed from formed minated plywood. Arms constructed ied white maple hardwood. Cushior ultiple densities of polyurethane foa acron fiber.	octural Ex fo of kiln Baning of Baning of Baning Baning Baning Baning Baning Baning Baning	PECIFICATION Exposed wood a Illowing finishe arley illtmore Cherry ourbon righton Walnut herry Storm	available ir s: Cognac Cordov Ebony	the	Specify: 1. Quan 2. Mode 3. Upho COM 4. Finish 5. Fire C	tity I Number Istery/KI gra with descri I Code	ade or	BOX BHX BPO BPH BOT	B UPCHAR	GE ith poly ca	\$133 177 133 177 55 p option	MOIST BOX BHX BPO BPH BOT	URE BAR	RIER \$83 83 83 83 83 39
COM REQUIREMENTS		SI	pecify finish wl	nen orderir	ng.	6. Optio	ns		OPTIO	NAL EQUI	PMENT				
COM yardage requirements listed above are bas patterns), additional yardage will be needed. Co i.e. 20, 20, and 10, we lose yield. For each roll the be added to one of the rolls, not sent separately.	nsult COM matrix on page 6 for add nat is sent, one yard needs to be ad	litional yarda ded, i.e. this	ge needed. W order would re	hen an ord	ler for 50 ya	ırds arrives	in separate	rolls	Polyure (Not av	tered arm of thane (blk ailable on ed chairs)	.) arm cap		er arm er arm		

BARIATRIC LIST PRICES

LEATHER **BRIAR** BRBS COM GRADES Style FABRIC GRADES **SPECIFICATIONS** COM С D Ε F G Н No. Ydg. Κ L М **BOCL** Briar Bariatric Chair W33.5 D24 H35 Seat: W30 D18 H19.25 Arm: H26.25 1313 Weight: 65 lbs. BOCL 2.5 1245 1266 1287 1340 1382 1414 1466 1530 1656 1757 1952

PRODUCT INFORMATION

CONSTRUCTION - BOCL

Seat frame constructed of welded structural steel. Backs constructed from formed laminated plywood. Cushioning for seats and backs are multiple densities of polyurethane foam wrapped with 1" high resilient polyurethane foam. Exposed wood for Briar is hardwood. Field recoverable seats and backs.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional vards: and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood parts for Briar available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Monticello Maple Brighton Walnut Cherry Storm Specify finish when ordering.

ORDERING INFORMATION

Specify: Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish 5. Fire Code 6. Options

BARIATRIC UNITS ARE CYCLE TESTED TO EXCEED ANSI/BIFMA STANDARDS TO SAFELY ACCOMODATE A PERSON WEIGHING UP TO 750 POUNDS.

OPTIONS *TB133 UPCHARGE BOCL \$188 *Not available with poly cap option MOISTURE BARRIER **BOCL** \$132 Contrasting cover seat or back see applicable upcharges on page 7. BRIAR

Upholstered arm cap Black polyurethane arm cap (not avilable on TB133 aproved chairs)

\$22 per arm 39 per arm

EDEN EDCH		Style	СОМ						FABRIC GRA	ADES					LEAT GRA	HER DES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	E	F	G	Н	I	J	K	L	М
B-2 Armless Chair																
	W23 D32 H29 Seat: W23 D21.5 H17															
	Weight: 56 lbs. Frt. Class: 175	B-2	2.5	661	761	677	708	744	770	820	869	968	1092	1214	1339	1587
B-221 Chair w/Left Arm																
	W26 D32 H29 Seat: W23 D21.5 H17 Arm: H24															
	Weight: 66 lbs. Frt. Class: 175	B-221	3.25	801	922	822	860	907	940	1003	1066	1193	1348	1505	1662	1977
B-222 Chair w/Right Arm																
	W26 D32 H29 Seat: W23 D21.5 H17 Arm: H24															
	Weight: 66 lbs. Frt. Class: 175	B-222	3.25	801	922	822	860	907	940	1003	1066	1193	1348	1505	1662	1977
B-3 Table w/Laminate Top																
	W23 D32 H17															
	Weight: 41 lbs. Frt. Class: 175	B-3	1.5	547	630	558	576	598	613	643	673	730	802	876	948	1094
B-4 Corner Table w/Laminate Top																
	W46 D32 H17															
	Weight: 77 lbs. Frt. Class: 175	B-4	2.25	768	884	783	810	843	867	913	958	1049	1160	1273	1386	1612

18 LIST PRICES

EDEN EDCH		Style	СОМ						FABRIC G	RADES						THER DES
EDEM EDCH	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	E	F	G	Н	I	J	K	L	М
B-6 Outside Wedge																
	W31 D32 H29 Seat: W31-19 D21.5 H17															
	Weight: 60 lbs. Frt. Class: 175	B-6	3	768	884	786	820	860	890	945	1000	1109	1248	1385	1523	1799
B-7 Inside Wedge																
	W31 D32 H29 Seat: W19-31 D21.5 H17															
	Weight: 60 lbs. Frt. Class: 175	B-7	3	768	884	786	820	860	890	945	1000	1109	1248	1385	1523	1799
B-8 Center Arm Specify location (facing)																
Cpoony location (lacing)	W3 D18 H7.5															
	Weight: 10 lbs. Frt. Class: 175	B-8	.5	150	172	154	160	168	176	187	199	211	235	260	283	330
Wedge Diagram The diagram on t and outside wedge	he right shows the use of the inges of Eden.	nside			221/2"				Overl — 31 — •	nead View			<u>\</u> 2	221/2"		
					B-6	ZX		91/2" —	- 19 -	31	19 -	91/2"		B-7		A
					\ \ \ \ \ \ \ ——14 fe	et		Outs	ide wedge den B-6	Inside	wedge n B-7	<u> </u>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		

PRODUCT INFORMATION

CONSTRUCTION

Frame of laminated plywood and kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Black recessed wood base.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Fire Code
- 5. Options
- 6. Submit Floor Plan

OPTIONS

Overhead View Outside Wedge

Ganging device available on request. Add \$11.00 to list price per chair unit. Ganging device is 11 gauge steel powder coated black. 33/8" wide x 6/8" deep x 1/16" thick. Ganging device attaches to the front and rear glide on each side of each unit.

TB133 UPCHARGE

B-2 Armless Chair	\$155
B-221 Chair w/Left Arm	122
B-222 Chair w/Right Arm	122
B-3 Table	99
B-4 Corner Table	138
B-6 Outside Wedge	182
B-7 Inside Wedge	182
B-8 Center Arm	39

Table tops for B-3 and B-4, standard in Wilsonart Black 1595-60 laminate. Available in any standard laminate – see Color Addendum for details and specify,

Overhead View Inside Wedge


FLEX FLLS		Style	СОМ					FABRIC GRA	ADES		1			LEAT GRA	
	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	1	J	K	L	М
FLS2 Lounge Sleeper	W33 D37.5 H33.5 Seat: W27.5 D20 H18 Arm: H28 Total Depth: 82D Sleep Surface: W27.5 D7	77 T3.5 (cush	nions)												
	Weight: 155 lbs.	FLS2	8.5	2334	2383	2469	2569	2748	2772	2907	3076	3413	3751	4087	4764
FLS2C Lounge Sleeper Replacement Arm Pane	ls, Seat & Back Cushions	FLS2C	7.25	962	1007	1081	1170	1230	1348	1466	1616	1912	2209	2505	3098

FLSS Loveseat Sleeper

W61 D37.5 H33.5 Seat: W56 D20 H18 Arm: H28 Total Depth: 82D Sleep Surface:

LFS, RFS: W27.5 D77 T3.5 (cushions)

DS: W56 D77 T3.5 (cushions)



Weight: LFS: 220 lbs.

RFS: 220 lbs. DS: 255 lbs.

FLSS 13.5 3865 3945

See OPTIONS below for DS pricing)

4238

4077

FLSSC Loveseat Sleeper Rep. Arm Panels, Seat & Back Cushions - LFS & RFS	FLSSC	6.25	962	1007	1081	1170	1230	1348	1466	1616	1912	2209	2505	3098
FLSSC Loveseat Sleeper Rep. Arm Panels, Seat & Back Cushions - DS	FLSSC	9.25	1350	1408	1503	1613	1691	1845	1993	2177	2564	2939	3315	4077

PRODUCT INFORMATION

CONSTRUCTION - FLS2/FLSS

Seat and back frame constructed of welded structural steel. Back frame constructed of kiln dried hardwood and laminated plywood. Arms constructed of kiln dried hardwood. Cushions are multiple densities of polyurethane foam. Storage compartments constructed of laminated plywood, black standard.

Storage dimensions: W21.25 D18.5 H9.5

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional vardage needed. When an order for 50 yards arrives in separate rolls i.e. 20. 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls. not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley

Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or

COM with description 4. Finish

5. Fire Code

6. Options

LFS RFS DS (open, left (open, right (open.both side facing) side facing) sides facing)

If RFS or DS is not specified, unit will be produced LFS.

OPTIONS

FLSS list price for DS is the Standard or RFS FLSS list price plus \$1065 list upcharge.

4343

(Loveseat prices shown reflect LFS & RFS only

4558

4769

5035

FLS2 - Casters, rear only (standard with locks) - specify and add \$55 list. Casters, front (fixed) and rear (locking/swivel) - specify and add \$111 list.

Casters are not available on FLSS loveseat sleeper

FLS2 FLSS/FLSS DS FLS2C/FLSSC

TB133 UPCHARGE

5567

6100

6630 7702

\$315

414

116

MOISTURE BARRIER FLS2 \$111 FLSS/FLSS DS 249 FLS2C/FLSSC 173

FLS2/FLSS - Pull handle standard in Gloss Black; Sand, Warm Gray, & Blue Grey available - please specify.

Upholstered arm caps (pair) COM requirement: 1 vd., specify & add \$111 plus fabric.

20 RECLINER LIST PRICES

FLEX FLRL	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GI	RADES G	н	I	J	K		THER ADES M
FR Recliner															
	W26.25 D33.5 H45 Seat: W21.5 D20 H19.5 Full Recline: 62D Arm: H24.5 Weight: 150 lbs. Frt. Class: 150	FR	6.25	1762	1800	1869	1953	2012	2127	2241	2470	2749	3035	3321	3890
FRC Recliner Replacement Cover Set															
		FRC	6.75	463	499	564	644	702	811	920	1138	1407	1677	1950	2495
FRHS Replacement Head Support Cover			·	·	·	·		·	·		·	·	·	·	
		FRHS	.75	75	78	85	92	96	106	115	133	155	180	144	242


RECLINING POSITIONS (non-locking)



Position 1: Seated with feet on floor, foot rest unarmed, seat back in fully upright position (70 degree angle)



Position 2: Foot rest extended, seat back in mid back reclining position (60 degree angle)



Position 3: Foot rest extended, seat back in fully reclined position (30 degree angle)

PRODUCT INFORMATION

CONSTRUCTION

Seat platform constructed of tubular steel and kiln dried hardwood. Back constructed of kiln dried hardwood and laminated plywood. Arms constructed of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish

5. Fire Code

6. Options



RECLINER OPTIONAL EQUIPMENT

Articulating table wood veneer – specify finish (12" x 16")	\$193
Laminated top – see Color Addendum for standard selections	193
Casters (rear locking) and push bar	149
Casters, fixed – per pair	83
Rear mounted push bar only	83
Lateral head supports (COM required – 1.5 yds. per pair)	138
Magazine rack (COM required – .5 yd.)	166
Upholstered arm caps (pair) (COM required – 1.25 yds.)	83
I.V. pole	249
Adjustable pillow headrest (COM required – .75 yd.)	149
Foley catheter attachment	37

TB UPCHARGE

MOISTURE BARRIER \$111

\$254

OPTION ATTACHMENT LOCATION GUIDE

ITEM SPECIFY (facing) Articulating side table Right Left Magazine/storage Left Right

I.V. pole Left Rear Left Front Right Rear Right Front

Note: I.V. pole front mount ONLY when ordering lateral head supports.


Note: Casters not meant or warranted for patient transport.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional vardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown. PATIENT CHAIRS LIST PRICES

TATILITY OF MILE														.0	
FLEX FMPC	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GI F	rades G	Н	I	J	K		ATHER ADES M
FOX2 Motion Patient Chair (open arm)															
	W24.5 D29.75 H42.75 Seat: W21 D19.75 H18 Arm: H24														
	Weight: 65 lbs.	FOX2	3.25	1645	1661	1766	1797	1818	1859	1899	2008	2111	2212	2315	2519
FOX2C Replacement Cover Set		FOX2C	3.25	368	383	409	440	461	502	543	593	696	798	901	1104
FOP Patient Chair (open arm) - FLPC															
	W23.5 D30.5 H41.5 Seat: W20 D19 H18 Arm: H24														
	Weight: 65 lbs.	FOP	3.25	1210	1223	1243	1267	1327	1359	1391	1433	1515	1597	1678	1842
FOPC Replacement Cover Set		FOPC	3.25	332	346	368	397	415	454	492	553	646	744	835	1024
FPP Patient Chair (closed arm) - FLPC															
	W23.5 D30.5 H41.5 Seat: W20 D19 H18 Arm: H24														
\square \square \square \square	Weight: 65 lbs.	FPP	3.75	1319	1338	1368	1406	1473	1523	1572	1633	1756	1879	2002	2248
FPPC Replacement Cover Set		FPPC	3.75	495	516	549	591	619	677	733	829	967	1115	1244	1522
FOT Ottoman															
	W18.5 D20 H17.5-front H12.5-rear														
U U U U	Weight: 20 lbs.	FOT	1	427	432	443	456	466	484	502	538	582	627	673	762
PRODUCT INFORMATION															
CONSTRUCTION The motion of the FOX2 is achieved with a spring steel system cantilevered off of a steel understructure. Arms are constructed of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.	COM REQUIREME COM yardage requi on plain goods 54" fabrics requiring ma patterns), additional COM matrix on pag When an order for 8	le or rints, large . Consult e needed. ate rolls	Expose followir Barley Biltmor Bourbo	ed wood avang finishes: re Cherry on on Walnut	S / FINISHE ailable in th Cognac Cordovan Ebony Monticello	e	Specify: 1. Quant 2. Model 3. Uphol	Number stery/KI gra with descrip	de or	FOX FOF FPF FOT	ARGE ARRIER	\$166 166 188 55			
	i.e. 20, 20, and 10, sent, one yard neec require three additic added to one of the sq. ft. of leather (CC	ds to be added onal yards; and rolls, not sen	d, i.e. this o nd it would r it separatel	rder would need to be y. Figure 18	,	finish whe	n ordering.		6. Optior			FOT	(2, FOP, FI		\$83 39 \$83

LIST PRICES



PRODUCT INFORMATION

CONSTRUCTION - FOCL

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. Cushioning for seat and back are multiple densities of polyurethane foam wrapped with 1" high resilient polyurethane foam. Exposed wood for Flex is hardwood. Both models have field recoverable seats and backs.

CONSTRUCTION - FG

Seat frame constructed of welded structural steel. Back kiln dried hardwood. Exposed wood of kiln dried hardwood. The glide motion is suspended on 8 ball bearings. Cushioning of multiple densitiesof polyurethane foam and dacron fiber.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood parts for Briar available in the following finishes:
Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut Cherry Storm

Specify finish when ordering.

BARIATRIC UNITS ARE CYCLE TESTED TO EXCEED ANSI/BIFMA STANDARDS TO SAFELY ACCOMODATE A PERSON WEIGHING UP TO 750 POUNDS.

ORDERING INFORMATION

Quantity
 Model Number

Upholstery/KI grade or COM with description

4. Finish5. Fire Code

Specify:

6. Options

OPTIONS

*TB133 UPCHARGE
FOCL \$179
FG 193
*Not available with poly cap option

MOISTURE BARRIER

FOCL \$118 FG 83

Contrasting cover seat or back – see applicable upcharges on page 7.

FOCL – Upholstered arm cap \$39 per arm FG – Upholstered arm cap 83 per arm

DAY BED LIST PRICES

		0	2014					510015 501	D.F.C					LEAT	HER DES
LARESTA LRSTA	SPECIFICATIONS	Style No.	COM Ydg.	COM	С	D	Е	FABRIC GRA	G	Н	1	J	K	L	M
Built-In Basic															
Z,	W79.375 D30.75 H34 Seat: W75.5 D22 H18.25 Weight: 220 lbs.	s BIB	8.5	3255	3506	3572	3652	3706	3812	3918	4050	4315	4581	4847	537
Built-In, Front Panel															
	W79.375 D30.75 H34 Seat: W75.5 D22 H18.25 Weight: 230 lbs.	BIP	8.5	3325	3576	3642	3722	3776	3882	3988	4120	4385	4651	4917	544
Built-In, Drawers															
	W79.375 D30.75 H34 Seat: W75.5 D22 H18.25 Weight: 250 lbs.	s BID	8.5	3655	3906	3972	4052	4106	4212	4318	4450	4715	4981	5247	5778
PRODUCT INFORMATION CONSTRUCTION – LRSTA (Built-In) Frame constructed of kiln dried lumber, laminated hardwood plywood, and 14 gauge steel. Tight seats and backs are wrapped with multiple densities of polyurethane foam.	COM REQUIREMENTS COM yardage requirements liste are based on plain goods 54" with than 54" wide or fabrics requiring (stripes, plaids, prints, large pattradditional yardage will be neede COM matrix on page 6 for additional yardage needed. When an order yards arrives in separate rolls i.e and 10, we lose yield. For each in sent, one yard needs to be addeded order would require three additions.	de. If less g matching erns), d. Consult onal r for 50 e. 20, 20, roll that is ed, i.e. this	Expose availab Barley Biltmor Bourbo Brighto Cherry	e Cherry n n Walnut	ts for LaRes owing finish Cognac Cordovan Ebony Monticello I	es:	Specify: 1. Quantit 2. Model I 3. Upholsi COM w 4. Finish/I 5. Fire Co 6. Options	Number tery/KI grade ith description aminate de	e or on		S PCHARGE RE BARRIER		\$500 List \$300 List		
	and it would need to be added to the rolls, not sent separately. Fig ft. of leather (COL) for each yard	o one of jure 18 sq.					Black (tex & Silver n	oat for Hand tured), Black ot available. Ipcharge pe	k (gloss), Bl) Other KI p						

DAY BED LIST PRICES

LARESTA LRSTA		Style	СОМ					FABRIC GI	RADES						THER ADES
LAITESTA INSIN	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	I	J	K	L	М
Freestanding, Basic															
	BR = W81.125 D33.5 H34 FL = W81.25 D33.25 H34 PE = W80.625 D31 H34 SL = W82.125 D31 H34 Seat: W75.5 D22 H18.25		10.5 10.5 10.5	3945 3980 3385	4255 4290 3695	4336 4371 3776	4436 4471 3876	4502 4537 3942	4633 4668 4073	4764 4799 4204	4927 4962 4367	5255 5290 4695	5583 5618 5023	5911 5946 5351	6567 6602 6007
	Weight: 235 lbs.	FSB/SL	10.5	3450	3760	3841	3941	4007	4138	4269	4432	4760	5088	5416	6072
Freestanding, Front Panel															
	BR = W81.125 D33.5 H34 FL = W81.25 D33.25 H34 PE = W80.625 D31 H34 SL = W82.125 D31 H34 Seat: W75.5 D22 H18.25 Weight: 245 lbs.		10.5 10.5 10.5 10.5	4100 4140 3520 3650	4410 4450 3830 3960	4491 4531 3911 4041	4591 4631 4011 4141	4657 4697 4077 4207	4788 4828 4208 4338	4919 4959 4339 4469	5082 5122 4502 4632	5410 5450 4830 4960	5738 5778 5158 5288	6066 6106 5486 5616	6722 6762 6142 6272
Freestanding, Drawers															
	BR = W81.125 D33.5 H34 FL = W81.25 D33.25 H34 PE = W80.625 D31 H34 SL = W82.125 D31 H34 Seat: W75.5 D22 H18.25 Weight: 260 lbs.		10.5 10.5 10.5 10.5	4510 4555 3870 3950	4820 4865 4180 4260	4901 4946 4261 4341	5001 5046 4361 4441	5067 5112 4427 4507	5198 5243 4558 4638	5329 5374 4689 4769	5492 5537 4852 4932	5820 5865 5180 5260	6148 6193 5508 5588	6476 6521 5836 5916	7132 7177 6492 6572

PRODUCT INFORMATION

CONSTRUCTION - LRSTA (Freestanding)

Frame constructed of kiln dried lumber, laminated hardwood plywood, and 14 gauge steel. Tight seats and backs are wrapped with multiple densities of polyurethane foam. Exposed wood components are constructed from solid hardwood, and finished with a conversion varnish.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood parts for LaResta available in the following finishes:
Barley Cognac
Biltmore Cherry
Bourbon Ebony
Brighton Walnut
Cherry Storm

Specify finish when ordering.

Arm Style
BR = Briar
FL = Flex
PE = Perth
SL = Soltice

ORDERING INFORMATION

Specify:

- Quantity
- 2. Model Number/Arm Style
- 3. Upholstery/KI grade or COM with description
- 4. Finish/Laminate
- Fire Code
- 6. Options

Available in leather as a special.

Powder Coat for Handle

Black (textured), Black (gloss), Blue Grey, Sand, Warm Grey (Pewter & Silver not available.) Other KI powder coat colors are available at an \$855 list upcharge per order.

OPTIONS

TB133 UPCHARGE

\$500 List

MOISTURE BARRIER

\$300 List

Caster upcharge for Front Swivel and Rear Locking \$111 list.

DAY BED LIST PRICES

טאו טבט															.LJ
LARESTA LESTA	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GRA	ides G	Н	ı	J	К	LEAT GRA L	
Modern, No Storage															
	W87.25 D31 H34 Seat: W75.5 D22 H18.25		10.5	0040	0000	0704	0004	0007	0000	44.00	4000	4000	40.40	5070	5000
Madara Staraga One Side	Weight: 255 lbs.	FNS	10.5	3310	3620	3701	3801	3867	3998	4129	4292	4620	4948	5276	5932
Modern, Storage One Side															
	W97.75 D31 H34 Seat: W75.5 D22 H18.25														
	Weight: 290 lbs.	FS1	11	3560	3885	3970	4074	4143	4281	4418	4589	4932	5276	5620	6307
Modern, Storage Both Sides															
	W108.25 D31 H34 Seat: W75.5 D22 H18.25														
	Weight: 325 lbs.	FSS	11	3580	3905	3990	4094	4163	4301	4438	4609	4952	5296	5640	6327
PRODUCT INFORMATION															
CONSTRUCTION – LRSTA (Modern)	COM REQUIREMENTS		SPECIFI	CATIONS / FII	NISHES		ORDERING	INFORMATIO	ON	OPTIONS	5				
Frame constructed of kiln dried lumber, laminated hardwood plywood, and 14 gauge	COM yardage requirements liste are based on plain goods 54" wid			ed wood par le in the follo			Specify: 1. Quantit	у		TB133 U	PCHARGE	;	\$500 List		
steel. Tight seats and backs are wrapped with multiple densities of polyurethane foam. Laminate must be selected; see the Color Addendum for selections.	than 54" wide or fabrics requiring (stripes, plaids, prints, large patte additional yardage will be needer COM matrix on page 6 for additio yardage needed. When an order yards arrives in separate rolls i.e and 10, we lose yield. For each r	g matching erns), d. Consult onal for 50 . 20, 20, roll that is	Bourbo Brighto Cherry Specify	re Cherry on on Walnut Storm r finish wher	ū			tery/KI grade rith descriptio _aminate de e Barrier		MOISTUF	RE BARRIER	;	\$300 List		
	sent, one yard needs to be addeded order would require three addition	nal yards;		side for stor facing which				in leather as	•						
	and it would need to be added to the rolls, not sent separately. Fig ft. of leather (COL) for each yard	ure 18 sq.					Black (tex & Silver n	oat for Hand tured), Black ot available. upcharge pe	k (gloss), B) Other KI բ						

SI FEPERS LIST PRICES


PERTH PRLS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GRA	DES G	Н	I	J	K	LEATI GRAI L	
PLS Lounge Sleeper	W31.5 D37.5 H33.5 Seat: W27.5 D20 H18 Arm: H26														
	Total Depth: 82D Sleep Surface: W27.5 D	977 T3.5 (cush	ions)												
	Weight: 155 lbs.	PLS	8.25	2252	2293	2358	2437	2490	2595	2700	2831	3094	3357	3620	4146
PLSC Lounge Sleeper Replacement Seat	& Back Cushions	PLSC	3	547	575	630	691	740	823	906	1077	1287	1503	1713	2144
DI CC L avascat Slagner	W60 F D07 F 1100 F														

PLSS Loveseat Sleeper

W60.5 D37.5 H33.5 Seat: W56 D20 H18 Arm: H26 Total Depth: 82D Sleep Surface:

Weight: LFS: 210 lbs.

LFS, RFS: W27.5 D77 T3.5 (cushions) DS: W56 D77 T3.5 (cushions)



(Loveseat prices shown reflect LFS & RFS only See OPTIONS below for DS pricing)

RFS: 210 lbs. DS: 255 lbs.	PLSS	13	3558	3639	3771	3930	4038	4250	4463	4728	5261	5792	6325	7610
PLSSC Loveseat Sleeper Replacement Seat & Back Cushions - LFS & RFS.	PLSSC	3	608	624	656	693	718	767	815	877	1000	1122	1245	1492
PLSSC Loveseat Sleeper Replacement Seat & Back Cushions - DS	PLSSC	6	1216	1249	1313	1386	1437	1534	1631	1755	2000	2243	2491	2984

PRODUCT INFORMATION

CONSTRUCTION - PLS/PLSS

Seat and back frame constructed of welded structural steel. Arms constructed from kiln dried hardwood. Arms are not field replaceable. Cushions constructed of multiple densities of polyurethane foam. Storage boxes constructed of laminated plywood, black standard.

Storage dimensions: W21.25 D18.5 H9.5.

COM REQUIREMENTS

COM vardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional vardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Cognac Barley Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

LFS


(open, left

side facing)

ORDERING INFORMATION

Specify: 1. Quantity

- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- Finish
- 5. Fire Code
- 6. Options



If RFS or DS is not specified, unit will be produced LFS.

OPTIONS

PLSS list price for DS is the LFS or RFS PLSS list price plus \$1065 list upcharge.

PLS - Casters, rear only (standard with locks) - specify and add \$55 list. Casters, front (fixed) and rear (locking/swivel) - specify and add \$111 list.

Casters are not available on PLSS loveseat sleeper

TB133 UPCHARGE PLS \$315 PLSS/PLSS DS 414 PLSC/PLSSC 116 MOISTURE BARRIER PLS \$111 PLSS/PLSS DS 249 PLSC/PLSSC 149

PLS/PLSS - Pull handle standard in Gloss Black; Sand, Warm Gray, & Blue Grey available - please specify.

Upholstered arm caps (pair) COM requirement: 1 yd. - specify & add \$111 plus fabric.

RECLINER LIST PRICES

PERTH PRRL	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC G	GRADES	Н	I	J	K	LEAT GRA L	THER NDES M
PR Recliner															
	W28.75 D36 H44 Seat: W24.5 D20.75 H19 Arm: H25.5 Full Recline: D67.25 Trendelenberg (option) 69.25														
	Weight: 150 lbs.	PR	6	2072	2111	2171	2244	2294	2392	2490	2613	2859	3104	3349	3841
PRRC Recliner Replacement Cover Set		PRRC	3.5	391	413	449	492	520	578	635	706	850	993	1136	1422
PRW Recliner - Wall Saver															
	W35.5 D34 H41 Seat: W23.5 D20.5 H19 Arm: H25.5 Full Recline: D63 Weight: 150 lbs.	PRW	5.25	1873	1906	1959	2024	2066	2153	2239	2346	2561	2776	2989	3421
PRWC Recliner Wall Saver Replacemen	t Cover Set	PRWC	3.5	375	396	431	474	503	560	618	690	832	976	1119	1406

RECLINING POSITIONS




Position 1: (PR and PRW) Seated with feet on floor, foot rest unarmed, seat back in fully upright position (70 degree angle)



Position 2: (PR and PRW) Foot rest extended, seat back in mid back reclining position (60 degree angle)



Position 3: (PR and PRW) Foot rest extended, seat back in mid back reclining position (30 degree angle)



Position 4: (PR ONLY) w/Trendelenberg option-Foot rest fully extended, seat back in fully reclined position (20 degree angle)

PRODUCT INFORMATION

CONSTRUCTION

Seat platform constructed of tubular steel and kiln dried hardwood. Back constructed of kiln dried hardwood and laminated plywood. Upholstery on arms is not field replaceable. Cushioning of multiple densities of polyurethane foam. PR-casters front, locking rear with push bar are standard.

COM REQUIREMENTS

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barlev Cognac Biltmore Cherry Cordovan Bourbon Ebony **Brighton Walnut** Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:

1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish - Arm

5. Fire Code

6. Options

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.





OPTIONS

TB133 UPCHARGE - PR/PRW \$254 MOISTURE BARRIER - PR/PRW 111

PR ONLY OPTIONS

Articulating table wood veneer – specify finish (14" x 18") \$193 Laminated top - specify color, see Color Addendum for standard selections. 193 Legs (removes casters & push bar) 55 Posey restraints (only opening in arm) 83 Trendelenberg 138 Magazine rack (COM required - .5 yd.) 166 Upholstered arm caps (pair) (COM required – 1 yd.) 111 I.V. pole 249 Adjustable pillow headrest (COM required - .75 yd.) 149 Foley catheter attachment 37

OPTION ATTACHMENT LOCATION GUIDE FOR PR ONLY

SPECIFY (facing) ITEM Articulating side table Left Right Magazine/storage Right Left I.V. pole Left Front Right Rear Right Front Left Rear

PRW ONLY OPTIONS

Foley catheter attachment \$ 37 *Casters & push bar 276 (casters mounted to mechanism) Upholstered arm caps (pair) 111 (COM required 1 vd.) (not field replaceable)

*Note: Casters not meant for patient transport

PATIENT CHAIRS LIST PRICES

PERTH PRPC	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GR	ADES G	Н	I	J	K		THER ADES M
POP Patient Chair (open arm - shown) PPP Patient Chair (closed arm)															
	W23.5 D27.25 H42.5 Seat: W20.5 D19.5 H19.5 Arm: H26 Weight: 65 lbs. Frt. Class: 175	POP PPP	2.25 3.75	945 1064	960 1090	983 1130	1012 1181	1062 1251	1102 1318	1140 1387	1189 1472	1327 1694	1428 1870	1529 2044	1732 2396
POPC Replacement Back and Seat Cover PPPC Replacement Back and Seat Cover		POPC PPPC	2.25 2.25	503 503	536 536	558 558	586 586	613 613	646 646	680 680	713 713	746 746	775 775	823 823	867 867
POX Motion Patient Chair (open arm) PPX Motion Patient Chair (closed arm - she	own)														
	W24.75 D29 H43.5 Seat: W20.75 D18.5 H18.75 Arm: H24 Weight: 65 lbs. Frt. Class: 175	POX PPX	2.5 4	1420 1611	1435 1633	1463 1673	1490 1720	1571 1828	1613 1870	1654 1958	1706 2040	1860 2269	1966 2437	2072 2604	2284 2940
POXC Replacement Cover Set PPXC Replacement Cover Set		POXC PPXC	2.25 2.25	503 503	536 536	558 558	586 586	613 613	646 646	680 680	713 713	746 746	775 775	823 823	
POT Ottoman															
	W19.25 D21.25 H13.25 Weight: 20 lbs. Frt. Class: 150	РОТ	1	434	441	452	464	475	493	512	548	594	639	685	777
PRODUCT INFORMATION CONSTRUCTION Models POP & PPP fixed backs are formed of claminated wood veneer. The motion of models PPX is achieved with a spring steel system can' off a steel understructure. All models use arms of from kiln dried hardwood. Arms are field replace closed arm models require normal upholstery strecover. Cushioning of multiple densities of polyfoam and dacron fiber. COM REQUIREMENTS	SPECIFICATION Tross- POX & Exposed wood following finish Barley constructed Biltmore Cherr stable but Bourbon kills to Brighton Walne	available in es: Cognac y Cordova Ebony ut Monticel	n Io Maple	Specify: 1. Quant 2. Model 3. Uphol	Number stery/KI gra with descrip	ide or	Bla arm No t	Ρ X X	\$5 on TB133	\$138 193 138 193 55	chairs	MOISTU POP PPP POX PPX POT	IRE BARRI	ER	\$55 83 55 83 39

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown. DADIATOIO

BARIATRIC													L	IST PF	RICES
PERTH PRBS		Style	СОМ					FABRIC G							THER ADES
	SPECIFICATIONS	No.	Ydg.	СОМ	С	D	E	F	G	Н	1	J	K	L	M
POCL Perth Bariatric Chair															
	W32.75 D25.5 H34 Seat: W29.75 D19.75 H19.75 Arm: H25.5														
	Weight: 65 lbs.	POCL	3.25	1319	1340	1377	1408	1435	1482	1535	1604	1725	1857	1978	2231

GLIDER LIST PRICES

PERTH PRGL		Style	СОМ					FABRIC G	RADES						THER ADES
L PILLILL WAS	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	1	J	K	L	М
PG Glider															
	W24.25 D26.5 H41.5														



Seat: W21.25 D20 H19

Arm: H24.5

Max. Glide Range: 11 Min. Dist. From Wall: 9.5

Weight: 94 lbs.

Frt. Class: 150

PG

1316

1491 1448

1564 1535

1622 1810 1888

2045 2201

PGC Glider Replacement Cover Set

PGC

2.5

503

536

558

586 613

646

713

680

746

OPTIONS

775

TB133 not available on Perth Glider PG due to

823 867

2473 2801

PRODUCT INFORMATION

CONSTRUCTION - POCL

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. Cushioning for seats and backs are multiple densities of polyurethane foam wrapped with 1" high resilient polyurethane foam. Exposed hardwood for Perth. Perth has field recoverable seats and backs.

CONSTRUCTION - PG

Seat frame constructed of welded structural steel. Back constructed from formed laminated wood veneer. Arms constructed from kiln dried hardwood. Upholstery on arms is not field replaceable. Metal ring base glider utilizes full 51 ball bearing race at all glide points for smooth operation. Cushioning of multiple densities of polyurethane foam and dacron fiber.

COM REQUIREMENTS

COM vardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

BARIATRIC UNITS ARE CYCLE TESTED TO EXCEED ANSI/BIFMA STANDARDS TO SAFELY ACCOMODATE A PERSON WEIGHING UP TO 750 POUNDS.

ORDERING INFORMATION

Specify: 1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish

5. Fire Code 6. Options

Contrasting cover seat or back - see applicable upcharges on page 7.

design of the chair. MOISTURE BARRIER

POCL \$142 PG 83

POCL

Black polyurethane arm cap \$53 per arm Not available on TB133 approved chairs

Black polyurethane arm cap \$53 per arm Not available on TB133 approved chairs **SLEEPERS** LIST PRICES

LEATHER SOLTÍCE SOLLS COM GRADES Style FABRIC GRADES **SPECIFICATIONS** Е COM С D F G Н Κ No. Ydq. SLS Lounge Sleeper W35.75 D37.5 H34 Seat: W27.25 D19.75 H17.25 Arm: W4.25 Back Height from Seat: 17H Overall Depth in Sleep Position: 82.5D Sleep Surface Depth: 77D 0 Weight: 195 lbs. SLS 2771 3297 6.75 2455 2654 2706 2813 2897 2982 3086 3508 3719 4141 SLSC 3 632 760 1416 **SLSC** Lounge Sleeper Replacement Seat & Back Cushions 557 693 814 906 997 1185 1652 1884 2635 **SLSS** Loveseat Sleeper W63 D37.5 H34 Seat: W54.5 D19.75 H17.25 Arm: W4.25 Back Height from Seat: 17H Overall Depth in Sleep Position: 82.5D Sleep Surface Depth: 77D Weight: LFS: 250 lbs. RFS: 250 lbs. **SLSS** 11.75 3428 3775 3866 3977 4051 4198 4345 4527 4894 5261 5628 6363 **SLSS** 11.75 4505 4852 4943 5054 5128 5275 5422 5604 5971 6338 6705 7440 DS: 295 lbs SLSSC Loveseat Sleeper Replacement Seat & Back Cushions - LFS & RFS SLSSC 3 669 687 722 767 790 844 897 965 1100 1234 1370 1641 SLSSC Loveseat Sleeper Replacement Seat & Back Cushions - DS **SLSSC** 6 1338 1374 1444 1525 1581 1687 1795 1930 2200 2468 2740 3282

PRODUCT INFORMATION

CONSTRUCTION - SLS/SLSS

Seat and back frame constructed of welded structural steel. Arms constructed from kiln dried hardwood. Arms are not field replaceable. Cushions constructed of multiple densities of polyurethane foam. Storage box constructed of laminated plywood, black standard.

Storage dimensions: W21.25 D18.5 H9.5.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns) additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent sparately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood frame available in: Barley Cognac Biltmore Cherry Cordovan

Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or

COM with description

4. Finish

5. Fire Code 6. Options

OPTIONS


SLS - comes standard with casters Casters, front (locking/swivel) and rear (swivel).

Casters are not available on SLSS loveseat sleeper.

MOISTURE BARRIER

SLS \$111 SLSS 249 SLSC/SLSSC 149

SLS/SLSS - Pull handle standard in Black (Gloss), Warm Grey, Blue Grey and Sand.




If RFS or DS is not specified, it will be produced LFS.

RECLINER LIST PRICES

SOLTÍCE SORL LEATHER Style COM FABRIC GRADES **GRADES SPECIFICATIONS** Ydg. Wood COM COL No. D F G Н Κ M

SR Recliner (closed arm)



W29 D37.75 H45.75 Seat: W23.75 D21 H18.75

Arm: H25.5

	Weight: 113 lbs.	SR	5.5	2303	N/A	2334	2384	2446	2486	2568	2649	2751	2955	3158	3362	3770
SRR-BK Replacement Back		SRR-BK	2	692	N/A	703	722	744	759	788	818	855	929	1003	1077	1225
SRR-SC Replacement Seat Cover C	Only Uph. cover	SRR-SC	1.5	312	N/A	320	334	351	362	384	406	434	490	545	601	712
SRR-CA/(RF/LF) Replacement Arm	Includes armcap	SRR-CA/(RF/	L F) 2.5	483	N/A	497	520	548	566	603	640	687	779	872	964	1150
SRR-AC Replacement Armcaps	Set of 2	SRR-AC	228		N/A											
SRR-FT Replacement Footrest	Includes hardware	SRR-FT	.5	194	N/A	197	201	207	211	218	225	235	253	272	290	327
SRR-SCP Replacement Casters – Std. (set of 2)	Includes metal plate	SRR-SCP	123		N/A											
SRR-LCP Replacement Casters – Locking (set of 2)	Includes metal plate	SRR-LCP	143		N/A											

PRODUCT INFORMATION

CONSTRUCTION - SR

Frame constructed of kiln dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seat constructed with universal 7.5 gauge sinuous wire springs. Tight back sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable. Mechanism chassis is of 2" x 1" - 14 gauge rectangular steel tube frame welded at all member connection and powder coated to seal frame.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional vardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description 4. Finish – Arm

5. Fire Code

6. Options

ORDERING INFORMATION OPTIONS

TB133 UPCHARGE - SR

MOISTURE BARRIER - SR

CONTRASTING UPHOLSTERY

Contrasting seats, backs and arms available, specify and add \$66 list per chair.

For yardage requirements refer to yardage listed for replacement seats, backs and arms.

\$254

120

Pushbar standard.

Articulating side table wood veneer - specify finish \$193 Laminated top – specify laminate (see page 9 for details) 193 Trendelenberg 138 Magazine rack (COM required - .5 yd.) 166 I.V. pole 249 Adjustable pillow headrest (COM required - .75 yd.) 149 Catheter bag attachment hook

OPTION ATTACHMENT LOCATION GUIDE

ITEM SPECIFY (as facing chair) Left Articulating side table Right Magazine/storage Left Right I.V. pole Left Right

Catheter bag attachment hook Left Rear Left Front Right Rear Right Front

Note: SR cannot be manufactured without casters and pushbar.

SOLTÍCE SOPC	SPECIFICATIONS		COM Ydg. Wood	COM	COL	0	D	E	FABRIC G	GRADES G	Н		J	К		ATHER RADES M
SOP Patient Chair (open arm)	of Edit IdaTioNo	NO.	rug. wood	COIVI	OOL	-			'			'		- IX		IVI
	W26 D29.25 H47.75 Seat: W22 D19 H19 Arm: W2 H27															
	Weight: 65 lbs.	SOP	3.25	1366	N/A	1384	1414	1450	1474	1522	1571	1631	1751	1872	1992	2233
SRP-BK Replacement Back		SRP-BK	2	611	N/A	622	641	663	678	707	737	774	848	922	996	1144
SRP-ST Replacement Seat		SRP-ST	1.5	599	N/A	607	621	638	649	671	693	721	777	832	888	999
SRP-OA/(RF/LF) Replacement – Open Arm	Includes armcap	SRP-OA/(RF/LF)	375													
SRP-AC Replacement Armcaps	Set of 2	SRP-AC	240													
SPP Patient Chair (closed arm)																
	W26 D29.25 H47.75 Seat: W21.5 D19 H19 Arm: W2 H27															
	Weight: 75 lbs.	SPP	4.5	1532	N/A	1557	1599	1649	1682	1749	1815	1899	2065	2232	2399	2732
SRP-BK Replacement Back		SRP-BK	2	611	N/A	622	641	663	678	707	737	774	848	922	996	1144
SRP-ST Replacement Seat		SRP-ST	1.5	599	N/A	607	621	638	649	671	693	721	777	832	888	999
SRP-OA/(RF/LF) Replacement – Closed Arm	Includes armcap	SRP-CA/(RF/LF)	2	592	N/A	603	622	644	659	688	718	755	829	903	977	1125

Set of 2

SRP-AC Replacement Armcaps

SRP-AC

240

LEATHER SOLTÍCE SMPC Style COM FABRIC GRADES **GRADES SPECIFICATIONS** Ydg. Wood COM COL Ε No. D G M

SPX Motion Patient Chair (closed arm)



W28 D29.5 H43.5 Seat: W23 D19.5 H19.5

Arm: W2 H27

U U V	Weight: 75 lbs.	SPX	3.75	1954	N/A	1975	2010	2051	2079	2135	2190	2260	2398	2537	2676	2954
SRM-BK Replacement Back		SRM-BK	2	308	N/A	319	338	360	375	404	434	471	545	619	693	841
SRM-ST Replacement Seat	Uph. cover only	SRM-SC	1.5	262	N/A	268	277	288	295	310	325	343	381	418	455	529
SRM-CA/(RF/LF) Replacement Arm –	Includes armcap	SRM-CA/(RF/LF	2.5	592	N/A	603	622	644	659	688	718	755	829	903	977	1125

PRODUCT INFORMATION

CONSTRUCTION - SOP/SPP

Frame constructed of kiln dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seat constructed with universal 7.5 gauge sinuous wire springs. Tight back sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable.

CONSTRUCTION - SPX

Constructed of continuously flexible front-cantilevered spring steel frame. Pre-tensioned sling seat and back of woven polyester mesh. Exposed hardwood components finished with catalyzed varnish (specify finish when ordering). Tight seat and back filled with multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seat and back upholstery covers and arms are field replaceable. Not available in open arm style.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

Specify: 1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description

ORDERING INFORMATION

4. Finish - Arm

5. Fire Code 6. Options

OPTIONS

SPX

TB133 UPCHARGE SOP \$145 SPP 232 232 SPX

\$ 58

100

100

MOISTURE BARRIER SOP SPP

CONTRASTING UPHOLSTERY Contrasting seats, backs and arms available - see upcharges listed on page 7.

For yardage requirements refer to yardage listed for replacement seats, backs and arms.


COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

BARIATRIC LIST PRICES

LEATHER SOLTÍCE SOBS Style COM **GRADES FABRIC GRADES SPECIFICATIONS** No. Ydg. Wood COM COL C D Ε F G Н Κ L М **SOCL** Bariatric Chair (open arm) W34.5 D28 H32 Seat: W30 D18.75 H19 Arm: W2 H27 SOCL 3.75 2082 2213 2103 2138 2179 2207 2263 2318 2388 2526 2665 2804 3082 Weight: 68 lbs. **SRB-BK** Replacement Back SRB-BK 1.75 650 711 660 676 695 708 734 760 793 857 922 987 1117 793 **SRB-ST** Replacement Seat SRB-ST 1.5 763 833 774 815 830 859 889 926 1000 1074 1148 1296 SRB-OA/(RF/LF) 350 SRB-OA/(RF/LF) Replacement Arm - Includes armcap Open Arm

SRB-AC Replacement Armcaps SPCL Bariatric Chair (closed arm)



W34.5 D28 H32 Seat: W29.5 D18.75 H19

Arm: W2 H27

Set of 2

Weight: 68 lbs.	SPCL	5.75	2242	2443	2274	2327	2391	2434	2519	2604	2710	2923	3136	3349	3775
SRB-BK Replacement Back	SRB-BK	1.75	650	711	660	676	695	708	734	760	793	857	922	987	1117
SRB-SC Replacement Seat	SRB-SC	2	763	833	774	793	815	830	859	889	926	1000	1074	1148	1296
SRB-CA/(RF/LF) Replacement Arm – Includes armcap Closed Arm	SRB-CA/(RF/	LF) 2.5	534	622	548	571	599	617	654	691	738	830	923	1015	1201

SRB-AC **SRB-AC** Replacement Armcaps Set of 2 245

PRODUCT INFORMATION

CONSTRUCTION – LOUNGE & BARIATRIC

Frame constructed of kiln dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seat constructed with universal 7.5 gauge sinuous wire springs. Tight back sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley

Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple

SRB-AC

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

245

2. Model Number

3. Upholstery/KI grade

or COM with description 4. Finish – Arm

5. Fire Code

6. Options

OPTIONS - LOUNGE & BARIATRIC CHAIRS

TB133 UPCHARGE

MOISTURE BARRIER 330

SOCL **SPCL**

395

SOCL 150 SPCI 185

listed on page 7.

For yardage requirements refer to vardage listed for replacement

seats, backs and arms.

CONTRASTING UPHOLSTERY

Contrasting seats, backs and

arms available - see upcharges

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

GLIDERS																LIST PR	ICES
SOLTÍCE SOGL	SPECIFICATIONS	Style No.	COM Ydg. V	Vood	СОМ	COL	С	D	E	FABRIC G	RADES G	Н	ı	J	K		EATHER RADES M
SOG Glider (open arm)	W26 D35 H47.75 Seat: W22 D19 H19 Arm: H27 Max. Glide Range: 16 Min. Dist. From Wall: 9		3.25	1	1980	N/A	1998	2028	2064	2088	2136	2185	2245	2365	2486	2606	2847
SRG-BK Replacement Back		SRG-BK	2	611	N/A	622	641	663	678	707	737	774	848	922	996	1144	
SRG-ST Replacement Seat		SRG-ST	1.5		649	N/A	657	671	688	699	721	743	771	827	882	938	1049
SRG-OA/(RF/LF) Replacement Arm	-Includes armcap	SRG-OA/(R	F/LF) 2	592	N/A	603								,	,		
SRG-AC Replacement Armcaps	Set of 2	SRG-AC	240														
SPG Glider (closed arm)	W26 D35 H47.75 Seat: W21.5 D19 H19 Arm: H27																



Max. Glide Range: 16 Min. Dist. From Wall: 9

	Weight: 98 lbs.	SPG	4.75	2049	N/A	2075	2119	2172	2207	2278	2348	2436	2612	2788	2964	3316
SRG-BK Replacement Back		SRG-BK	2	611	N/A	622	641	663	678	707	737	774	848	922	996	1144
SRG-ST Replacement Seat		SRG-ST	1.5	649	N/A	657	671	688	699	721	743	771	827	882	938	1049
SRG-CA/(RF/LF) Replacement Arm – Includes armcap		SRG-CA/(RF	/LF) 2	592	N/A	603	622	644	659	688	718	755	829	903	977	1125

SRG-AC Replacement Armcaps Set of 2 SRG-AC 240

PRODUCT INFORMATION

CONSTRUCTION - SOG/SPG

Frame constructed of kiln dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seats constructed with universal 7.5 gauge sinuous wire springs. Tight back sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable. Metal ring base glider utilizies full 51 ball bearing race at all glide points for smooth operation.

Specify finish when ordering.

Specify:
1. Quantity
2. Model Number
3. Upholstery/KI grade or COM with description
4. Finish – Arm

5. Fire Code

6. Options

ORDERING INFORMATION

SOG SPG MOISTURE BARRIER SOG SPG \$170

205

\$115

125

OPTIONS - LOUNGE

TB133 UPCHARGE

CONTRASTING UPHOLSTERY Contrasting seats, backs and arms available – see upcharges listed on page 7.

For yardage requirements refer to yardage listed for replacement seats, backs and arms.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SLEEPERS LIST PRICES

THREE THRLS		Style	СОМ					FABRIC GRA	LDES.					LEAT GRA	
INNEE THRES	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
TLS Lounge Sleeper	W35 D36 H33.5 Seat: W27.5 D20 H18 Arm: W3.5 H26 Total Depth: 81D Sleep Surface: W27.5 D77 T3.5 (cushions)														
	Weight: 175 lbs.	TLS	8	2602	2650	2736	2837	2904	3039	3175	3343	3681	4018	4365	5028
TLSC Lounge Sleeper Replacement Seat & Ba	ck Cushions	TLSC	3	618	635	666	704	728	777	825	887	1010	1133	1255	1502
TLSS Loveseat Sleeper	W66 D36 H33.5 Seat: W56 D20 H18 Arm: W5 H26 Total Depth: 81D Sleep Surface: LFS, RFS: W27.5 D77 T3.5 (cushions) DS: W56 D77 T3.5 (cushions) Weight: LFS: 225 lbs. RFS: 225 lbs. DS: 285 lbs.	TLSS	13	3963	4043	•	•		vn refled below fo			only 5665	6199	6741	7846
TLSSC Loveseat Sleeper Replacement Seat & Back	Cushions – LFS & RFS	TLSSC	3	618	635	666	704	728	777	825	887	1010	1133	1255	1502
TLSSC Loveseat Sleeper Replacement Seat & Back	Cushions – DS	TLSSC	6	1235	1271	1337	1408	1456	1554	1651	1775	2020	2265	2511	3003
PRODUCT INFORMATION															

PRODUCT INFORMATION

CONSTRUCTION -TLS/TLSS

Seat and back frame constructed of welded structural steel. Back frame constructed of kiln dried hardwood and laminated plywood. Arms constructed of kiln dried hardwood. Cushions are multiple densities of polyurethane foam. Storage compartment constructed of laminated plywood, black standard.

Storage dimensions: W21.25 D18.5 H9.5

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional vardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Cognac Barley Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish 5. Fire Code

6. Options

TLSS list price for DS is the LFS or RFS TLSS list price plus \$1065 list upcharge.

OPTIONS

TLS - Casters, front swivel, and rear locking for \$215

Casters are not available on TLSS loveseat sleepe

> TLS/TLSS - Pull handle standard in Gloss Black; Sand, Warm Gray, & Blue Grey available - please specify.

\$315

414

116

\$166

249

149

TB133 UPCHARGE

MOISTURE BARRIER

TLSS/TLSS Option 2


TLSS/OPT2

TLSC/TLSSC

TLSC/TLSSC

TLS


TLS



If RFS or DS is not specified, unit will be produced LFS.

LEATHER THREE THSR GRADES Style COM FABRIC GRADES **SPECIFICATIONS** COM С D Ε F G Н No. Ydg. M L

TSR Three Sleeper Recliner



W35.75 D38.25 H46.75 – (H 47.5 with Trendelenburg option) Seat: W25 D20.75 H19.75 – (H 20.75 with Trendelenburg option)

Arm: H23.5 – (H 24.5 with Trendelenburg option)

Sleep Surface: W25 D79

Weight: 175 lbs.	TSR	6.5	3244	3286	3355	3439	3495	3607	3718	3887	4201	4491	4770	5326
TSR-RSB Three Sleeper Recliner Replacement Seat & Back	TSR-RSB	3	891	910	943	980	1008	1058	1111	1175	1304	1432	1561	1819
TSR-RFR Three Sleeper Recliner Replacement Footrest	TSR-RFR	.75	227	231	239	250	255	268	282	297	330	362	395	459
TSR-RHR Three Sleeper Recliner Replacement Headrest	TSR-RHR	.75	254	259	267	276	283	296	309	325	356	388	421	485

PRODUCT INFORMATION

CONSTRUCTION - TSR

Wood arms (field replaceable) and arm caps of kiln dried hardwood. Sleeper recliner mechanism constructed of 12 gauge (or greater) tubular steel bolted to wood arms at 16 locations. Ottoman mechanism cnstructed of 10 gauge steel mounted to chair frame. Back shell is 1/2" hardwood plywood (4 ply) glued and stapled, using modified mortise and tenon joints. Seat shell is 1/2" hardwood plywood (4 ply and 7 ply) glued and stapled using modified mortise and tenon joints. Cushioning of multiple densities of polyurethane foam. Seat and back are field replaceable. Removable head rest with operating instructions on back. Soft touch ottoman release and push/pull handles. Casters front swivel and rear locking swivel.

Biltmore Cherry
Bourbon
Brighton Walnut
Charm Starm

Cognac

SPECIFICATIONS / FINISHES

Exposed wood available in the

Cherry Storm

following finishes:

Barley

Specify finish when ordering.

ORDERING INFORMATION

Specify:

- Quantity
- Model Number
- Upholstery/KI grade or COM with description
- 4. Finish Arm
- 5. Fire Code
- Options

OPTIONS TB133 UP

TB133 UPCHARGE \$377

MOISTURE BARRIER 235

(TSR cannot be manufactured without casters).

OPTIONAL EQUIPMENT

Trendelenburg	\$348
Side Mounted Articulating Table	348
IV Pole	274
Catheter Hook	43
*Urethane Arm Caps (per arm)	81

*Not available with TB133

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.





Note: Three Sleeper Recliner is equipped with full recline with infinite position functionality and a 4 position ottoman.

38 BARIATRIC LIST PRICES

LEATHER THREE THBS COM **GRADES** Style **FABRIC GRADES** F **SPECIFICATIONS** COM С D Ε G Н K No. Ydg. М **TPCL** Three Bariatric Chair W34.5 D26 H34 Seat: W29.5 D19 H19 Arm: W2.5 H25.5 Weight: 70 lbs. **TPCL** 4.75 1262 1288 1331 1384 1420 1490 1648 1824 2000 2175 2528 1560

PRODUCT INFORMATION

CONSTRUCTION

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. Cushioning for seats and backs are multiple densities of polyurethane foam wrapped with 1" high resilient polyurethane foam. Arms constructed from kiln-dried hardwood and laminated plywood. Exposed wood is hardwood. Field recoverable seat and back. Recoverable arms - consult options.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the

following finishes: Barley Cognac

Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

BARIATRIC UNITS ARE CYCLE TESTED TO EXCEED ANSI/BIFMA STANDARDS TO SAFELY ACCOMODATE A **PERSON WEIGHING UP TO 750** POUNDS.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code 6. Options

Contrasting cover seat or back - see applicable upcharges on page 7.

OPTIONS TB133 UPCHARGE

TPCL Not available w/poly cap option

MOISTURE BARRIER


\$178 **TPCL**

Black polyurethane arm cap \$44 per arm Not available on TB133 available chairs

Field recoverable arms 111 per arm = 1.5 yds.

ORDERING LEGEND - MULTIPLE SEATING

B Briar O Open C Chair B Briar H Closed Arm C Chair B Briar O Open A Add-On C Chair



Plan view of four seat unit with left side connected end table

PRODUCT IDBET ACKNOWLEDGMENT BET

BET BET
BOCCC-LR BOCCC-LTRC
(Left Table, Right Chair)
BOAC-R BOAC-R

CONNECTIONS

The last set of letters behind the dash on the Product ID indicates the connection used for the assembly process. This is reflected on each line item in the acknowledgment. See Alpha Indicators in Product Information for a description of terms.

MULTIPLE SEATING LIST PRICES

BRIAR BRMS		Style	СОМ					FABRIC GR	RADES						THER NDES
	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
BOC Chair (open arm) BHC Chair (closed arm)															
	W23.5 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
		вос	1.5	878	890	908	930	946	977	1007	1066	1140	1216	1290	1439
	Weight: 50 lbs. Frt. Class: 175	внс	2	989	1003	1027	1056	1077	1117	1057	1236	1335	1434	1535	1733
BOC-L Chair – Left (open arm) BHC-L Chair – Left (closed arm)															
	W23.5 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 50 lbs.	BOC-L	1.5	878	890	908	930	946	977	1007	1066	1140	1216	1290	1439
H H	Frt. Class: 175	BHC-L	2	989	1003	1027	1056	1077	1117	1057	1236	1335	1434	1535	1733
BOC-R Chair – Right (open arm) BHC-R Chair – Right (closed arm)															
	W23.5 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOC-R	1.5	878	890	908	930	946	977	1007	1066	1140	1216	1290	1439
	Weight: 50 lbs														
H H	Frt. Class: 175	внс-н	2	989	1003	1027	1056	1077	1117	1057	1236	1335	1434	1535	1733
BOC-LR Chair – Left/Right (open arm) BHC-LR Chair – Left/Right (closed arm)															
	W23.5 D26 H33.5 Seat: W20 D19 H18.75														
	Arm: H26.5	BOC-LR	1.5	878	890	908	930	946	977	1007	1066	1140	1216	1290	1439
	Weight: 50 lbs Frt. Class: 175	BHC-LR	2	989	1003	1027	1056	1077	1117	1057	1236	1335	1434	1535	1733

BOCC Two Seat Unit (open arm)	SPECIFICATIONS	No.						FABRIC GI						GHA	ADES
			Ydg.	COM	С	D	E	F	G	Н	I	J	K	L	М
BHCC Two Seat Unit (closed arm)															
	W44.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	восс	3	1501	1519	1551	1592	1621	1676	1732	1841	1977	2114	2250	2525
	Weight: 91 lbs Frt. Class: 175	внсс	4	1612	1635	1676	1726	1761	1829	1896	2030	2196	2365	2533	2870
BOCC-L Two Seat Unit – Left (open arm) BHCC-L Two Seat Unit – Left (closed arm)															
	W44.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOCC-L	3	1501	1519	1551	1592	1621	1676	1732	1841	1977	2114	2250	2525
	Weight: 91 lbs Frt. Class: 175	BHCC-L	4	1612	1635	1676	1726	1761	1829	1896	2030	2196	2365	2533	2870
BOCC-R Two Seat Unit – Right (open arm) BHCC-R Two Seat Unit – Right (closed arm)															
	W44.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOCC-R	3	1501	1519	1551	1592	1621	1676	1732	1841	1977	2114	2250	2525
	Weight: 91 lbs. Frt. Class: 175	BHCC-R	4	1612	1635	1676	1726	1761	1829	1896	2030	2196	2365	2533	2870
BOCC-LR Two Seat Unit – Left/Right (open arm BHCC-LR Two Seat Unit – Left/Right (closed arm															
	W44.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5 Weight: 91 lbs Frt. Class: 175	BOCC-LF		1501 1612	1519 1635	1551 1676	1592 1726	1621 1761	1676 1829	1732 1896	1841 2030	1977 2196	2114 2365	2250 2533	2525 2870

BRIAR BRMS		Style	СОМ					FABRIC G	RADES						THER ADES
DITIALI BILLIO	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
BOCCC Three Seat Unit (open arm) BHCCC Three Seat Unit (closed arm)															
	W66.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	воссс	4.5	2148	2175	2223	2284	2327	2408	2490	2650	2850	3053	3255	3659
	Weight: 130 lbs Frt. Class: 175	внссс	5.5	2349	2383	2443	2516	2569	2669	2769	2968	3212	3462	3709	4208
BOCCC-L Three Seat Unit – Left (open arm) BHCCC-L Three Seat Unit – Left (closed arm)															
	W66.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 130 lbs Frt. Class: 175	BOCCC-L BHCCC-L	4.5 5.5	2148 2349	2175 2383	2223 2443	2284 2516	2327 2569	2408 2669	2490 2769	2650 2968	2850 3212	3053 3462	3255 3709	3659 4208
BOCCC-R Three Seat Unit – Right (open arm) BHCCC-R Three Seat Unit – Right (closed arm)														,	,
	W66.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOCCC-R	4.5	2148	2175	2223	2284	2327	2408	2490	2650	2850	3053	3255	3659
	Weight: 130 lbs Frt. Class: 175	BHCCC-R		2349	2383	2443	2516	2569	2669	2769	2968	3212	3462	3709	4208
BOCCC-LR Three Seat Unit – Left/Right (open a BHCCC-LR Three Seat Unit – Left/Right (closed															
	W66.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOCCC-LI	2 45	04.40	0475	2223	2284	0007	0.400	0400	0050	0050	0050	0055	0050
	Weight: 130 lbs Frt. Class: 175	BHCCC-LI		2148 2349	2175 2383	2443	2516 2516	2327 2569	2408 2669	2490 2769	2650 2968	2850 3212	3053 3462	3255 3709	3659 4208
BO33 Loveseat (open arm) BH33 Loveseat (closed arm)															
	W44.75 D26 H33.5 Seat: W43 D19 H18.75 Arm: H26.5	DOSS	0.75	1400	4400	4517	4550	4500	1010	1700	1010	1050	0404	0045	0500
	Weight: 88 lbs Frt. Class: 175	BO33 BH33	2.75 3	1463 1559	1482 1581	1517 1621	1559 1671	1589 1706	1646 1774	1703 1840	1819 1974	1959 2137	2104 2283	2245 2472	2533 2806

42 MULTIPLE SEATING


LIST PRICES

BRIAR BRMS		Style	СОМ					FABRIC GI	RADES						THER ADES
BRIAN BRIMS	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	1	J	K	L	М
BO33-L Loveseat – Left (open arm) BH33-L Loveseat – Left (closed arm)															
	W44.75 D26 H33.5 Seat: W43 D19 H18.75 Arm: H26.5 Weight: 88 lbs Frt. Class: 175	BO33-L BH33-L	2.75 3	1463 1559	1482 1581	1517 1621	1559 1671	1589 1706	1646 1774	1703 1840	1819 1974	1959 2137	2104 2305	2245 2472	2533 2806
BO33-R Loveseat – Right (open arm) BH33-R Loveseat – Right (closed arm)															
	W44.75 D26 H33.5 Seat: W43 D19 H18.75 Arm: H26.5 Weight: 88 lbs Frt. Class: 175	BO33-R BH33-R	2.75 3	1463 1559	1482 1581	1517 1621	1559 1671	1589 1706	1646 1774	1703 1840	1819 1974	1959 2137	2104 2305	2245 2472	2533 2806
BO33-LR Loveseat – Left/Right (open arm) BH33-LR Loveseat – Left/Right (closed arm)															
	W44.75 D26 H33.5 Seat: W43 D19 H18.75 Arm: H26.5 Weight: 88 lbs Frt. Class: 175	BO33-LR BH33-LR		1463 1559	1482 1581	1517 1621	1559 1671	1589 1706	1646 1774	1703 1840	1819 1974	1959 2137	2104 2305	2245 2472	2533 2806
BRIAR BAS (Add-on Units)															
BOAC-L One Seat/One Arm – Left (open arm) BHAC-L One Seat/One Arm – Left (closed arm)															
	W21.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5 Weight: 43 lbs Frt. Class: 175	BOAC-L BHAC-L		725 780	735 792	754 812	775 836	790 855	820 888	850 922	907 990	979 1074	1052 1159	1124 1243	1269 1431


BRIAR BAS (Add-on Units)		Style	СОМ					FABRIC GI	RADES						ATHER ADES
BITIAIT BAS (Add-oil Ollis)	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
OAC-R One Seat/One Arm – Right (open arm) HAC-R One Seat/One Arm – Right (closed arm	ı)														
	W21.75 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOAC-R	1.5	725	735	754	775	790	820	850	907	979	1052	1124	126
	Weight: 43 lbs Frt. Class: 175	BHAC-R	1.75	780	792	812	836	855	888	922	990	1074	1159	1243	13
OACC-L Two Seat/Two Arm – Left (open arm) HACC-L Two Seat/Two Arm – Left (closed arm)														
	W43 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 82 lbs Frt. Class: 175	BOACC-L BHACC-L		1338 1404	1356 1424	1388 1462	1428 1507	1455 1539	1509 1601	1562 1663	1669 1785	1800 1935	1935 2088	2067 2241	23 25
OACC-R Two Seat/Two Arm – Right (open arm: HACC-R Two Seat/Two Arm – Right (closed ar															
	W43 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5	BOACC-R	3	1338	1356	1388	1428	1455	1509	1562	1669	1800	1935	2067	23
	Weight: 82 lbs Frt. Class: 175	BHACC-R		1404	1424	1462	1507	1539	1601	1663	1785	1935	2088	2241	25
OACCC-L Three Seat/Three Arm – Left (open HACCC-L Three Seat/Three Arm – Left (closed	,														
	W65 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 122 lbs Frt. Class: 175	BOACCC- BHACCC-		1968 2118	1996 2148	2043 2203	2101 2271	2143 2319	2222 2412	2301 2504	2458 2688	2651 2915	2848 3145	3044 3375	34 38
BOACCC-R Three Seat/Three Arm – Right (oper BHACCC-R Three Seat/Three Arm – Right (clos															
	W65 D26 H33.5 Seat: W20 D19 H18.75 Arm: H26.5														
	Weight: 122 lbs Frt. Class: 175	BOACCC- BHACCC-		1968 2118	1996 2148	2043 2203	2101 2271	2143 2319	2222 2412	2301 2504	2458 2688	2651 2915	2848 3145	3044 3375	34 38

BRIAR BRMS

CONTRASTING UPHOLSTERY GUIDE



DESCRIPTION	YARDAGE	YARDAGE	SPECIFY FABRIC/LEATHER
A. Back	1.25 yds.	22.5 sq. ft.	A
B. Seat	1 yd.	18 sq. ft.	B
C. BH Closed Arm Panels (pair)	1 yd.	18 sq. ft.	C.



DESCRIPTION	FABRIC YARDAGE	LEATHER YARDAGE	SPECIFY FABRIC/LEATHER
A. Back	2.5 yds.	45 sq. ft.	A
B. Seat	1.25 yds.	22.5 sq. ft.	В
C. BH Closed Arm Panels (pair)	1 yd.	18 sq. ft.	C

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table, page 6.

PRODUCT INFORMATION

A FLOOR PLAN MUST BE SUBMITTED WITH ALL ORDERS TO INSURE ACCURACY OF UNITS REQUIRED.

CONSTRUCTION

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat from kiln dried hardwood). Arms constructed from kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ALPHA INDICATORS

-L	Left Arm Connector
–LT	Left Connecting Table
-LC	Left Connecting Chair
–R	Right Arm Connector
-RT	Right Connecting Table
-RC	Right Connecting Chair
-LR	Left/Right Arm Connectors
-LTRC	Left Connecting Table, Right
	Connecting Chair
-LCRT	Left Connecting Chair, Right
	Connecting Table
-RTLC	Right Connecting Table, Left
	Connecting Chair
-RCLT	Right Connecting Chair, Left
	Connecting Table
0	Open Arm
Н	Closed Arm
Α	Add-on Unit

SPECIFICATIONS / FINISHES

Exposed wood frame available in: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:

1. Quantity 2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish

5. Fire Code

6. Options

7. Submit Floor Plan

OPTIONS

Upholstered arm cap	\$22 per arm
Black polyurethane arm cap	\$39 per arm
(Not available on TB133 approved chairs)	

SPECIAL LOVESEAT INFORMATION

Left and Right connectors on loveseat are for table connection only. Back cover is not removable on loveseat.

*TB133 UPCHARGE	(Upcharges	are the same for Left,	Right and Left/Right units.)
ROC	¢138	BH33	\$204

BOC	\$138	BH33	\$204
BHC	144	BOAC	111
BOCC	238	BHAC	127
BHCC	293	BOACC	221
BOCCC	326	BHACC	254
BHCCC	425	BOACCC	326
BO33	199	BHACCC	370

*Not available with polyarm option.

MOISTURE BARRIER

\$ 83 Each Seat Loveseat 138

CONTRASTING FABRICS

For contrasting sections, specify seat and/or back - see upcharges listed on page 7. Refer to letter guide above for pattern.

BRIAR BRRP		Style	СОМ					FABRIC GF	RADES					LEAT GRA	
BITIAIT SIIII	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	1	J	K	L	М
BRS-23 Replacement Seat Cover – Chair – Specify Open or Clo	osed Arms														
		BRS-23	1	111	116	126	139	148	166	183	218	261	305	348	435
BRB-23 Replacement Back Cover – Chair															
		BRB-23	1.25	111	117	130	146	158	180	202	246	299	354	409	517
BRS-33 Replacement Seat Cover – Loveseat – Specify Open or	r Closed Arms														
		BRS-33	2	186	198	218	244	262	297	332	401	487	575	662	835
BRPH Replacement Arm Panel Cover – Closed Arm															
		BRPH	.33	59	60	62	65	67	72	76	86	96	108	118	140

CONNECTING TABLES

LIST PRICES

BRIAR BRCT	SPECIFICATIONS	Laminated Tops LIST PRICE	Wood Veneer Tops LIST PRICE	
BT Center Table				
Top 1" Apron 1.75"	W20 D17.25 H17.75 Weight: 31 lbs. Frt. Class: 85	421	490	
BET End Table				
Top 1" Apron 1.75"	W20.75 D17.25 H17.75 Weight: 40 lbs. Frt. Class: 85	540	631	
BT45 45° Connector Table				
24.5 	W24.5 D21.25 H17.75 Weight: 26 lbs. Frt. Class: 85	629	764	
BT90 90° Connector Table				
Top 1" Apron 1.75"	W26 D26 H17.75 Weight: 50 lbs. Frt. Class: 85	893	967	
PRODUCT INFORMATION CONSTRUCTION	SPECIFICATIONS / FINISHES	ORDERING INFORMA	ATION OPTIONS	

CONSTRUCTION

Constructed of kiln dried hardwood solid and veneers.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity 2. Model Number 3. Top Selection

4. Finish5. Options

OPTIONS

Tops available in any standard laminate – please specify. See color addendum for details.


ORDERING LEGEND - MULTIPLE SEATING

F Flex O Open C Chair

F Flex P Panel (Closed Arm) C Chair

F Flex O Open A Add-On C Chair

F Flex P Panel (Closed Arm) A Add-On C Chair



Plan view of four seat unit with left side connected end table

PRODUCT ID FT-L FOCCC-LR

FOAC-R

ACKNOWLEDGMENT

FT-L FOCCC-LTRC (Left Table, **R**ight **C**hair) FOAC-R

CONNECTIONS

The last set of letters behind the dash on the Product ID indicates the connection used for the assembly process. This is reflected on each line item in the acknowledgment. See Alpha Indicators in Product Information for a description of terms.

MULTIPLE SEATING LIST PRICES

	Style	СОМ					FABRIC GI	RADES						THER ADES
SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs.	FOC	1.75	938	962	987	1015	1034	1065	1101	1170	1256	1334	1422	1600
Frt. Class: 175	FPC	2.5	1049	1077	1113	1154	1181	1229	1283	1388	1517	1640	1769	2032
W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175	FOC-L FPC-L	1.75 2.5	938 1049	962 1077	987 1113	1015 1154	1034 1181	1065 1229	1101 1283	1170 1388	1256 1517	1334 1640	1422 1769	1600 2032
W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26	FOC-R	1.75	938	962	987	1015	1034	1065	1101	1170	1256	1334	1422	1600
Weight: 50 lbs. Frt. Class: 175	FPC-R	2.5	1049	1077	1113	1154	1181	1229	1283	1388	1517	1640	1769	2032
) m) _{W23.75} D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175	FOC-LR FPC-LR	1.75 2.5	938 1049	962 1077	987 1113	1015 1154	1034 1181	1065 1229	1101 1283	1170 1388	1256 1517	1334 1640	1422 1769	1600 2032
W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 91 lbs.	FOCC FPCC	3.25 4.75	1699 1883	1724 1918	1767 1983	1819 2062	1858 2120	1929 2229	2002 2337	2147 2553	2324 2821	2504 3092	2685 3363	3043 3903
	W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175) m) W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175) w45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26	W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 FPC W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 FPC-L W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 FPC-R Weight: 50 lbs. Frt. Class: 175 FPC-LR Weight: 50 lbs. Frt. Class: 175 FPC-LR Weight: 50 lbs. Frt. Class: 175 FPC-LR FOC-LR FPC-LR Weight: 50 lbs. Frt. Class: 175 FPC-LR Weight: 50 lbs. Frt. Class: 175 FPC-LR FPC-LR Weight: 50 lbs. Frt. Class: 175 FPC-LR FPC-	SPECIFICATIONS No. Ydg. W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 Image: Proceeding of the process of	SPECIFICATIONS No. Ydg. COM W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 1049 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 938 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 Image: Procent of the company of t	SPECIFICATIONS No. Ydg. COM C W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 962 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 1049 1077 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 938 962 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 Weight: 50 lbs. Frt. Class: 175 FPC-LR 1.75 938 962 Weight: 50 lbs. Frt. Class: 175 FPC-LR 2.5 1049 1077 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOCC 3.25 1699 1724 Weight: 91 lbs. FOCC 4.75 1883 1918	SPECIFICATIONS No. Ydg. COM C D W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 962 987 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 1113 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 987 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 1049 1077 1113 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 938 962 987 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 1113 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-LR 1.75 938 962 987 Weight: 50 lbs. Frt. Class: 175 FPC-LR 2.5 1049 1077 1113 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOCC 3.25 1699 1724 1767 Weight: 91 lbs. FPCC 4.75 1883 1918 1983	SPECIFICATIONS No. Ydg. COM C D E W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 962 987 1015 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 1113 1154 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 987 1015 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 1049 1077 1113 1154 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 1113 1154 Image: W20.25 D19.5 H18.5 Arm: H26 FOC-LR 1.75 938 962 987 1015 Weight: 50 lbs. Frt. Class: 175 FPC-LR 2.5 1049 1077 1113 1154 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOCC 3.25 1699 1724 1767 1819 Weight: 91 lbs. FPCC 4.75 1883 1918 1983 2062	SPECIFICATIONS No. Ydg. COM C D E F W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 962 987 1015 1034 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 1113 1154 1181 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 987 1015 1034 Weight: 50 lbs. Frt. Class: 175 FPC-L 2.5 1049 1077 1113 1154 1181 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 938 962 987 1015 1034 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 1113 1154 1181 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-LR 2.5 1049 1077 1113 1154 1181 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOCC 3.25 1699 1724 1767 1819 1858	SPECIFICATIONS No. Ydg. COM C D E F G W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 1113 1154 1181 1229 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 987 1015 1034 1065 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 2.5 1049 1077 1113 1154 1181 1229 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 2.5 1049 1077 1113 1154 1181 1229 W445.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-LR 1.75 938 962 987 1015 1034 1065 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-LR 2.5 1049 1077 1113 1154 1181 1229 W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOCC 3.25	W23.75 D30 H33	SPECIFICATIONS No. Ydg. COM C D E F G H I W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC 1.75 938 962 987 1015 1034 1065 1101 1170 Weight: 50 lbs. Frt. Class: 175 FPC 2.5 1049 1077 1113 1154 1181 1229 1283 1388 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-L 1.75 938 962 987 1015 1034 1065 1101 1170 W23.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 FOC-R 1.75 938 962 987 1015 1034 1065 1101 1170 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 1113 1154 1181 1229 1283 1388 Weight: 50 lbs. Frt. Class: 175 FPC-R 2.5 1049 1077 1113 1154 1181 1229 1283 1388 Weight	SPECIFICATIONS	SPECIFICATIONS No. Ydg. COM C D E F G H I J K	SPECIFICATIONS Style COM C D E F G H I J K L

FLEX FLMS		Style	СОМ					FABRIC GF	RADES						THER ADES
I LLX I LIVIS	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	I	J	K	L	М
FOCC-L Two Seat Unit – Left (open arm) FPCC-L Two Seat Unit – Left (closed arm)	W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 91 lbs.	FOCC-L	3.25	1699	1724	1767	1819	1858	1929	2002	2147	2324	2504	2685	3043
U V U	Frt. Class: 175	FPCC-L	4.75	1883	1918	1983	2062	2120	2229	2337	2553	2821	3092	3363	3903
FOCC-R Two Seat Unit – Right (open arm) FPCC-R Two Seat Unit – Right (closed arm)	W45.75 D30 H33 Seat: W20.5 D19.5 H18.5 Arm: H26	FOCC-R	3.25	1699	1724	1767	1819	1858	1929	2002	2147	2324	2504	2685	3043
	Weight: 91 lbs. Frt. Class: 175	FPCC-R	4.75	1883	1918	1983	2062	2120	2229	2337	2553	2821	3092	3363	3903
FOCC-LR Two Seat Unit – Left/Right (open arm FPCC-LR Two Seat Unit – Left/Right (closed and following the content of the conte	m) W45.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 91 lbs. Frt. Class: 175	FOCC-LR FPCC-LR		1699 1883	1724 1918	1767 1983	1819 2062	1858 2120	1929 2229	2002 2337	2147 2553	2324 2821	2504 3092	2685 3363	3043 3903
FOCCC Three Seat Unit (open arm) FPCCC Three Seat Unit (closed arm)	W67.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26	FOCCC	4.75	2382	2418	2482	2561	2621	2729	2835	3053	3321	3590	3861	4403
	Weight: 130 lbs. Frt. Class: 175	FPCCC	7	2606	2656	2749	2860	2942	3095	3250	3554	3928	4312	4692	5453
FOCCC-L Three Seat Unit – Left (open arm) FPCCC-L Three Seat Unit – Left (closed arm)	W67.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 130 lbs. Frt. Class: 175	FOCCC-L FPCCC-L		2382 2606	2418 2656	2482 2749	2561 2860	2621 2942	2729 3095	2835 3250	3053 3554	3321 3928	3590 4312	3861 4692	4403 5453
FOCCC-R Three Seat Unit – Right (open arm) FPCCC-R Three Seat Unit – Right (closed arm)	W67.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 130 lbs. Frt. Class: 175	FOCCC-R		2382 2606	2418 2656	2482 2749	2561 2860	2621 2942	2729 3095	2835 3250	3053 3554	3321 3928	3590 4312	3861 4692	4403 5453

FLEX FLMS		Style	СОМ					FABRIC G	DADES						THER ADES
LLCY LIMIS	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	1	J	K	L	М
FOCCC-LR Three Seat Unit – Left/Right (ope FPCCC-LR Three Seat Unit – Left/Right (clos															
	W67.75 D30 H33 Seat: W20.25 D19.5 H18.5 Arm: H26 Weight: 130 lbs. Frt. Class: 175	FOCCC-LI		2382 2606	2418 2656	2482 2749	2561 2860	2621 2942	2729 3095	2835 3250	3053 3554	3321 3928	3590 4312	3861 4692	4403 5453
FO33 Loveseat (open arm) FP33 Loveseat (closed arm)	W44.5 D30 H33 Seat: W41 D19.5 H18.5 Arm: H26														
	Weight: 88 lbs. Frt. Class: 175	FO33 FP33	3 4	1431 1652	1454 1684	1495 1740	1546 1807	1581 1855	1650 1949	1718 2040	1856 2225	2025 2458	2198 2690	2368 2918	2709 3380
FO33-L Loveseat – Left (open arm) FP33-L Loveseat – Left (closed arm)	W44.5 D30 H33 Seat: W41 D19.5 H18.5 Arm: H26 Weight: 88 lbs. Frt. Class: 175	FO33-L FP33-L	3	1431 1652	1454 1684	1495 1740	1546 1807	1581 1855	1650 1949	1718 2040	1856 2225	2025 2458	2198 2690	2368 2918	2709 3380
FO33-R Loveseat – Right (open arm) FP33-R Loveseat – Right (closed arm)	W44.5 D30 H33 Seat: W41 D19.5 H18.5 Arm: H26 Weight: 88 lbs. Frt. Class: 175	FO33-R FP33-R	3	1431 1652	1454 1684	1495 1740	1546 1807	1581 1855	1650 1949	1718 2024	1856 2225	2025 2458	2198 2690	2368 2918	2709 3380
F033-LR Loveseat – Left/Right (open arm) FP33-LR Loveseat – Left/Right (closed arm)	W44.5 D30 H33 Seat: W41 D19.5 H18.5 Arm: H26 Weight: 88 lbs. Frt. Class: 175	FO33-LR FP33-LR	3	1431 1652	1454 1684	1495 1740	1546 1807	1581 1855	1650 1949	1718 2040	1856 2225	2025 2458	2198 2690	2368 2918	2709
FO43 Sofa (open arm) FP43 Sofa (closed arm)	W63.5 D30 H33 Seat: W60 D19.5 H18.5														
	Arm: H26 Weight: 108 lbs. Frt. Class: 175	FO43 FP43	5.5 6.5	1762 1983	1797 2025	1861 2105	1939 2202	1996 2271	2102 2403	2209 2535	2423 2799	2685 3123	2954 3456	3219 3781	3749 4438

50 MULTIPLE SEATING

		Ctulo	СОМ					FABRIC G	BADEC						THER ADES
FLEX FLMS	SPECIFICATIONS	Style No.	Ydg.	COM	С	D	Ε	FABRIC G	G G	Н	1	J	K	L	М
FO43-L Sofa (open arm)															
FP43-L Sofa (closed arm)	W63.5 D30 H33														
	Seat: W60 D19.5 H18.5 Arm: H26	50 40.1		4700	4707	1001	4000	4000	0.4.0.0	0000	0.400	2025	2054	0010	07.40
	Weight: 108 lbs.	FO43-L	5.5	1762	1797	1861	1939	1996	2102	2209	2423	2685	2954	3219	3749
U	Frt. Class: 175	FP43-L	6.5	1983	2025	2105	2202	2271	2403	2535	2799	3123	3456	3/81	4438
FO43-R Sofa (open arm)															
FP43-R Sofa (closed arm)	W63.5 D30 H33 Seat: W60 D19.5 H18.5														
	Arm: H26	FO43-R	5.5	1762	1797	1861	1939	1996	2102	2209	2423	2685	2954	3219	3749
	Weight: 108 lbs.	FP43-R	6.5	1983	2025	2105	2202	2271	2403	2535	2799	3123	3456		4438
<u>U</u> U	Frt. Class: 175	1740-11	0.5	1900	2023	2103	2202	2271	2400		2799	0120		3701	4430
FO43-LR Sofa (open arm) FP43-LR Sofa (closed arm)															
1745-EIT Gold (closed ann)	W63.5 D30 H33 Seat: W60 D19.5 H18.5														
	Arm: H26	FO43-LR	5.5	1762	1797	1861	1939	1996	2102	2209	2423	2685	2954	3219	3749
	Weight: 108 lbs. Frt. Class: 175	FP43-LR	6.5	1983	2025	2105	2202	2271	2403	2535	2799	3123	3456	3781	4438
FLEX FLAS (Add-on Units)															
FOAC-L One Seat One Arm – Left (open arm)															
FPAC-L One Seat One Arm – Left (closed arm)	W22 D30 H33														
	Seat: W20.25 D19.5 H18. Arm: H26	.5													
		FOAC-L	1.75	711	722	743	768	786	820	855	924	1009	1094	1180	1353
	Weight: 43 lbs. Frt. Class: 175	FPAC-L	2.25	785	800	829	863	888	935	981	1075	1191	1308	1425	1660
FOAC-R One Seat One Arm – Right (open arm)															
FPAC-R One Seat One Arm – Right (closed arm)		E													
[]	Seat: W20.25 D19.5 H18. Arm: H26	.5 FOAC-R	1 75	744	700	740	760	786	820	055	924	1009	1004	1100	1050
	Weight: 43 lbs.			711	722	743	768			855			1094	1180	1353
	Frt. Class: 175	FPAC-R	2.25	785	800	829	863	888	935	981	1075	1191	1308	1425	1660
FOACC-L Two Seat Two Arm – Left (open arm)															
FPACC-L Two Seat Two Arm – Left (closed arm)	W44 D30 H33 Seat: W20.25 D19.5 H18.	5													
	Arm: H26	.5 FOACC-L	3 25	1445	1469	1511	1562	1599	1670	1739	1880	2052	2227	2401	2751
	Weight: 82 lbs.	FPACC-L		1589	1621	1680	1750	1802	1899	1739	2189	2427	2669	2909	3392
<u>U</u> V §	Frt. Class: 175	PPACC-L	4	1569	1021	1000	1/50	1802	1099	1990	2109	2421	2009	2909	3392

FLEX FLAS (Add-on Units)		Style	COM					FABRIC GI	RADES						ATHER ADES
LLX 12A6 (Add on online)	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	I	J	K	L	М
COACC-R Two Seat Two Arm – Right (ope PACC-R Two Seat Two Arm – Right (close		18.5 FOACC	-R 3.25	1445	1469	1511	1562	1599	1670	1739	1880	2052	2227	2401	275
	Weight: 82 lbs. Frt. Class: 175	FPACC-		1589	1621	1680	1750	1802	1899	1996	2189	2427	2669	2909	
FOACCC-L Three Seat Three Arm – Left (of FPACCC-L Three Seat Three Arm – Left (or															
	W66 D30 H33 Seat: W20.25 D19.5 H Arm: H26		C-L 4.75	2108	2144	2207	2283	2339	2444	2549	2760	3019	3282	3545	407
	Weight: 122 lbs. Frt. Class: 175	FPACC	C-L 7	2292	2339	2425	2530	2607	2751	2895	3182	3536	3896	4254	497
FOACCC-R Three Seat Three Arm – Right FPACCC-R Three Seat Three Arm – Right															
	W66 D30 H33 Seat: W20.25 D19.5 H Arm: H26		C-R 4.75	2108	2144	2207	2283	2339	2444	2549	2760	3019	3282	3545	407
	Weight: 122 lbs. Frt. Class: 175	FPACC		2292	2339	2425	2530	2607	2751	2895	3182	3536	3896	4254	
CONTRASTING UPHOLSTERY GUIDE															
A	DESCRIPTION		FABRIC YARDAGE	LEATHE SQ. FT.		PECIFY FAB	RIC/LEATH	IER							
C	A. Back	-	1.25 yds.	22.5 sq.	ft. A.									_	
В	B. Seat	-	1 yd.	18 sq. ft.	В.									-	
	C. Arm Panels (pair)		1.5 yds.	27 sq. ft.	C.									_	
A	DESCRIPTION		FABRIC YARDAGE	LEATHE SQ. FT.		PECIFY FAB	RIC/LEATH	IER							
	A. Back	2	2 yds.	36 sq. ft.	Α.									-	
B	B. Seat	-	1.25 yds.	22.5 sq.	ft. B.									-	
	C. Arm Panels (pair)		1.5 yds.	27 sq. ft.	C.									-	
A	DESCRIPTION		FABRIC YARDAGE	LEATHE SQ. FT.		PECIFY FAB	RIC/LEATH	IER							
	A. Back	;	3.5 yds.	63 sq. ft.	Α.									-	
	B. Seat	;	3 yds.	54 sq. ft.	В.									-	
B	C. Arm Panels (pair)		1.5 yds.	27 sq. ft.	C										

FLEX FLMS

PRODUCT INFORMATION

A FLOOR PLAN MUST BE SUBMITTED WITH ALL ORDERS TO INSURE ACCURACY OF UNITS REQUIRED.

CONSTRUCTION

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. (Loveseat and Sofa from kiln dried hardwood). Arms constructed from kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ALPHA INDICATORS

- –L Left Arm Connector
- -LT Left Connecting Table
- -LC Left Connecting Chair
- -R Right Arm Connector
- -RT Right Connecting Table
- -RC Right Connecting Chair
- -LR Left/Right Arm Connectors
- -LTRC Left Connecting Table, Right Connecting Chair
- -LCRT Left Connecting Chair, Right Connecting Table
- -RTLC Right Connecting Table, Left Connecting Chair
- -RCLT Right Connecting Chair, Left Connecting Table
- P Panel (Closed Arm)
- O Open Arm
- A Add-on Unit

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:
Barley Cognac

Biltmore Cherry
Bourbon
Brighton Walnut

Biltmore Cherry
Cordovan
Ebony
Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- Upholstery/KI grade or COM with description
- 4. Finish 5. Fire Code
- 6. Options
- 7. Submit Floor Plan

OPTIONS

Upholstered arm cap \$39 per arm

TB133 UPCHARGE (Upcharges are the same for Left, Right and Left/Right units.)

100	ΨΙΟΟ
FPC	193
FOCC	238
FPCC	320
FOCCC	348
FPCCC	453
FO33	204
FP33	254
FO43	282
FP43	343
FOAC	138
FPAC	166
FOACC	238
FPACC	293
FOACCC	348
FPACCC	442

MOISTURE BARRIER

Each Seat \$83 Loveseat 138 Sofa 193


CONTRASTING FABRICS

For contrasting sections, specify seat and/or back – see upcharges listed on page 7. Refer to letter guide above for pattern.

FLEX FLRP		Style	СОМ					FABRIC GR	ADES					LEA GRA	THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
FRS-23 Replacement Seat Cover - Chair - Spe	ecify open or closed arms	i													
		FRS-23	1	122	128	138	151	160	178	194	230	273	319	360	446
FRS-33 Replacement Seat Cover – Loveseat															
		FRS-33	2	186	198	218	244	262	297	332	401	487	575	662	835
FRS-43 Replacement Seat Cover – Sofa															
		FRS-43	3	250	267	298	337	365	417	469	573	702	835	964	1224
FRB-23 Replacement Back Cover – Chair															
		FRB-23	1.25	111	116	126	139	148	166	183	218	261	307	348	435
FRP-IL Replacement Arm Panel – Inside Left FRP-IR Replacement Arm Panel – Inside Right															
		FRP-IL FRP-IR	1	82 82	85 85	91 91	97 97	102 102	112 112	120 120	138 138	160 160	186 186	204 204	249 249
FRP-OL Replacement Arm Panel – Outside Lef FRP-OR Replacement Arm Panel – Outside Rig															
		FRP-OL FRP-OR	1	82 82	85 85	91 91	97 97	102 102	112 112	120 120	138 138	160 160	186 186	204 204	249 249
FRP-TL Replacement Arm Panel Cover – Table FRP-TR Replacement Arm Panel Cover – Table		7.1.1 011	'	<u> </u>				102	112	120	100	100	100		
		FRP-TL	1	82 82	85 85	91 91	97 97	102	112	120	138	160	186	204	249 249

CONNECTING TABLES

LIST PRICES



PRODUCT INFORMATION

CONSTRUCTION

Constructed of kiln dried hardwood solid and veneers.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut Monticello Maple

Specify finish when ordering.

Cherry Storm

ORDERING INFORMATION

Specify: 1. Quantity

Quantity
 Model Number

3. Top Selection

4. Finish

5. Options

OPTIONS


Tops available in any standard laminate – please specify. See Color Addendum for details.

ORDERING LEGEND - MULTIPLE SEATING

P Perth O Open C Chair

P Perth P Panel (Closed Arm) C Chair

P Perth O Open A Add-On C Chair



Plan view of four seat unit with left side connected end table

PRODUCT ID
PET
POCCC-LR

POAC-R

ACKNOWLEDGMENT

PET
POCCC-LTRC
(Left Table, Right Chair)
POAC-R

CONNECTIONS

The last set of letters behind the dash on the Product ID indicates the connection used for the assembly process. This is reflected on each line item in the acknowledgment. See Alpha Indicators in Product Information for a description of terms.

MULTIPLE SEATING

LIST PRICES

WOLTH EL GEATING															iio Lo
PERTH PRTH	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC G	<i>RADES</i> G	Н	I	J	K		THER ADES M
POC Chair (open arm) PPC Chair (closed arm)	W23.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 50 lbs.	POC PPC	2 3.5	771 890	794 912	820 945	849 986	920 1040	1015 1129	1048 1195	1094 1312	1193 1478	1282 1632	1381 1802	1597 2164
POC-L Chair – Left (open arm) PPC-L Chair – Left (closed arm)	Frt. Class: 150 W23.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26	POC-L	2	771	794	820	849	920	1015	1048	1094	1193	1282	1381	1597
	Weight: 50 lbs. Frt. Class: 150	PPC-L	3.5	890	912	945	986	1040	1129	1195	1312	1478	1632	1802	2164
POC-R Chair – Right (open arm) PPC-R Chair – Right (closed arm)	W23.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 50 lbs. Frt. Class: 150	POC-R PPC-R	2 3.5	771 890	794 912	820 945	849 986	920 1040	1015 1129	1048 1195	1094 1312	1193 1478	1282 1632	1381 1802	1597 2164
POC-LR Chair – Left/Right (open arm) PPC-LR Chair – Left/Right (closed arm)	W23.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 50 lbs. Frt. Class: 150	POC-LR PPC-LR	2 3.5	771 890	794 912	820 945	849 986	920 1040	1015 1129	1048 1195	1094 1312	1193 1478	1282 1632	1381 1802	1597 2164
POCC Two Seat Unit (open arm) PPCC Two Seat Unit (closed arm)	W45.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 91 lbs. Frt. Class: 150	POCC PPCC	4 6.25	1387 1631	1410 1670	1451 1737	1499 1817	1533 1870	1597 1977	1662 2082	1743 2216	1905 2482	2069 2747	2231 3013	2555 3546

56 MULTIPLE SEATING LIST PRICES

PERTH PRTH		Style	СОМ					FABRIC GI	RADES						THER ADES
PERIO PRIO	SPECIFICATIONS	No.	Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
POCC-L Two Seat Unit – Left (open arm) PPCC-L Two Seat Unit – Left (closed arm)	W45.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 91 lbs. Frt. Class: 150	POCC-L PPCC-L	4 6.25	1387 1631	1410 1670	1451 1737	1499 1817	1533 1870	1597 1977	1662 2082	1743 2216	1905 2482	2069 2747	2231 3013	2555 3546
POCC-R Two Seat Unit – Right (open arm) PPCC-R Two Seat Unit – Right (closed arm	W45.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 91 lbs. Frt. Class: 150	POCC-R PPCC-R	4 6.25	1387 1631	1410 1670	1451 1737	1499 1817	1533 1870	1597 1977	1662 2082	1743 2216	1905 2482	2069 2747	2231 3013	2555 3546
POCC-LR Two Seat Unit – Left/Right (oper PPCC-LR Two Seat Unit – Left/Right (close	n arm) ed arm) W45.5 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 91 lbs. Frt. Class: 150	POCC-LF		1387 1631	1410 1670	1451 1737	1499 1817	1533 1870	1597 1977	1622 2082	1743 2216	1905 2482	2069 2747	2231 3013	2555 3546
POCCC Three Seat Unit (open arm) PPCCC Three Seat Unit (closed arm)	W67.75 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26 Weight: 130 lbs. Frt. Class: 150	POCCC PPCCC	6 9	2104 2365	2140 2422	2201 2518	2274 2633	2324 2709	2421 2863	2518 3016	2640 3208	2883 3591	3126 3975	3370 4357	3859 5123
POCCC-L Three Seat Unit – Left (open arm PPCCC-L Three Seat Unit – Left (closed ar	,	POCCC-L		2104 2365	2140 2422	2201 2518	2274 2633	2324 2709	2421 2863	2518 3016	2640 3208	2883 3591	3126 3975	3370 4357	3859 5123
POCCC-R Three Seat Unit – Right (open ar PPCCC-R Three Seat Unit – Right (closed a	•	POCCC-F		2104 2365	2140 2422	2201 2518	2274 2633	2324 2709	2421 2863	2518 3016	2640 3208	2883 3591	3126 3975	3370 4357	3859 5123


PERTH PRTH		Style C	ОМ					FABRIC GI	RADES					LEAT GRA	THER ADES
FEITHFILL	SPECIFICATIONS		∕dg.	COM	С	D	Е	F	G	Н	1	J	K	L	М
POCCC-LR Three Seat Unit – Left/Right (ope PPCCC-LR Three Seat Unit – Left/Right (clos															
	W67.75 D26 H34 Seat: W20.25 D19.5 H19.5 Arm: H26	POCCC-LR	6	2104	2140	2201	2274	2324	2421	2518	2640	2883	3126	3370	3859
	Weight: 130 lbs. Frt. Class: 150	PPCCC-LR	9	2365	2422	2518	2633	2709	2863	3016	3208	3591	3975	4357	5123
PO33 Loveseat (open arm) PP33 Loveseat (closed arm)															
	W43.75 D27 H34 Seat: W40.5 D19.5 H19.5 Arm: H26														
	Weight: 88 lbs. Frt. Class: 150	PO33 PP33	3.25 4.75	1086 1222	1120 1253	1155 1298	1195 1356	1298 1428	1376 1551	1430 1642	1540 1802	1682 2032	1806 2243	1947 2475	2249 2971
PO33-L Loveseat – Left (open arm) PP33-L Loveseat – Left (closed arm)															
	W43.75 D27 H34 Seat: W40.5 D19.5 H19.5 Arm: H26														
	Weight: 88 lbs. Frt. Class: 150	PO33-L PP33-L	3.25 4.75	1086 1222	1120 1253	1155 1298	1195 1356	1298 1428	1376 1551	1430 1642	1540 1802	1682 2032	1806 2243	1947 2475	2249 2971
PO33-R Loveseat – Right (open arm) PP33-R Loveseat – Right (closed arm)															
	W43.75 D27 H34 Seat: W40.5 D19.5 H19.5 Arm: H26														
	Weight: 88 lbs. Frt. Class: 150	PO33-R PP33-R	3.25 4.75	1086 1222	1120 1253	1155 1298	1195 1356	1298 1428	1376 1551	1430 1642	1540 1802	1682 2032	1806 2243	1947 2475	2249 2971
PO33-LR Loveseat – Left/Right (open arm) PP33-LR Loveseat – Left/Right (closed arm)															
	W43.75 D27 H34 Seat: W40.5 D19.5 H19.5 Arm: H26	PO33-LR	3.25	1086	1120	1155	1195	1298	1376	1430	1540	1682	1806	1947	2249
	Weight: 88 lbs. Frt. Class: 150	PP33-LR		1222	1253	1298	1356	1428	1551	1642	1802	2032	2243	2475	

58 MULTIPLE SEATING LIST PRICES


PERTH PRAS (Add-on Units	Style	СОМ					FABRIC GI	RADES						THER ADES	
	SPECIFICATIONS		Ydg.	COM	С	D	Е	F	G	Н	I	J	K	L	М
POAC-L One Seat One Arm – Left (open arm) PPAC-L One Seat One Arm – Left (closed arm)	W21.75 D26 H34 Seat: W20.25 D19.5 H19.5														
	Arm: H26	POAC-L	2	633	654	678	706	769	821	859	933	1030	1117	1217	1427
l §	Weight: 43 lbs. Frt. Class: 150	PPAC-L	2.75	682	697	725	757	798	869	919	1011	1143	1263	1396	1678
POAC-R One Seat One Arm – Right (open arm PPAC-R One Seat One Arm – Right (closed arr	m) W21.75 D26 H34														
	Seat: W20.25 D19.5 H19.5 Arm: H26	POAC-R	2	633	654	678	706	769	821	859	933	1030	1117	1217	1427
	Weight: 43 lbs. Frt. Class: 150	PPAC-R	2.75	682	697	725	757	798	869	919	1011	1143	1263	1396	1678
POACC-L Two Seat Two Arm – Left (open arm) PPACC-L Two Seat Two Arm – Left (closed arm)															
	Weight: 82 lbs.	POACC-L	4	1302	1327	1367	1416	1448	1514	1578	1660	1822	1983	2147	2472
U i	Frt. Class: 150	PPACC-L	5.5	1424	1460	1518	1588	1635	1729	1823	1939	2174	2408	2642	3111
POACC-R Two Seat Two Arm – Right (open are PPACC-R Two Seat Two Arm – Right (closed a		POACC-R	4	1302	1327	1367	1416	1448	1514	1578	1660	1822	1983	2147	2472
	Weight: 82 lbs. Frt. Class: 150	PPACC-R	4 5.5	1424	1460	1518	1588	1635	1729	1823	1939	2174	2408	2642	3111
POACCC-L Three Seat Three Arm – Left (oper PPACCC-L Three Seat Three Arm – Left (close	ı arm)	POACCC-F	l 6	1895	1932	1992	2065	2115	2212	2309	2432	2675	2918	3163	3649
	Weight: 122 lbs. Frt. Class: 150	PPACCC-R	8.25	2086	2138	2227	2332	2402	2543	2683	2858	3210	3561	3912	4614
POACCC-R Three Seat Three Arm – Right (ope PPACCC-R Three Seat Three Arm – Right (close															
	Seat: W20.25 D19.5 H19.5 Arm: H26	POACCC-F	l 6	1895	1932	1992	2065	2115	2212	2309	2432	2675	2918	3163	3649
	Weight: 122 lbs. Frt. Class: 150	PPACCC-R		2086	2138	2227	2332	2402	2543	2683	2858	3210	3561	3912	4614

PERTH PRMS

CONTRASTING UPHOLSTERY GUIDE



DESCRIPTION	YARDAGE	SQ. FT.	SPECIFY FABRIC/LEATHER
A. Back	1.5 yds.	27 sq. ft.	A
B. Seat	1 yd.	18 sq. ft.	В



DESCRIPTION	FABRIC YARDAGE	LEATHER SQ. FT.	SPECIFY FABRIC/LEATHER
A. Back	2.5 yds.	45 sq. ft.	A
B. Seat	1 vd.	18 sa. ft.	В.

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

FADDIO

PRODUCT INFORMATION

A FLOOR PLAN MUST BE SUBMITTED WITH ALL ORDERS TO INSURE ACCURACY OF UNITS REQUIRED

I CATUE

CONSTRUCTION

Seat frame constructed of welded structural steel. Back constructed from formed laminated plywood. Arms constructed from kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Cognac Barley Biltmore Cherry Cordovan Bourbon Ebony

Cherry Storm

Specify finish when ordering.

Brighton Walnut Monticello Maple

ALPHA INDICATORS

-L Left Arm Connector -LT Left Connecting Table -LC Left Connecting Chair -R Right Arm Connector -RT Right Connecting Table -RC Right Connecting Chair -LR Left/Right Arm Connectors

-LTRC Left Connecting Table, Right Connecting Chair -LCRT Left Connecting Chair, Right Connecting Table -RTLC Right Connecting Table, Left Connecting Chair -RCLT Right Connecting Chair, Left Connecting Table

Panel (Closed Arm) 0 Open Arm Add-on Unit Α

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish

5. Fire Code 6. Options

7. Submit Floor Plan

OPTIONS

Black polyurethane arm cap \$53 per arm (Not available on TB133 approved chairs)

TB133 UPCHARGE (Upcharges are the same for Left, Right and Left/Right units.) When using TB133, backs are not field recoverable. TB133 not available on closed arm models of Perth.

POC \$138 **POCC** 238 POCCC 359 PO33 215 **POAC** 138 POACC 276 **POACCC** 359

MOISTURE BARRIER

\$ 83 Each seat Loveseat 138

CONTRASTING FABRICS

For contrasting sections, specify seat and/or back see upcharges listed on page 7. Refer to letter guide above for pattern.

POC/PPC - Casters: black dual wheel casters - front, rear, or front and rear \$111 list - specify (note: price the same for 2 legs or all 4)

60 REPLACEMENT COVERS/CUSHIONS LIST PRICES

PERTH PRRP	Style	СОМ					FABRIC GF	RADES					LEAT GRA	THER NDES
PENIII FAAR	No.	Ydg.	СОМ	С	D	Е	F	G	Н	I	J	K	L	М
PRB-23 Replacement Back Foam and Upholstery Cover - Chair														
	PRB-23	1.5	173	181	197	218	232	259	286	341	408	476	544	680
PRS-23 Replacement Seat Cover Only - Chair														
	PRS-23	1	148	158	175	197	212	242	272	332	402	476	550	697
PRB-33 Replacement Back Foam and Upholstery Cover – Loveseat														
	PRB-33	2.5	232	243	266	292	313	349	385	459	549	642	732	915
PRS-33 Replacement Seat Cover Only – Loveseat	·		·	·			·	·		·			·	
	PRS-33	1.25	172	183	203	228	248	282	316	385	469	554	638	809

CONNECTING TABLES

LIST PRICES

PERTH PRCT	La SPECIFICATIONS	aminated Tops Woo	od Veneer Tops LIST PRICE
PT Center Table Top 1"	W20 D17 H16.25 Weight: 19 lbs. Frt. Class: 85	375	422
PET End Table Top 1"	W20 D17 H16.25 Weight: 22 lbs. Frt. Class: 85	499	535
PT45 45° Connector Table 19" Radius	W24 D20 H16.25 Weight: 20 lbs. Frt. Class: 85	440	505
PT90 90° Connector Table 35 24.75° Radius 17 24.75	W35 D24.75 H16.25 Weight: 25 lbs. Frt. Class: 85	660	755
PT3 Three Sided "T" Connector Table	W33 D25 H16.25 Weight: 30 lbs. Frt. Class: 85	748	832
PRODUCT INFORMATION CONSTRUCTION Constructed of kiln dried hardwood and veneers.	SPECIFICATIONS / FINISHES Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm Specify finish when ordering.	ORDERING INFORMATION Specify: 1. Quantity 2. Model Number 3. Top Selection 4. Finish 5. Options	OPTIONS Tops available in any standard laminate – please specify. See color addendum for details.

62 MULTIPLE SEATING LIST PRICES

SOLTÍCE SOMS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	E	FABRIC GR	ADES G	Н	I	J	K		ather Rades M
SOCC Two Seat Unit (open arm)	W44.5 D24 H34 Seat: W20 D18.25 H19.5 Arm: W1.25 H28.25 Weight: 66 lbs.	socc	3	1667	1772	1684	1711	1745	1767	1811	1856	1911	2023	2134	2245	2467
SOCCC Three Seat Unit (open arm)																
	W66 D24 H34 Seat: W19.5 D18.25 H19.5 Arm: W1.25 H28.25															
	Weight: 95 lbs.	socco	4.5	2450	2608	2475	2517	2567	2600	2667	2733	2817	2983	3150	3317	3650
SPCC Two Seat Unit (closed arm)																
	W44.5 D24 H34 Seat: W19.5 D18.25 H19.5 Arm: W1.25 H28.25															
	Weight: 67 lbs.	SPCC	4.5	1928	2086	1953	1995	2045	2078	2145	2211	2295	2461	2628	2795	3128
SPCCC Three Seat Unit (closed arm)																
	W66 D24 H34 Seat: W19.5 D18.25 H19.5 Arm: W1.25 H28.25															
	Weight: 96 lbs.	SPCCC	6.75	2660	2896	2697	2760	2842	2885	2985	3085	3210	3460	3710	3960	4460

 $\label{lem:components} \mbox{For replacement components on Multiple Seating, use Guest Chair replacement parts.}$

Multiply number of seats, backs and arms required by yardage amount (eg: 3 replacement seats required x 1 yard = 3 yards total).

PRODUCT INFORMATION

CONSTRUCTION – MULTIPLE SEATING

Frame constructed of kiln dried lumber and laminated hardwood plywood. Exposed wood components finished with catalyzed varnish (specify finish when ordering). Tight seats and backs sprung with stretch strap webbing stapled into position. Multiple densities of polyurethane foam covered with a layer of .75 super soft foam. Seats, backs and arms are field replaceable.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES		ORDERING INFO	OPTIONS		
Exposed wood av		Specify:	TB133 UPCH	IARGE	CONTRASTING UPHOLSTERY
following finishes	:	Quantity	SOCC	\$250	Contrasting seats, backs and arms
Barley	Cognac	2. Model Number	SOCCC	377	 see upcharges listed on page 7.
Biltmore Cherry	Cordovan	Upholstery – KI grade, KOM	SPCC	458	p p
Bourbon	Ebony	or COM with description	SPCCC	575	For yardage listed for replacement
Brighton Walnut	Monticello Maple	4. Finish			seats, backs and arms.
Cherry Storm	·	5. Fire Code	MOISTURE B	BARRIER	ocato, bacito ana anno.
O if . ff . i . i i		6. Options	SOCC	\$184	
Specify finish who	en oraering.	·	SOCCC	291	
			SPCC	194	
			SPCCC	291	

THREE THMS		Style	СОМ					FABRIC GRA	DES					LEAT GRAI	
INNEE THIS	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	1	J	K	L	М
TPC Chair															
	W24.5 D26.5 H31.5 Seat: W19.75 D18.5 H18.5 Arm: W2.5 H25.25														
	Weight: 50 lbs.	TPC	3.5	1099	1120	1157	1198	1228	1285	1343	1414	1557	1701	1844	2130
TPCR Chair															
	W28.5 D26.5 H31.5 Seat: W23.5 D19 H18.5 Arm: W2.5 H25.25														
	Weight: 55 lbs.	TPCR	4	1207	1232	1273	1322	1355	1420	1485	1567	1730	1895	2059	2386
TP33 Loveseat															
	W44.5 D26.5 H31.5 Seat: W39.75 D18.5 H18.5 Arm: W2.5 H25.25														
	Weight: 75 lbs.	TP33	5	1656	1686	1738	1799	1840	1922	2003	2106	2311	2515	2719	3129
TPCC Two Seat w/Arm															
	W46.5 D26.5 H31.5 Seat: W19.75 D18.5 H18.5 Arm: W2.5 H25.25														
	Weight: 85 lbs.	TPCC	5.75	1894	1929	1988	2059	2106	2200	2294	2412	2648	2883	3117	3588
TP43 Sofa															
	W68.5 D26.5 H31.5 Seat: W63 D18.5 H18.5 Arm: W2.5 H25.25														
	Weight: 110 lbs.	TP43	6.25	2143	2237	2301	2378	2429	2530	2633	2761	3017	3273	3528	4040

THREE THMS		Style	СОМ					FABRIC GF	RADES					LEA GRA	THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	С	D	E	F	G	Н	I	J	K	L	М
TPCCC Three Seat w/Arms															
	W68.5 D26.5 H31.5 Seat: W19.75 D18.5 H18.5 Arm: W2.5 H25.25														
	Weight: 125 lbs.	TPCCC	7.75	2533	2580	2659	2754	2818	2945	3071	3230	3547	3864	4181	4816
THLS															
T623 Lounge Chair	W30 D31 H31 Seat: W22.75 D21 H18.5 Arm: W3.75 H25.5														
	Weight: 70 lbs.	T623	5.25	1465	1497	1551	1616	1659	1745	1831	1938	2153	2368	2582	3012
T633 Love Seat															
	W53 D31 H31 Seat: W45.5 D21 H18.5 Arm: W3.75 H25.5														
	Weight: 100 lbs.	T633	7	1913	2011	2082	2168	2225	2340	2454	2598	2884	3170	3458	4030
T623CC Two Seat w/Arm															
	W56.25 D31 H31 Seat: W22.75 D21 H18.5 Arm: W3.75 H25.5														
	Weight: 175 lbs.	T623CC	7.5	2240	2286	2357	2454	2516	2639	2761	2915	3222	3529	3835	4450
T643 Sofa															
	W76 D31 H31 Seat: W68.5 D21 H18.5 Arm: W3.75 H25.5														
	Weight: 150 lbs.	T643	9.25	2513	2569	2664	2778	2854	3006	3157	3346	3725	4103	4482	5239
T623CCC Three Seat w/Arms															
	W82.5 D31 H31 Seat: W22.75 D21 H18.5 Arm: W3.75 H25.5														
	Weight: 250 lbs.	T623CCC	10.25	2680	2743	2848	2974	3058	3225	3393	3602	4022	4441	4861	5700

MULTIPLE SEATING

LIST PRICES

THREE THLS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GF	RADES G	Н	I	J	K		THER ADES M
T723 Lounge Chair	W32.5 D31 H31														
	Seat: W22.75 D21 H18.5 Arm: W5 H25.5														
	Weight: 75 lbs.	T723	5.25	1611	1644	1697	1762	1804	1891	1977	2084	2300	2514	2729	3158
T733 Love Seat															
	W55.5 D31 H31 Seat: W45.5 D21 H18.5 Arm: W5 H25.5														
	Weight: 110 lbs.	T733	7.25	2111	2155	2229	2318	2378	2496	2616	2764	3060	3357	3653	4247
T743 Sofa															
	W78.25 D31 H31 Seat: W68.5 D21 H18.5 Arm: W5 H25.5														
	Weight: 175 lbs.	T743	9.5	2655	2713	2810	2927	3004	3160	3316	3511	3898	4287	4676	5454

PRODUCT INFORMATION

CONSTRUCTION

Seat Frames constructed of welded structural steel. Backs constructed from formed plywood. Arms are a combination of kiln dried hardwood and plywood. Exposed parts are hardwood. Cushions of multiple densities of polyurethane foam. Seats and backs are field replaceable – standard.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac
Biltmore Cherry
Bourbon Ebony
Brighton Walnut
Cherry Storm
Cognac
Cordovan
Ebony
Monticello Maple

Specify finish when ordering.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ORDERING INFORMATION

Specify: TB133 UPCHARGE MOISTURE BARRIER 1. Quantity TPC \$278 TPC \$167 2. Model Number **TPCR** 304 **TPCR** 177 3. Upholstery/KI grade or **TPCL** 329 **TPCL** 187 COM with description TP33 386 TP33 227 4. Finish TP43 486 TP43 287 5. Fire Code **TPCC** 454 TPCC 273 6. Options **TPCCC** 592 **TPCCC** 346 366 T623 T623 199 T633 478 T633 257 T643 557 T643 263 T623CC 530 T623CC 292 T623CCC 715 T623CCC 388 T723 378 T723 210 T733 504 T733 275 T743 645 T743 344 130 TB48 233 **TB48** TB60 297 **TB60** 162

OPTIONS

Field recoverable arms – price is per arm list. TPRAC \$111

T623AC 122 T723AC 133

Contrasting cover option: seat and/or back – see upcharges listed on page 7.
Replacement covers: consult factory

* Urethane arm caps – black only
TPC Models \$44 list ea.
T623 - 33 - 43 Models 52 list ea.
T723 - 33 - 43 Not Available

* TB133 not available with urethane arm caps

ORDERING LEGEND - LOUNGE SEATING

61 Model Number 23 Lounge Chair 33 Loveseat 61 Model Number

61 Model Number 43 Sofa

LIST PRICES

BRUEN BRUE		Style	СОМ						FABRIC G	RADES						THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	E	F	G	Н	1	J	K	L	М
8000 Arm Chair		QUICK SHIP														
	W27 D30 H30 Seat: W20 D20 H18 Arm: H26 Midway															
	Weight: 75 lbs. Frt. Class: 175	8000	4.75	1077	1241	1108	1162	1228	1276	1367	1457	1639	1860	2087	2312	2764
8010 Arm Chair w/Casters		QUICK SHIP	,													
	W27 D30 H30 Seat: W20 D20 H17.75 Arm: H26 Midway															
	Weight: 75 lbs. Frt. Class: 175	8010	4.75	1049	1207	1078	1133	1199	1246	1336	1427	1607	1828	2053	2277	2727

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood and laminated plywood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Loose seat cushions. 8010 casters, standard dual wheel.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard need to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes:

Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish 5. Fire Code 6. Options

TB133 UPCHARGE 8000 Arm Chair 8010 Arm Chair w/casters

OPTIONS

MOISTURE BARRIER 8000 Arm Chair \$111 8010 Arm Chair w/casters 111

\$315

315

LOUNGE SEATING LIST PRICES

CINTURÓN CNLS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	E	FABRIC G F	<i>RADES</i> G	Н	ı	J	K		THER ADES M
6123 Lounge Chair		QUICK														
	W32 D34.75 H34 Seat: W21 D21 H18.5 Arm: H26.25 Midway	4														
	Weight: 62 lbs. Frt. Class: 150	6123	5.25	1192	1370	1292	1356	1433	1483	1586	1687	1813	2067	2322	2576	3084
6133 Loveseat																
		QUICK SHIP														
	W55 D34.75 H34 Seat: W44 D21 H18.5 Arm: H26.25 Midway															
	Weight: 77 lbs. Frt. Class: 150	6133	8.75	1652	1899	1803	1909	2035	2120	2290	2458	2670	3093	3514	3937	4782
6143 Sofa																
	W71 D34.75 H34 Seat: W60 D21 H18.5 Arm: H26.25 Midway	SHIP														
<u> </u>	Weight: 94 lbs. Frt. Class: 150	6143	12.25	1983	2281	2069	2210	2379	2492	2717	2943	3224	3789	4354	4915	6045

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs, semi-attached seat – not removable.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS ORDERING INFORMATION

QUICKSHIP PROGRAM: See page 7 for QSP information.

Quantity
 Model Number
 Upholstery/Kl grade or COM with description
 Fire Code

4. Fire Cod 5. Options

Specify:

OPTIONS

 TB133 UPCHARGE

 6123 Lounge Chair
 \$326

 6133 Loveseat
 436

 6143 Sofa
 547

 MOISTURE BARRIER

 6123 Lounge Chair
 \$111

 6133 Loveseat
 221

 6143 Sofa
 332

WELT OPTION

Welt option (add welt – lose the belt) 10% upcharge to list. Specify product # plus WW. COM yardage for welt:

6123WW .75 yds. 6133WW .75 yds. 6143WW 1 yd. LOUNGE SEATING LIST PRICES

CODY CODY		Style	СОМ					FABRIC	C GRADES							THER ADES
<u> </u>	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	М
6723 Lounge Chair																
	W33 D31.5 H30 Seat: W22 D21.5 H18 Arm: H25															
	Weight: 75 lbs. Frt. Class: 175	6723	4	1320	1522	1345	1389	1442	1481	1554	1624	1769	1949	2129	2311	2672
6733 Loveseat																
	W55 D31.5 H30 Seat: W44 D21.5 H18 Arm: H25															
	Weight: 120 lbs. Frt. Class: 175	6733	6	1762	2029	1799	1864	1946	2003	2113	2222	2441	2711	2985	3259	3803
6743 Sofa																
	W77 D31.5 H30 Seat: W66 D21.5 H18 Arm: H25															
	Weight: 150 lbs. Frt. Class: 175	6743	7.75	2094	2411	2144	2229	2335	2411	2556	2698	2988	3340	3701	4060	4776
6713-T Lounge Chair w/Tablet Arm																
	Tablet: L22 W11.5 Thickness: .75															
	Weight: 80 lbs.	6713-T	4	1595	1796	1619	1663	1716	1755	1828	1898	2043	2223	2403	2585	2946

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs. semi-attached seat - not removable.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns),

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

OPTIONS ORDERING INFORMATION

TB133 UPCHARGE Specify: 1. Quantity 6723 Lounge Chair \$210 2. Model Number 6733 Loveseat 309 3. Upholstery/KI grade or 6743 Sofa 403 COM with description 4. Finish MOISTURE BARRIER \$111 5. Fire Code 6723/6713T Lounge Chair 6. Options 6733 Loveseat 221 6743 Sofa 332 Reversible cushion option:

Reversible seat cushion with rounded front edge. Cushion is semi-attached with hooks and d-rings. Specify option 1 and add \$22 per cushion.

For contrasting welt, add \$83 list. Requires .5 yds. of

fabric or 9 sq. ft. of leather for welt.

TABLET ARM SPECIFICATIONS

Tablet is left-side facing (right hand) – standard. Figured birch laminated wood veneer – standard. Bowfront -standard. Available in all standard KI wood finishes - please specify. For tablet options/specifications refer to page 8. Tablet is removable - standard.

Chair will be produced with tablet left-side facing unless otherwise specified for right-side facing (left-handed tablet).

LOUNGE SEATING LIST PRICES

GRAND SALON GSAL		Style	COM	l					FABRIC GRAD	DES						ATHER ADES
	SPECIFICATIONS	No.	Ydg	COM	COL	С	D	Е	F	G	Н	l	J	K	L	٨
3223 Lounge Chair w/Upholstered Arms (shown) 3223WA Lounge Chair w/Wood Arms																
	W29 D32 H32.5 Seat: W22 D20 H18.75 Arm: H29.75	6223	5.5	1431	1645	1464	1519	1586	1635	1724	1812	1928	2153	2376	2597	305
	Weight: 85 lbs.	6223W		1587		1624	1680	1746	1796	1879	1967	2088	2309	2530	2763	
233 Loveseat w/Upholstered Arms (shown) 233WA Loveseat w/Wood Arms																
	W51 D32 H32.5 Seat: W44 D20 H19.75 Arm: H29.75															
		6233	7.5	1718	1976	1766	1842	1934	1989	2116	2243	2395	2701	3011	3315	
Ц	Weight: 120 lbs.	6233W	/A 7.5	1874	2155	1923	1995	2088	2149	2274	2387	2542	2856	3160	3470	408
243 Sofa w/Upholstered Arms (shown) 243WA Sofa w/Wood Arms																
	W73 D32 H32.5 Seat: W66 D20 H19.75 Arm: H29.75		10	0004	0400	0455	0054	0004	0.400	0004	0700	0004	0.400	0040	1001	500
	Weight: 140 lbs.	6243 6243W	10 /A 10p	2094 2250	2408 2587	2155 2309	2254 2414	2381 2536	2463 2619	2624 2782	2790 2946	2984 3149	3403 3559	3812 3967	4221 4376	503 519
220 Ottoman	•															
	W22 D18.5 H18															
	Weight: 35 lbs.	6220	1.5	716	823	723	733	743	754	829	844	865	906	947	988	107
PRODUCT INFORMATION																
CONSTRUCTION	SPECIFICATIONS / FINISHES Exposed wood available in th	ne		ORDERIN Specify:	G INFORM	IATION		OPTIONS TB133 UPCH	ARGF		On	tion 1: Cor	ntrast inside	e hack det:	ail specif	iv.
olywood. Cushioning of multiple densities objurethane foam. Front and rear legs of east aluminium, top and edge surfaces, canded, clear coat finish. White nylon glide.	following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello			 Quant Mode Uphol COM Finish 	Number stery/KI g with desc		1		Lounge Chai Loveseat Sofa an	ir \$326 436 547 83	CO the • 6 • 6	M fabric or following re 5223 or WA 5233 or WA 5243 or WA	leather de equiremen – 1/4 yard – 1/3 yard – 1/2 yard	scription a ts:	nd supply	ý
COM/COL REQUIREMENTS	Cherry Storm Specify finish when ordering.			5. Fire C 6. Option					Lounge Chai	ir \$111 221	quo	er 10 units, otation) Wh tion 1 and c	en using K	I or Pallas	material,	specif
COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or								6243 or WA		332		contrast.	onudoi Illa	atonal. INO	unanye 10	•
patterns), additional yardage will be needed. Consult C order for 50 yards arrives in separate rolls i.e. 20, 20, a to be added, i.e. this order would require three addition sent separately. Figure 18 sq. ft. of leather (COL) for each	nd 10, we lose yield. For eac al yards; and it would need to	h roll tha	t is sent,	one yard	needs				ck powder co add \$111 list.		Col	ntrast upch	arge for ott	toman \$50		

70 LOUNGE SEATING LIST PRICES

IVEY IVLS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	E	FABRIC GF	RADES G	Н	ı	J	K		THER ADES M
34023 Lounge Chair		QUICK	- 3													
	W36 D34 H31 Seat: W21 D22 H19 Arm: H26	SHIP														
	Weight: 80 lbs. Frt. Class: 175	34023	5.5	1210	1393	1252	1327	1420	1486	1612	1738	1987	2295	2608	2922	3545
34033 Loveseat		QUICK														
	W60 D34 H31 Seat: W46 D22 H19 Arm: H26	SHIP														
	Weight: 125 lbs. Frt. Class: 175	34033	8.5	1655	1906	1717	1828	1965	2062	2249	2433	2804	3260	3727	4187	5113
34043 Sofa		QUICK														
	W84 D34 H31 Seat: W70 D22 H19 Arm: H26	SHIP														
	Weight: 165 lbs. Frt. Class: 175	34043	11.5	1983	2282	2053	2178	2330	2441	2650	2856	3271	3784	4304	4821	5857

See complimentary IVEY arm chair under guest seating.

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs, loose seats.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

ORDERING INFORMATION

Specify:

1. Quantity

2. Model Number

3. Upholstery/KI grade or

COM with description

4. Finish

5. Fire Code

6. Options

OPTIONS

TB133 UPCHARGE

34033 Loveseat \$414

34043 Sofa 536

34023 not available with TB133 due to design

MOISTURE BARRIER

\$83 34000 Guest Chair 34023 Lounge Chair 111 34033 Loveseat

221 34043 Sofa 332

JESSA JESS	ODECIEIO ATIONIO	Style	COM	COM4	001	0	-	FABRIC (0				IZ.	LEAT GRA	NDES
	SPECIFICATIONS	No.	Ydg.	СОМ	COL	С	D	E	F	G	Н	I	J	K	L	М
5623 Lounge Chair																
	W31.5 D30 H32.5 Seat: W21.75 D20 H18.5 Arm: H24.5	SHIP														
	Weight: 65 lbs. Frt. Class: 175	5623	4.5	1049	1217	1179	1239	1311	1358	1453	1548	1669	1903	2145	2378	285
5633 Loveseat																
		QUICK														
	W53.5 D30 H32.5 Seat: W43.75 D20 H18.5 Arm: H24.5	SHIP														
	Weight: 90 lbs. Frt. Class: 175	5633	8	1454	1690	1646	1751	1875	1955	2122	2283	2493	2901	3315	3732	454
5643 Sofa																
		QUICK														
	W75.5 D30 H32.5 Seat: W65.5 D20 H18.5 Arm: H24.5	SHIP														
	Weight: 110 lbs. Frt. Class: 175	5643	10	1762	2048	2001	2120	2270	2371	2568	2766	3016	3518	4014	4512	550
5613-T Lounge Chair w/Tablet Arm		<u> </u>														
		QUICK														
	Tablet: L22.25 W13 Thickness: .75	400														
	Weight: 70 lbs. Frt. Class: 175	5613-T	4.5	1210	1404	1350	1410	1474	1520	1603	1696	1803	2025	2250	2461	290
PRODUCT INFORMATION																
CONSTRUCTION Frames of kiln dried hardwood and	ORDERING INFORMATION Specify:	TABLET ARM SPE		sonart	OPTIONAL Option 1 E			NS		TIONS 33 UPCHA	.RGE					
laminated wood veneer. Cushioning of multiple densities of polyurethane	 Quantity Model Number 	Black 1595-60 lack edge T-mo			Option 3 T Option 2 E			st.		23 Lounge 33 Lovese		\$315 436		et connec cover	tion	\$3
foam and dacron fiber. Attached backs, loose seat reversible in fabric.	Upholstery/KI grade or COM with description	Top available in laminate. See p	any standar	d	Option 4 T			st.		43 Sofa		547		-removab		\$17
COM/COL REQUIREMENTS	4. Finish5. Fire Code6. Options	Specialty lamina "per quote" basis	ates available s.	on a	Option 5 T For tablet refer to pa	options/s	•		562 563	33 Lovese	Lounge Cl	221	chai or fr	ters availa rs only, fro ont/rear – per pair li	ont, rear, specify	
COM yardage requirements listed above a wide. If less than 54" wide or fabrics requir prints, large patterns), additional yardage watrix on page 6 for additional yardage neyards arrives in separate rolls i.e. 20, 20, a roll that is sent one yard needs to be added.	ing matching (stripes, plaids, will be needed. Consult COM eded. When an order for 50 and 10, we lose yield. For each	Tablet is removal SPECIFICATIONS QUICKSHIP PROG page 7 for QSP	RAM: Se		Chair will left-facing for right-f	unless o	therwise	specified	Wo	43 Sofa ood arm ca d \$166 pe		332 ify WA and	Tabl righ	et availab t-side faci -handed)	le ng	

roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

72 LOUNGE SEATING LIST PRICES

LIDO LIDO	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	E	FABRIC G	<i>GRADES</i>	Н	I	J	K	LEAT GRA	
6823 Lounge Chair																
	W32 D31 H29 Seat: W22 D21 H17 Arm: H23.5 Midway Weight: 75 lbs. Frt. Class: 175	6823	5	1210	1392	1243	1304	1378	1432	1533	1633	1834	2082	2334	2585	3086
6833 Loveseat																
	W54 D31 H29 Seat: W44 D21 H17 Arm: H23.5 Midway															
	Weight: 120 lbs. Frt. Class: 175	6833	7.5	1652	1899	1696	1777	1874	1945	2080	2213	2480	2809	3144	3477	4144
6843 Sofa																
	W76 D31 H29 Seat: W66 D21 H17 Arm: H23.5 Midway Weight: 150 lbs. Frt. Class: 175	6843	10.50	1983	2282	2043	2153	2286	2383	2564	2746	3107	3554	4009	4462	5366

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs, loose seats.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood legs available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Ebony Bourbon **Brighton Walnut** Monticello Maple Cherry Storm Specify finish when ordering.

ORDERING INFORMATION

OPTIONS TB133 UPCHARGE Specify: 6823 Lounge Chair \$315 1. Quantity 2. Model Number 6833 Loveseat 436 3. Upholstery/KI grade or 6843 Sofa 547 COM with description 4. Finish MOISTURE BARRIER 5. Fire Code 6823 Lounge Chair \$111 6. Options 6833 Loveseat 221 6843 Sofa 332

LOUNGE SEATING LIST PRICES

LIDO LIDO	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	FABRIC (<i>GRADES</i> F	G	Н	1	J	K	LEAT GRA L	
6823WA Lounge Chair w/Wood Arm Cap																
	W32 D31 H29 Seat: W22 D21 H17 Arm: H23.5 Midway Weight: 75 lbs. Frt. Class: 175	6823WA	5	1376	1558	1409	1470	1544	1598	1698	1799	2000	2248	2500	2750	3252
6833WA Loveseat w/Wood Arm Cap																
	W54 D31 H29 Seat: W44 D21 H17 Arm: H23.5 Midway															
<u> </u>	Weight: 120 lbs. Frt. Class: 175	6833WA	7.5	1818	2065	1862	1972	2040	2111	2245	2379	2645	2975	3319	3643	4310
6843WA Sofa w/Wood Arm Cap																
	W76 D31 H29 Seat: W66 D21 H17 Arm: H23.5 Midway															
	Weight: 150 lbs. Frt. Class: 175	6843WA	10.5	2149	2448	2209	2318	2452	2549	2729	2912	3273	3719	4175	4628	5598

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs, loose seats.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood legs available in the following finishes:
Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut
Cherry Storm Monticello Maple
Specify finish when ordering.

ORDERING INFORMATION

Specify:
1. Quantity
2. Model Number
3. Upholstery/KI grade or COM with description
4. Finish

5. Fire Code 6. Options MOISTURE BARRIER 6823WA Lounge Chair

TB133 UPCHARGE

6833WA Loveseat

6843WA Sofa

6823WA Lounge Chair

\$315

436

547

\$111

221

332

6833WA Loveseat 6843WA Sofa

OPTIONS

74 LOUNGE SEATING LIST PRICES

		Style	СОМ					EARRIC	GRADES							THER ADES
LOLA LOLA	SPECIFICATIONS	No.	Ydg.	СОМ	COL	С	D	E	F	G	Н	1	J	K	L	М
5923 Lounge Chair w/Upholstered Arms 5923WA Lounge Chair w/Wood Arms																
	W32 D31.5 H32 Seat: W21.75 D20 H18.5 Arm: H24.75 Upholstered Arms H24.25 Wood Arms															
	Weight: 75 lbs. Frt. Class: 175	5923 5923WA	4.75 4	1320 1431	1518 1648	1349 1455	1400 1498	1463 1550	1509 1589	1596 1661	1681 1733	1853 1877	2067 2053	2283 2232	2426 2412	2926 2772
5933 Loveseat w/Upholstered Arms 5933WA Loveseat w/Wood Arms																
	W54.25 D31.5 H32 Seat: W43.5 D20 H18.5 Arm: H24.75 Upholstered Arms H24.25 Wood Arms	5000	0.5	1710	4070		4000	1011	1070		2222	0.4.40	0700		00.40	
	Weight: 120 lbs. Frt. Class: 175	5933 5933WA	6.5 5.25	1713 1823	1970 2097	1751 1853	1823 1909	1911 1979	1972 2029	2091 2124	2208 2218	2442 2407	2733 2640	3025 2875	3319 3111	3903 3579
5943 Sofa w/Upholstered Arms 5943WA Sofa w/Wood Arms																
	W76 D31.5 H32 Seat: W65.75 D20 H18.5 Arm: H24.75 Upholstered Arms H24.25 Wood Arms	5943	8	2094	2411	2144	2232	0007	2416	2561	2707	2999	3358	0700	4087	4814
	Weight: 150 lbs. Frt. Class: 175	5943 5943WA	_	2204	2537	2245	2319	2337 2408	2474	2593	2716	2963	3264	3723 3569	3874	4489
5920 Ottoman																
	W24 D22 H18															
	Weight: 35 lbs. Frt. Class: 150	5920	1.5	547	630	558	576	599	613	643	672	730	802	874	948	1094
PRODUCT INFORMATION																
CONSTRUCTION Frames of kiln dried hardwood. Exposed maple wood legs (specify finish when ordering). Exposed wood arms are maple 16 ply laminated wood veneer. Fixed back and seat cushions, cushioning of multiple densities of polyurethane foam and dacron fiber.	SPECIFICATIONS / FINISHE Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Cherry Storm	e	Specify: 1. Quantity 2. Model N 3. Upholst	Number ery/KI grade ith description de	or	TB1 592: 593: 594: 592:	TIONS 33 UPCH/ 3 or WA Lo 3 or WA Lo 3 or WA So 0 Ottoman USTURE B. 3 or WA Lo	ounge Cha oveseat ofa ARRIER	33 44 8	2 2 3	caps a	vailable – es 1.5 yaı	specify a	ontrasting ind add \$8 nit or 27 so	3 list.	
COM/COL REQUIREMENTS	Specify finish when ordering.		-				3 or WA Lo		22							

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

5933 or WA Loveseat 221 5943 or WA Sofa 332 LOUNGE SEATING LIST PRICES

MESA MSLS		Style	СОМ					FABRIC	GRADES							ATHER ADES
MEGAeze	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Ε	F	G	Н	I	J	K	L	М
6623 Lounge Chair																
	W32.5 D30.5 H29.5 Seat: W21.5 D20.5 H18 · Arm: H24	QUICK SHIP														
	Weight: 75 lbs. Frt. Class: 175	6623	4	1210	1393	1253	1319	1400	1457	1567	1676	1895	2166	2439	2714	3261
6633 Loveseat		_														
	W54.5 D30.5 H29.5 Seat: W43.5 D20.5 H18 - Arm: H24	QUICK SHIP														
	Weight: 120 lbs. Frt. Class: 175	6633	6	1652	1903	1702	1793	1902	1982	2132	2282	2581	2950	3324	3697	4448
6643 Sofa																
	W76.5 D30.5 H29.5 Seat: W65.5 D20.5 H18 Arm: H24	QUICK														
	Weight: 150 lbs. Frt. Class: 175	6643	8	1983	2283	2045	2155	2287	2383	2566	2748	3112	3559	4018	4472	5379
CONTRASTING UPHOLSTERY GUIDE	DESCRIPTION			FABRIC YARDAC		ATHER). FT.	SPECI	FY FABR	IC/LEATH	ER						_
$C \xrightarrow{A} B \xrightarrow{B}$	A. Top Back Panel/Arm Panel	el Chair Lovesea Sofa	at	1 yd. 1.5 yds. 1.5 yds.	6' 2	1' Section 1' Section 2' Section	A									



Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

QUATRO GUEST SEATING is a companion to MESA.

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached cushions.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20,

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes:
Barley Cognac

Biltmore Cherry
Bourbon
Brighton Walnut
Cherry Storm

Cogniac
Cogniac
Cogniac
Cogniac
Cogniac
Cogniac
Cogniac
Cogniac
Monticello Maple
Cogniac

Specify finish when ordering.

ORDERING INFORMATION

Specify:

- Quantity
- 2. Model Number
- Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code6. Options

CONTRASTING COVER REQUIREMENTS

OPTIONS

There are three options KI offers for contrasting covers:

1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge.

Contrasting back and arm panels available - specify and add \$83 list. Refer

for cut yardage price. (The minimum requirements are waived). NOTE: Button

will be upholstered in contrasting fabric - standard, unless otherwise specified.

to contrasting upholstery guide above. When using KI fabric, refer to page 7

One COM fabric, one KI in-grade: Price at in-grade list and waive contrast uncharge.

Button covered in same upholstery - standard. Wood button available

- specify, no charge. Wood button will be finished to match legs.

3. All COM fabric: All COM fabric: see applicable upcharges listed on page 7.

Must specify with no buttons for TB33.

TB133 UPCHARGE	
6623 Lounge Chair	\$298
6633 Loveseat	420
6643 Sofa	547

MOISTURE BARRIER 6623 Lounge Chair

6623 Lounge Chair \$111 6633 Loveseat 221 6643 Sofa 332

and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

76 LOUNGE SEATING LIST PRICES

NEENA NEEN		Style	СОМ					FABRIC	GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	E	F	G	Н	I	J	K	L	М
7923 Lounge Chair		QUICK														
	W30 D28 H31 Seat: W19 D20 H19 Arm: H28 midway Weight: 70 lbs. Frt. Class: 175	SHIP 7923	4.25	989	1138	1020	1076	1145	1195	1287	1381	1567	1797	2031	2265	2729
7933 Loveseat	FIL. Class. 175	1923	4.23	909	1100	1020	1070	1145	1195	1201	1301	1307	1797	2001	2205	
	W51 D28 H31 Seat: W38 D20 H19 Arm: H28 midway Weight: 115 lbs. Frt. Class: 175	QUICK SHIP 7933	5.75	1320	1519	1357	1422	1503	1559	1669	1777	1995	2262	2534	2803	3347
7943 Sofa																
	W70 D28 H31 Seat: W57 D20 H19 Arm: H28 midway Weight: 145 lbs. Frt. Class: 175	QUICK SHIP 7943	8.75	1678	1933	1734	1834	1957	2046	2212	2379	2715	3127	3544	3961	4674

See the companion NEENA BENCH under Benches.

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached backs, loose seats.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes:
Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

TB133 UPCHARGE Specify: 1. Quantity 7923 Lounge Chair 2. Model Number 7933 Loveseat 3. Upholstery/KI grade or 7943 Sofa COM with description 4. Finish MOISTURE BARRIER 5. Fire Code 7923 Lounge Chair 6. Options 7933 Loveseat 7943 Sofa

OPTIONS

\$276

376

514

\$111

221

332

LOUNGE SEATING LIST PRICES

POMFRET PMLS		Style	СОМ					FABRIC	GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Ε	F	G	Н	ļ	J	K	L	М
6423 Lounge Chair																
	W30 D31.5 H30 Seat: W22 D20.5 H18.5 Arm: H25 midway															
	Weight: 75 lbs. Frt. Class: 175	6423	4.75	1320	1520	1351	1410	1478	1529	1625	1719	2103	2145	2383	2621	3095
6433 Loveseat																
	W52 D31.5 H30 Seat: W44 D20.5 H18.5 Arm: H25 midway															
	Weight: 120 lbs. Frt. Class: 175	6433	5.75	1669	1922	1707	1779	1865	1927	2044	2162	2393	2683	2975	3265	3850
6443 Sofa																
	W74 D31.5 H30 Seat: W66 D20.5 H18.5 Arm: H25 midway Weight: 150 lbs.															
	Frt. Class: 175	6443	7.5	2029	2333	2079	2170	2283	2366	2517	2672	2975	3360	3735	4114	4881

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached cushions.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish

5. Fire Code

Specify:

6. Options

OPTIONS

TB133 UPCHARGE 6423 Lounge Chair \$309 6433 Loveseat 6443 Sofa

376

470

MOISTURE BARRIER 6423 Lounge Chair

\$111 6433 Loveseat 221 6443 Sofa 332 **78** LOUNGE SEATING LIST PRICES

RELAX RELX		Style	СОМ					FABRIC	GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	М
613 Armless Chair																
	W24 D27 H35.5 Seat: W24 D19 H18.5 Weight: 75 lbs. Frt. Class: 150	613	3.25	1210	1391	1233	1272	1319	1350	1411	1473	1550	1704	1859	2013	2322
613-T Chair w/Tablet Arm																
	W29 D31 H35.5 Seat: W24 D19 H18.5 Arm: H26															
	Weight: 88 lbs. Frt. Class: 150	613-T	3.25	1740	2002	1761	1793	1833	1862	1915	1970	2035	2171	2306	2439	2711
CONTRASTING UPHOLSTERY GUIDE A	DESCRIPTION		FABRIC YARDAGE	LEATHEI SQ. FT.		CIFY FAE	BRIC/LEAT	HER								
B	A. Pillow Back		1 yds.	18 sq. ft.	A											
B_ B_	B. Outside Back		1.25 yds.	22.5 sq. f												
c — c	C. Seat Body		1.5 yds.	27 sq. ft.	B											
	D. Seat Border		.5 yd.	9 sq. ft.	C										-	
	D. Arm Pad on Tablet 613T		.5 yd.	9 sq. ft.	D										-	

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood wood veneer. Cushioning of multiple densities of polyurethane foam and dacron fiber. Arm pads upholstered in same fabric. Legs front, single wheel casters rear - standard. Legs, casters, push bars, tablet arms, and tablets in pewter finish – standard. Attached backs and seats

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one vard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Wood veneer tablet available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Maple Monticello Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

- COM with description
- 6. Options

Specify: 1. Quantity
2. Model Number
3. Upholstery/KI grade or

4. Finish 5. Fire Code Standard powder coat colors for KI High Point are silver, textured black, or pewter. Specify powder coat selection purchase order.

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.


TABLET ARM SPECIFICATIONS

Tablet arm available left-side facing only. Tablet constructed of maple wood veneer, 17.5" x 5" x .75", opening to a 17.5" x 10" x .75" work surface. Tablet hinges available in brushed nickel only. Tablet is pewter - standard. Available in any standard finish - specify. Laminate not available on standard table.

OPTION 1 TABLET SPECIFICATIONS

One piece top. Wilsonart Black 1595-60 laminate top with black edge T-molding standard. Size 17.75" x 10 " x .75". Top available in any standard laminate specify. See page 9 for details. Specialty laminates available on a "per quote" basis. Specify Option 1 – no charge. Coordinating color edge banding available - \$83 list.

Note: The tablet arm pad on the Relax model 613-T will be upholstered in the same fabric as the seat (standard.) If contrasting fabric is specfied, a special cost request will be required.



OPTIONS

Four legs available - specify \$94 per

Four casters available – specify \$94 per pair.

Casters in front, legs in rear, specify no charge.

Rear mounted push bar - \$44 list.

Silver or textured black powder coat for legs, casters, push bar, and tablet arm - specify, no charge.

CONTRASTING COVER REQUIREMENTS

There are three options KI offers for contrasting covers:

- 1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge.

 2. One COM fabric, one KI in-grade:
- Price at in-grade list and waive contrast upcharge.
- 3. All COM fabric: see applicable upcharges listed on page 7.
- *TB133 not available on RELAX.

S0823 Medium Lounge Chair (open arm) Was D28 H32 Seat. W26 D13 H19 Arm. W2 H27 Weight: 59 lbs. S0823 2.5 1292 1380 1306 1329 1357 1375 1412 1449 1496 1588 1681 1773 158 823-BK Replacement Back 823-BK 1.75 498 559 508 524 543 556 582 608 641 705 770 835 68 823-ST Replacement Seat 823-ST 1.5 599 652 607 621 638 649 671 693 721 777 832 888 58 823-OA (RF/LF) 350 823-AC Replacement Arm — Open Arm 823-AC Replacement Arm — Open Arm 823-AC Replacement Arm — S083 4.5 1715 1873 1740 1782 1832 1865 1932 1998 2082 2248 2415 2582 258 833-BK Replacement Back 833-BK 2.75 649 745 684 699 720 741 781 822 873 975 1070 1779 178 833-ST Replacement Arm — Open Arm 833-AC Replacement Arm — Open Arm 833-AC Replacement Arm — Open Arm 833-AC Replacement Arm — Open Arm 833-BK Replacement Arm — Open Arm	LOUNGE SEATING														i	LIST PI	11CES
Was Das Haz Sent Waz D 19,6 H19 Sent Waz D 19,6 H19 Sent Waz D 19,6 H19 Wasight 158 Rs. SO823 2.5 1292 1380 1306 1329 1357 1375 1412 1449 1496 1588 1681 1773 1770 1835 1825	SOLTÍCE sols	SPECIFICATIONS			СОМ	COL	С	D	E			Н	1	J	K		
Seat: W22 D11.5 H19 Arm: W2 PET Arm: W2 PE	SO823 Medium Lounge Chair (open a	rm)															
823-BK Replacement Back 823-BK 1.75 498 559 508 524 543 556 582 608 641 705 770 835 8 823-ST Replacement Seat 823-ST 1.5 599 652 607 621 638 649 671 693 721 777 832 888 8 823-OA(RFILF) 823-AC Replacement Arm — Open Arm 823-AC Replacement Arm — Open Arm 823-BK Replacement Back 823-BK 893-BK 2.75 649 745 664 690 720 741 781 822 873 975 1070 1179 13 833-ST Replacement Back 833-BK 2.75 701 789 715 738 766 784 821 858 905 997 1090 1182 13 833-OA(RFILF) 833-AC Replacement Arm — Open Arm 833-AC Replacement Arm — Open Arm 833-AC Replacement Arm — Open Arm 833-BK 894-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21 843-BK Replacement Seat 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21 843-ST Replacement Seat 843-BK Replacement Seat 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21 843-ST Replacement Seat 843-BK 1.75 489 559 508 524 543 566 582 608 641 705 770 835 68 843-BK Replacement Seat 843-BK 1.75 489 559 508 524 543 566 688 641 705 770 835 68 843-BK Replacement Back 843-BK 1.75 489 559 508 524 543 556 582 608 641 7075 770 835 68 843-BK 1.75 589 652 607 621 638 649 671 693 721 777 832 888 640 721 777 832 888 640 721 777 832 888 640 721 777 832 888 640 777 832 888 640 778 777 832 878 778 778 778 778 778 778 778 778 77		Seat: W22 D19.5 H19															
823-BK Replacement Back 823-BK 1.75 498 559 508 524 543 556 582 608 641 705 770 835 582 823-ST Replacement Seat 823-ST 1.5 599 652 607 621 638 649 671 893 721 777 832 888 988 988 988 988 988 988 988 988 98		Weight: 58 lbs.	SO823	2.5	1292	1380	1306	1329	1357	1375	1412	1449	1496	1588	1681	1773	1959
823-OA/(FFLF) Replacement Arm – Open Arm 823-OA/(RF/LF) 823-OA/(RF/LF) Replacement Back 823-OA/(RF/LF) Replacement Back 823-OA/(RF/LF) Replacement Back 823-OA/(RF/LF) Replacement Arm – Open Arm 823-OA/(RF/LF) Replacement Back 823-OA/(RF/LF) Replacement Seat 823-OA/(RF/LF) Replacement Arm – Open Arm	823-BK Replacement Back																965
Replacement Arm – Open Arm 823-AC Replacement Back 833-BK Replacement Back 833-ST Replacement Arm – Open Arm 833-AC Replacement Arm – Open Arm 833-AC Replacement Arm – Open Arm 833-AC Replacement Arm – Open Arm 833-BK Replacement Back 833-BK 2.75 649 745 664 690 720 741 781 822 873 975 1070 1179 1283-3FT Replacement Arm – Open Arm 833-ST 893-CA (RF/LF) 350 833-BK 893-BK 893-	823-ST Replacement Seat		823-ST	1.5	599	652	607	621	638	649	671	693	721	777	832	888	999
Seat: W44 D19 H19 Arm: W2 H27 Weight: 82 lbs. S0833		Includes armcap	823-OA/(RF/L	LF) 350													
W48 D28 H32 Seat: W44 D19.5 H19 Arm: W2 H27 Weight: 82 lbs. SO833	823-AC Replacement Armcaps	Set of 2	823-AC	245													
Seat: W44 D19.5 H19 Am: W2 H27 Weight: 82 lbs. S0833 4.5 1715 1873 1740 1782 1832 1865 1932 1998 2082 2248 2415 2582 28 833-BK Replacement Back 833-BK 2.75 649 745 664 690 720 741 781 822 873 975 1070 1179 13 833-ST Replacement Seat 833-ST 2.5 701 789 715 738 766 784 821 858 905 997 1090 1182 13 833-OA/(RF/LF) 350 S0843 Medium Sofa (open arm) W70.5 D28 H32 Soat: W46 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. S0843 6.25 2180 2399 2215 2273 2342 2388 2481 2573 2689 2921 3152 3384 38 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21843-ST Replacement Seat 843-ST 3.5 949 1072 968 1001 1040 1066 1118 1169 1234 1364 1493 1623 18 843-OA/(RF/LF) Replacement Seat 843-OA/(RF/LF) 350	SO833 Medium Loveseat (open arm)																
833-BK Replacement Back 833-BK 2.75 649 745 664 690 720 741 781 822 873 975 1070 1179 13 833-ST Replacement Seat 833-ST 2.5 701 789 715 738 766 784 821 858 905 997 1090 1182 13 833-OA/(RF/LF) 833-OA/(RF/LF) 350 833-OA/(RF/LF) 350 833-AC 245 SOB43 Medium Sofa (open arm) W70.5 D28 H32 Seat: W66 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21 843-ST Replacement Seat 843-OA/(RF/LF) 350 Replacement Arm – Open Arm Includes armcap 843-OA/(RF/LF) 350		Seat: W44 D19.5 H19															
833-ST Replacement Seat 833-ST 2.5 701 789 715 738 766 784 821 858 905 997 1090 1182 133-0A/(RF/LF) 833-OA/(RF/LF) 350 833-AC Replacement Arm – Open Arm W70.5 D28 H32 Seat: W66 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. S0843 6.25 2180 2399 2215 2273 2342 2388 2481 2573 2689 2921 3152 3384 364 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21843-ST Replacement Seat 843-OA/(RF/LF) Replacement Arm – Open Arm Includes armcap Replacement Arm – Open Arm		Weight: 82 lbs.	SO833	4.5	1715	1873	1740	1782	1832	1865	1932	1998	2082	2248	2415	2582	2915
833-OA/(RF/LF) Includes armcap 833-OA/(RF/LF) 350 35	833-BK Replacement Back		833-BK	2.75	649	745	664	690	720	741	781	822	873	975	1070	1179	1382
Replacement Arm – Open Arm 833-AC Replacement Armcaps Set of 2 833-AC 245 SO843 Medium Sofa (open arm) W70.5 D28 H32 Seat: W66 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. SO843 6.25 2180 2399 2215 2273 2342 2388 2481 2573 2689 2921 3152 3384 38 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 278 843-ST Replacement Seat 843-ST 3.5 949 1072 968 1001 1040 1066 1118 1169 1234 1364 1493 1623 188 843-OA/(RF/LF) Replacement Arm – Open Arm	833-ST Replacement Seat		833-ST	2.5	701	789	715	738	766	784	821	858	905	997	1090	1182	1368
\$0843 Medium Sofa (open arm) W70.5 D28 H32		Includes armcap	833-OA/(RF/L	LF) 350													
W70.5 D28 H32 Seat: W66 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. SO843 6.25 2180 2399 2215 2273 2342 2388 2481 2573 2689 2921 3152 3384 38 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 21843-ST Replacement Seat 843-ST 3.5 949 1072 968 1001 1040 1066 1118 1169 1234 1364 1493 1623 18843-OA/(RF/LF) Replacement Arm – Open Arm	833-AC Replacement Armcaps	Set of 2	833-AC	245													
Seat: W66 D19.5 H19 Arm: W2 H27 Weight: 102 lbs. SO843 6.25 2180 2399 2215 2273 2342 2388 2481 2573 2689 2921 3152 3384 38 843-BK Replacement Back 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 2188 843-ST Replacement Seat 843-ST Replacement Seat 843-OA/(RF/LF) Replacement Arm – Open Arm Includes armcap 843-OA/(RF/LF) 350	SO843 Medium Sofa (open arm)																
843-BK 843-BK 4.5 906 1064 931 973 1023 1056 1123 1189 1273 1439 1606 1773 2189 843-ST Replacement Seat 843-ST 3.5 949 1072 968 1001 1040 1066 1118 1169 1234 1364 1493 1623 18843-OA/(RF/LF) Replacement Arm - Open Arm Includes armcap 843-OA/(RF/LF) 350		Seat: W66 D19.5 H19															
843-ST Replacement Seat 843-ST 3.5 949 1072 968 1001 1040 1066 1118 1169 1234 1364 1493 1623 18 843-OA/(RF/LF) Includes armcap Replacement Arm – Open Arm 843-OA/(RF/LF) 350		Weight: 102 lbs.	SO843	6.25	2180	2399	2215	2273	2342	2388	2481	2573	2689	2921	3152	3384	3847
843-OA/(RF/LF) Includes armcap 843-OA/(RF/LF) 350 Replacement Arm – Open Arm	843-BK Replacement Back		843-BK	4.5	906	1064	931	973	1023	1056	1123	1189	1273	1439	1606	1773	2106
Replacement Arm – Open Arm	843-ST Replacement Seat		843-ST	3.5	949	1072	968	1001	1040	1066	1118	1169	1234	1364	1493	1623	1882
843-AC Replacement Armcaps Set of 2 843-AC 245		Includes armcap	843-OA/(RF/L	LF) 350													
	843-AC Replacement Armcaps	Set of 2	843-AC	245													

80 LOUNGE SEATING LIST PRICES

2001102 327 111110																
SOLTÍCE sols	SPECIFICATIONS		COM Ydg. Wood	СОМ	COL	С	D	E	FABRIC GRA	ADES G	Н	1	J	К		ATHER ADES M
SP823 Medium Lounge Chair (closed a	arm)															
	W26 D28 H32 Seat: W22 D19.5 H19 Arm: W2 H27															
	Weight: 70 lbs.	SP823	4.5	1390	1548	1415	1457	1507	1540	1607	1673	1757	1923	2090	2257	2590
823-BK Replacement Back		823-BK	1.75	498	559	508	524	543	556	582	608	641	705	770	835	965
823-ST Replacement Seat		823-ST	1.5	599	652	607	621	638	649	671	693	721	777	832	888	999
823-CA/(RF/LF) Replacement Arm – Closed Arm	Includes armcap	823-CA/(RF/LF)	2.5	534	622	548	571	599	617	654	691	738	830	923	1015	1201
823-AC Replacement Armcaps	Set of 2	823-AC	245													
SP833 Medium Loveseat (closed arm)																
	W48 D28 H32 Seat: W44 D19.5 H19 Arm: W2 H27		0.05	1070	2000	1000	1000	0005	0004	0474	0000	0000	0014	0045	0077	0540
833-BK Replacement Back	Weight: 92 lbs.	SP833 833-BK	6.25 2.75	1873 649	2092 745	1908 664	1966 690	2035 720	2081 741	2174 781	2266 822	2382 873	2614 975	2845 1077	3077 1179	3540 1382
833-ST Replacement Seat		833-ST	2.75													
833-CA/(RF/LF)	Includes armcap			701	789	715	738	766	784	821	858	905	997	1090	1182	1368
Replacement Arm – Closed Arm	поисез аптеар	833-CA/(RF/LF)	2.5	534	622	548	571	599	617	654	691	738	830	923	1015	1201
833-AC Replacement Armcaps	Set of 2	833-AC	245													
SP843 Medium Sofa (closed arm)	W70.5 D28 H32 Seat: W22 D19.5 H19 Arm: W2 H27			0050		0.400	0.475	0500				2000	0004	2222		
942 PK Deplement Reak	Weight: 115 lbs.	SP843 843-BK	4.5	2356 906	2636 1064	2400 931	2475 973	2563 1023	2623 1056	2741 1123	2860 1189	3008 1273	3304 1439	3600 1606	3897 1773	4489 2106
843-BK Replacement Back 843-ST Replacement Seat		843-ST	3.5					1040								
843-CA/(RF/LF) Replacement Arm – Closed Arm	Includes armcap	843-CA/(RF/LF)		949 534	1072 622	968 548	1001 571	599	1066 617	1118 654	1169 691	1234 738	1364 830	1493 923	1623 1015	1882 1201
843-AC Replacement Armcaps	Set of 2	843-AC	245													
SA823 Medium Lounge Chair (armless)															
	W25.75 D28 H32 Seat: W22 D19.5 H19 Arm: W2															
и и и и и и и и и и и и и и и и и и и	Weight: 63 lbs.	SA823	4.5	1370	1510	1392	1429	1474	1503	1563	1622	1696	1844	1992	2140	2437
823-BK Replacement Back		823-BK	1.75	498	559	508	524	543	556	582	608	641	705	770	835	965
823-ST Replacement Seat		823-ST	1.5	599	652	607	621	638	649	671	693	721	777	832	888	999
823-AL/(RF/LF) Replacement Arm – Armless		823-AL/(RF/LF)	3	537	642	554	581	615	637	681	726	781	893	1004	1115	1337

LOUNGE SEATING LIST PRICES

LOUNGE SEATING														1	LIST FI	110LO
SOLTÍCE sols	SPECIFICATIONS		COM Ydg. Woo	d COM	COL	С	D	E	FABRIC G	<i>RADES</i> G	Н	1	J	К		ATHER RADES M
SA833 Medium Loveseat (armless)																
	W47.75 D28 H32 Seat: W44 D19.5 H19 Arm: W2															
	Weight: 85 lbs.	SA833	6	1736	1946	1769	1825	1892	1939	2025	2114	2225	2447	2669	2891	3336
833-BK Replacement Back		833-BK	2.75	649	745	664	690	720	741	781	822	873	975	1077	1179	1382
833-ST Replacement Seat		833-ST	2.5	701	789	715	738	766	784	821	858	905	997	1090	1182	1368
833-AL/(RF/LF) Replacement Arm – Armless		833-AL/(RF/LF)	3	537	642	554	581	615	637	681	726	781	893	1004	1115	1337
SA843 Medium Sofa (armless)																
	W70 D28 H32 Seat: W66 D19.5 H19 Arm: W2															
	Weight: 107 lbs.	SA843	8.75	2215	2504	2261	2337	2429	2490	2612	2734	2887	3193	3498	3804	4415
843-BK Replacement Back		843-BK	4.5	906	1064	931	973	1023	1056	1123	1189	1273	1439	1606	1773	2106
843-ST Replacement Seat		843-ST	3.5	949	1072	968	1001	1040	1066	1118	1169	1234	1364	1493	1623	1882
843-AL/(RF/LF) Replacement Arm – Armless		843-AL/(RF/LF)	3	537	642	554	581	615	637	681	726	781	893	1004	1115	1337
SP923 Large Lounge Chair (closed arm)																
	W31.75 D32.75 H31.7 Seat: W23.75 D22 H19 Arm: W4 H25.75)														
,	Weight: 80 lbs.	SP923	5	1640	1815	1668	1714	1770	1807	1881	1955	2047	2233	2418	2603	2973
923-BK Replacement Back		923-BK	1.75	527	588	537	553	572	585	611	637	670	734	799	864	994
923-ST Replacement Seat		923-ST	1.5	603	656	611	625	642	653	675	697	725	781	836	892	1003
923-CA/(RF/LF) Replacement Arm – Closed Arm		923-CA/(RF/LF)	3	676	781	693	720	754	776	820	865	920	1032	1143	1254	1476
SP933 Large Loveseat (closed arm)																
	W55.5 D32.75 H31.75 Seat: W47.5 D22 H19 Arm: W4 H25.75 Weight: 105 lbs.		6.5	2405	2624	2440	2409	0567	0612	2706	2798	2014	2146	3377	2600	4072
933-BK Replacement Back	vveigni. 100 lbs.	933-BK	6.5 2.75	2405 694	2624 790	2440 709	2498 735	2567 765	2613 786	2706 826	867	2914 918	3146 1020	1122	3609 1224	4072 1427
933-ST Replacement Seat		933-BK 933-ST	2.75	803	891	817	840	868	886	923	960	1007	1020	1192	1284	1470
933-CA/(RF/LF) Replacement Arm – (closed arm)		933-CA/(RF/LF)		676	781	693	720	754	776	820	865	920	1032	1143	1254	1476

LOUNGE SEATING															_IST PRI	CES
SOLTÍCE sols	SPECIFICATIONS	Style No.	COM Ydg. Wood	СОМ	COL	С	D	E	FABRIC GRA	ADES G	Н	ı	J	К		THER ADES M
SP943 Large Sofa (closed arm)																
	W79.5 D32.75 H31.75 Seat: W71.5 D22 H19 Arm: W4 H25.75															
	Weight: 125 lbs.	SP943	8.25	2878	3167	2924	3000	3092	3153	3275	3397	3550	3856	4161	4467	5078
943-BK Replacement Back		943-BK	4.5	872	1030	897	939	989	1022	1089	1155	1239	1405	1572	1739	2072
943-ST Replacement Seat		943-ST	3.5	998	1121	1017	1050	1089	1115	1166	1218	1283	1433	1542	1672	1931
943-CA/(RF/LF) Replacement Arm – Closed Arm		943-CA/(RI	F/LF) 3	676	781	693	720	754	776	820	865	920	1032	1143	1254	1476
SA923 Large Lounge Chair (armles	ss)															
	W31.75 D32.75 H31.75 Seat: W23.75 D22 H19 Arm: W4															
	Weight: 75 lbs.	SA923	5	1670	1836	1696	1740	1793	1828	1899	1969	2057	2233	2409	2585	2937
923-BK Replacement Back		923-BK	1.75	527	588	537	553	572	585	611	637	670	734	799	864	994
923-ST Replacement Seat		923-ST	1.5	603	656	611	625	642	653	675	697	725	781	836	892	1003
923-AL Replacement Arm – Armless		923-AL	3	614	719	631	658	692	714	758	803	858	970	1081	1192	1414
SA933 Large Loveseat (armless)																
	W55.5 D32.75 H31.75 Seat: W47.5 D22 H19 Arm: W4															
	Weight: 95 lbs.	SA933	6.5	2345	2573	2381	2441	2513	2562	2658	2754	2875	3115	3356	3597	4078
933-BK Replacement Back		933-BK	2.75	694	790	709	735	765	786	826	867	918	1020	1122	1224	1427
933-ST Replacement Seat		933-ST	2.5	803	891	817	840	868	886	923	960	1007	1099	1192	1284	1470
933-AL Replacement Arm – Armless		933-AL	3	614	719	631	658	692	714	758	803	858	970	1081	1192	1414
SA943 Large Sofa (armless)																
	W79.5 D32.75 H31.75 Seat: W71.5 D22 H19 Arm: W4															
	Weight: 120 lbs.	SA943	8.25	2806	3005	2852	2928	3020	3081	3203	3325	3478	3784	4089	4395	5006
943-BK Replacement Back		943-BK	4.5	872	1030	897	939	989	1022	1089	1155	1239	1405	1572	1739	2072
943-ST Replacement Seat		943-ST	3.5	998	1121	1017	1050	1089	1115	1166	1218	1283	1433	1542	1672	1931
943-AL Replacement Arm – Armless		943-AL	3	614	719	631	658	692	714	758	803	858	970	1081	1192	1414
TB133 UPCHARGE SO823 \$265 SP833 458 SO833 367 SP843 575 SO843 460 SA823 330 SP823 330 SA833 458	SP923 330 S SP933 458 S	6A923 330 6A933 458 6A943 575		MOISTU SO823 SO833 SO843 SP823	JRE BARF \$ 96 185 280 120	SP833 SP843 SA823	3 350 3 120	SP92 SP93	23 12 33 23	0 SA9	33 2	20 30 50				

120

SA833

SP823

230

SP943

350

SP823

330

SA833

458

SP943

575

2001142 027111114															0111	
TEA CUP TEAC	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	FABRIC E	<i>GRADES</i> F	G	Н	ı	J	K		THER ADES M
5723 Lounge Chair																
	W30 D31 H31 Seat: W22 D21 H18.5 Arm: H24 Weight: 65 lbs.															
	Frt. Class: 175	5723	3.75	1210	1393	1239	1280	1336	1370	1439	1514	1600	1781	1955	2139	2495
5733 Loveseat Double Seat																
L. L	W52 D31 H31 Seat: W44 D21 H18.5 Arm: H24 Weight: 95 lbs. Frt. Class: 175	5733	6	1652	1901	1692	1755	1833	1884	1987	2088	2223	2479	2738	2999	3513
5735 Loveseat Single Seat																
I I	W52 D31 H31 Seat: W44 D21 H18.5 Arm: H24 Weight: 95 lbs. Frt. Class: 175	5735	6	1652	1901	1692	1755	1833	1884	1987	2088	2223	2479	2738	2999	3513
5713-T Lounge Chair w/Tablet Arm																
	Tablet: Dia.: 13 Thickness: .75															
	Weight: 70 lbs. Frt. Class: 175	5713-T	3.75	1431	1643	1455	1502	1560	1596	1666	1737	1831	2020	2202	2385	2750

TEA CUP TEAC

CONTRASTING UPHOLSTERY GUIDE **FABRIC** LEATHER DESCRIPTION YARDAGE SO. FT. SPECIFY FABRIC/LEATHER A. Back and Seat 2.25 yds. 40.5 sq. ft. B. Body 3.5 yds. 63 sq. ft. FABRIC LEATHER DESCRIPTION YARDAGE SQ. FT. SPECIFY FABRIC/LEATHER A. Back and Seat 4.5 yds. 81 sa. ft. B. Body 3.5 yds. 63 sq. ft.

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

PRODUCT INFORMATION

CONSTRUCTION

Frames of kiln dried hardwood and laminated wood veneer. Cushioning of multiple densities of polyurethane foam and dacron fiber. Legs are solid aluminum turned and tapped for metal to metal connection, available in brushed aluminum - standard. Attached cushions.

COM/COL REOUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional vards: and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code
- 6. Options

TABLET ARM SPECIFICATIONS

Tablet is left-side facing – standard. Round – standard. Wilsonart Black 1595-60 laminate top and black edge T-molding – standard. Coordinating color edge banding available - \$83 list each. Top available in any standard laminate - please specify. See Color Addendum for selections. Specialty laminates available on a "per quote" basis. Tablet is removable - standard.

OPTIONAL TABLET SPECIFICATIONS

Option 1 Bowfront or Option 3 Teardrop - add \$83 list. Option 2 Bowfront or Option 4 Teardrop - add \$50 list. Option 5 Teardrop, no charge - specify Refer to page 8 for ordering information.

CONTRASTING COVER REQUIREMENTS

There are three options KI offers for contrasting covers:

- 1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge;
- 2. One COM fabric, one KI in-grade: Price at in-grade list and waive contrast upcharge;
- 3. All COM fabric: Price at COM list plus contrast upcharge listed below:

Lounge Chair \$ 55 list Loveseat 111

Chair will be produced with left-side facing tablet unless specified for right-facing (left-handed.)

OPTIONS

TB133 UPCHARGE

5723 Lounge Chair	\$304
5713-T Lounge Chair w/Tablet Arm	304
5733 Loveseat Double Seat	387
5735 Loveseat Single Seat	387
MOISTURE RARRIER	
MOISTURE BARRIER	6444
5723 Lounge Chair	\$111
5713-T Lounge Chair w/Tablet Arm	111
5733 Loveseat Double Seat	221
5735 Loveseat Single Seat	221
Tablet connection hole cover	\$39
Polished aluminum or textured black powde legs available – specify and add \$83 list.	er coat
	v naiv liat
Front/rear casters – specify and add \$83 pe	er pair iist.
Wood arm caps – specify WA and add \$166	6 per pair list
Non-removable tablet – specify and add \$1	7 list.
For articulating arm - specify and add \$28 I	ist.
Tablet available right side facing (left-hande	d) – specify.

GUEST SEATING LIST PRICES

AERDYN ADGS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	FABRIC (GRADES F	G	Н	I	J	K	LEATI GRAI L	
1501 Arm Chair (Stacks)																
	W21.75 D20.75 H30.5 Seat: W19 D19 H18.75 Arm: H27.75 Mid Point Stack of 4 chairs W21.75 D30 H46															
U U U	Weight: 25 lbs.	1501	.75	768	883	771	779	788	793	807	818	833	864	895	926	987

LIST PRICES

ASTON ASTN		Style	СОМ					FABRIC	GRADES							ATHER ADES
A01011 //dim	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	М
1701 Arm Chair																
	W23.5 D26.75 H34 Seat: W19 D19 H18.5 Arm: H24.5 Weight: 58 lbs. Frt. Class: 175	1701	1.5	989	1137	999	1018	1040	1057	1088	1118	1181	1257	1337	1414	1569

PRODUCT INFORMATION

CONSTRUCTION - AerDyn

Frame is constructed of solid hardwood panel stock which is steam bent, utilizing finger joints and doweled construction. Rear leg and seat frame are tubular steel. Silver powder coat - standard. seat cushion of high density polyurethane foam. (Stacks 4 high)

CONSTRUCTION -S ASTON

Frame of kiln dried hardwood. Cushioning of high density of polyurethane foam and dacron fiber.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional vards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES - AerDyn & ASTON

Exposed hardwood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering. * ASTON not available in vinyl.

Standard powder coat colors for KI High Point are silver, textured black, or pewter. Specify powder coat selection purchase order.

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or

COM with description 4. Finish

5. Fire Code

6. Options

TB133 UPCHARGE 1501 Arm Chair

OPTIONS - AerDyn

Textured black or pewter powder coat also available - please specify.

\$72

OPTIONS - ASTON

TB133 UPCHARGE

1701 Arm Chair \$127 86 GUEST SEATING LIST PRICES

BANTAM BANT		Style	СОМ						GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	СОМ	COL	С	D	E	F	G	Н	I	J	K	L	М
1301 Arm Chair		QUICK														
	W22.75 D24.5 H32 Seat: W19 D18.5 H18.5 Arm: H25 midway															
	Weight: 50 lbs. Frt. Class: 175	1301	1.5	778	896	788	804	825	840	867	894	948	1024	1114	1203	1382
CANAAN CANN		Style	СОМ						GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	СОМ	COL	С	D	Е	F	G	Н	I	J	K	L	М
1601 Arm Chair (open arm)																
	W24.25 D23.5 H32.5 Seat: W19 D18 H18 Arm: H26															
	Weight: 50 lbs. Frt. Class: 175	1601	1.25	878	1011	886	899	916	928	951	975	1020	1083	1150	1220	1356
1603 Arm Chair (closed arm)																
	W24.25 D23.5 H32.5 Seat: W19 D18 H18 Arm: H26															
	Weight: 52 lbs. Frt. Class: 175	1603	2	989	1139	1002	1025	1052	1072	1109	1147	1227	1330	1434	1541	1750
PRODUCT INFORMATION																
CONSTRUCTION Frames of kiln dried hardwood. Cushioning of high density of polyurethane foam and		isted above a		QUI	CIFICATION CKSHIP PICASP information	ROGRAM:		7	Specify: 1. Quant		RMATION	ı	<i>TB1</i> :	TIONS 33 UPCH I Arm Cha	ir	\$160
dacron fiber.	fabrics requiring matching (st large patterns), additional yar Consult COM matrix on page needed. When an order for 5 separate rolls i.e. 20, 20, and each roll that is sent, one yar i.e. this order would require the	COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not					ble in the an ello Maple		3. Uphol	ode				I Arm Cha 3 Arm Cha		99 122

Specify finish when ordering.
* CANAAN not available in vinyl.

sent separately. Figure 18 sq. ft. of leather (COL) for

each yard shown.

GUEST SEATING LIST PRICES

GORKA GKGS	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	FABRIC	<i>GRADES</i> F	G	Н	1	J	K	LEAT GRAI L	
700 Armless/Polished/Polyamide 700PC Armless/Powder Coat/Polyamide																
	Outside: W20 D20 H32 Seat: W16.25 D16 H19 Weight: 25 lbs. Frt. Class: 175	700 700PC	0 0	472 436		NO FABF	RIC THIS	MODEL								
701 Arm/Polished/Polyamide 701PC Arm/Powder Coat/Polyamide																
702 Armless/Polished/Polyamide/Upholstered 702PC Armless/Powder Coat/Polyamide/Uphol	Outside: W23 D18.75 H3 Seat: W17.25 D16.25 H1 Weight: 30 lbs. Frt. Class: 175		0	573 485		NO FABR	RIC THIS	MODEL								
	Outside: W20 D20 H32 Seat: W16.25 D16 H19 Weight: 25 lbs. Frt. Class: 175	702 702PC	.75 .75	578 537	680 628	588 541	594 548	607 558	610 564	622 576	634 587	649 602	680 632	708 662	738 692	798 750
703 Arm/Polished/Polyamide/Upholstered 703PC Arm/Powder Coat/Polyamide/Upholster	ed															
	Outside: W23 D18.75 H3 Seat: W17.25 D16.25 H1 Weight: 30 lbs. Frt. Class: 175		.75 .75	684 589	799 688	688 593	696 601	705 610	712 615	723 628	735 639	750 654	780 689	811 714	840 744	901 803

GUEST SEATING LIST PRICES

GORKA GKGS Style **SPECIFICATIONS** No. Price 704 Armless/Polished/Wood 704PC Armless/Powder Coat/Wood Outside: W20 D20 H32 NO Seat: W16.25 D16 H19 704 594 **FABRIC** Weight: 25 lbs. THIS 704PC 549 Frt. Class: 175 MODEL 705 Arm/Polished/Wood 705PC Arm/Powder Coat/Wood Outside: W23 D18.75 H32.5 NO Seat: W17.25 D16.25 H18 695 **FABRIC** THIS Weight: 30 lbs. 705PC 578 Frt. Class: 175 MODEL 706 Armless/Polished/Belt Leather 706PC Armless/Powder Coat/Belt Leather Outside: W20 D20 H32 Seat: W16.25 D16 H19 706 762 **BLACK BELT** Weight: 25 lbs. 706PC 716 Frt. Class: 175 **LEATHER** 707 Arm/Polished/Belt Leather 707PC Arm/Powder Coat/Belt Leather Outside: W23 D18.75 H32.5 Seat: W17.25 D16.25 H18 852 **BLACK** BELT Weight: 30 lbs. 707PC 744 Frt. Class: 175 **LEATHER**

GORKA ACCES	SORIES	List	
720 Transportation Dolly			
	W35 D33 H48	696	

STACKING MATRIX

	ARML	.ESS	ARM (CHAIR
PRODUCT	W	//stack dolly	1	w/stack dolly
Polyamide	12	12	10	12
Polyamide Upholstered	9	12	8	12
Wood/Belt Leather	12	12	10	12

PRODUCT INFORMATION

CONSTRUCTION

Frame: Leg/Arm pressure injected aluminum one L-2630 grade hand polished (recyclable). PC Models - silver powder coat with clear coat - standard.

Polyamide: Seat/Back structure is a blend of polymer and fiberglass liquid injected into steelmold, (recyclable). Wood: Nine plys of cross laminated beech veneer.

Black Belt Leather: 4mm of leather applied wet and stretched. The perimeter is sewn skived and shrink dried for a tight fit. Black leather - only.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish

5. Fire Code

6. Options

OPTIONS

TB133 UPCHARGE 702/703

Textured black powder coat legs available - specify

\$72

GUEST SEATING LIST PRICES

LEATHER **IVEY** IVLS COM FABRIC GRADES GRADES Style Ydg. **SPECIFICATIONS** COM COL No. С D Ε G 34000 Arm Chair W36 D34 H31 Seat: W21 D22 H19 Arm: H26 Weight: 80 lbs. 34000 Frt. Class: 175 5.5 901 1036 928 977 1038 1081 1162 1243 1407 1607 1810 2012 2419

This is a companion piece to the IVEY Lounge Seating

LEATHER POMFRET PMGS **GRADES** Style COM **FABRIC GRADES SPECIFICATIONS** COL С No. Ydg. COM D Ε F G Н М

1801 Arm Chair



W23 D25.5 H32 Seat: W19 D18.25 H19 Arm: H27 Midway

> Weight: 50 lbs. Frt. Class: 175

1801

989

1313

1007

1039

1076

1105

1157

1210

1315 1454

1599 1741 2028

This is a companion piece to the POMFRET Lounge Seating

2.75

PRODUCT INFORMATION

CONSTRUCTION - IVLS

Frame of kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Attached back, loose seat. 34000 attached cushions.

CONSTRUCTION - PMGS

Frame of kiln dried hardwood. Cushioning of high density of polyurethane foam and dacron fiber.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7

for QSP information.

Exposed wood legs available in the following finishes:

Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering

ORDERING INFORMATION

Specify:

1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish

5. Fire Code

6. Options

OPTIONS

TB133 UPCHARGE

34000 & 34023 not available with TB133 due to design

\$83

Pomfret 1801 Arm Chair Not available with TB133.

MOISTURE BARRIER

34000 Arm Chair

GUEST SEATING LIST PRICES

LEATHER QUATRO QUAT GRADES Style COM FABRIC GRADES **SPECIFICATIONS** COM COL С D F Ydg. Ε G Н No. 601 Arm Chair W26.5 D24.5 H32 Seat: W19.5 D18.5 H18.5 Arm: H26 Weight: 45 lbs. Frt. Class: 175 601 1.5 768 884 780 800 825 876 911 1062 1147 1232 1401 CONTRASTING UPHOLSTERY GUIDE **FABRIC LEATHER** YARDAGE DESCRIPTION SQ. FT. SPECIFY FABRIC/LEATHER A. Top Back Panel .75 yds. 3' x 1' Section B. Body 1.5 yds. 27 sq.ft.

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

C Button

This is a companion piece to MESA.

PRODUCT INFORMATION

CONSTRUCTION

Frame of kiln dried hardwood. Cushioning of high density of polyurethane foam and dacron fiber.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Quatro stacks 4 high.

Exposed wood available in the following finishes:
Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut
Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Upholstered in contrasting fabric - standard C. _____

Specify:

- Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code
- 6. Options

OPTIONS

TB133 UPCHARGE – Must specify with no button option for TB133. 601 Arm Chair \$144

Quatro button covered in same upholstery – standard. Wood button available – specify no charge. Wood button will be finished to match legs.

Contrasting back panels available – specify and add \$44 list. Refer to contrasting upholstery guide above. When using KI fabric, refer to page 7 for cut yardage price. (The minimum requirements are waived). NOTE: Button will be upholstered in contrasting fabric – standard, unless otherwise specified.

CONTRASTING COVER REQUIREMENTS

There are three options KI offers for contrasting covers:

- 1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge;
- One COM fabric, one KI in-grade: Price at in-grade list and waive contrast upcharge;
- 3. All COM fabric: see applicable upcharges listed on page 7.

Casters - specify and add \$55 list per pair.


																ΙΕΔΤ	HER
SOLTICE soms	SPECIFICATIONS	Style No.	COM Ydg.		СОМ	COL	С	D	E	FABRIC GRAI	DES G	Н	ı	J	K		DES M
SOC Guest Chair (open arm)																	
	W22.75 D24 H34 Seat: W20 D18.25 H19.5 Arm: W1.25 H28.25																
	Weight: 38 lbs.	soc	1.5		970	1023	978	992	1009	1020	1042	1064	1092	1148	1203	1259	1370
SPC Guest Chair (closed arm)																	
	W22.75 D24 H34 Seat: W20 D18.25 H19.5 Arm: W1.25 H28.25																
	Weight: 38 lbs.	SPC	2.5		1060	1139	1072	1093	1118	1135	1168	1202	1243	1327	1410	1493	1660
SAC Guest Chair (armless)																	
	W22.75 D24 H34 Seat: W20 D18.25 H19.5																
	Weight: 38 lbs.	SAC	2.2	5	1020	1099	1032	1053	1078	1095	1128	1162	1203	1287	1370	1453	1620
SMS-BK Replacement Back		SMS-BK	1.25	;	403	447	410	422	436	445	463	482	505	551	597	644	736
SMS-ST Replacement Seat		SMS-ST	1		429	464	435	444	455	462	477	492	510	548	585	622	696
SMS-OA/(RF/LF) Replacement Arr (open arm)	m – Includes armcap	SMS-OA/(RF	/LF)	250													
SMS-CA/(RF/LF) Replacement Arr (closed arm)	m – Includes armcap	SMS-CA/(RF	/ LF) 1		378	413	384	393	404	411	426	441	460	497	534	571	645
SMS-AL Replacement Arm - Armles	SS	SMS-AL	1.75	j	369	430	379	395	414	427	453	479	512	576	641	706	836
SMS-AC Replacement Armcaps	Set of 2	SMS-AC		200													
PRODUCT INFORMATION																	
CONSTRUCTION – SOC/SPC/SAC Frames are constructed of kiln dried lur hardwood plywood. Exposed wood com catalyzed varnish (specify finish when cand backs sprung with stretch strap wel position. Multiple densities of polyuretha	nponents finished with ordering). Tight seats bbing stapled into ane foam covered with	SPECIFICATION Exposed we following find Barley Biltmore Che Bourbon	ood legs a nishes: Co nerry Co Eb	vailable ir gnac rdovan ony		Spec 1. Qu 2. Md 3. Up Co	ify: uantity odel Nun pholstery OM with	ORMATION onber /KI grade of description	or	OPTIONS TB133 UPO SOC SPC SAC		\$144 203 203	1	Contrastir available page 7.	FING UPHO ng seats, b – see upch ge require	acks and arges lis	ted on
a layer of .75 super soft foam. Seats, bareplaceable. COM /COL REQUIREMENTS	acks and arms are field	Brighton Wa Cherry Stor Specify finis	m	onticello M rdering.	іаріе		nish re Code otions			MOISTURE SOC SPC SAC	E BARRIER	\$87 87 87	•	to yardag	ge requirer e listed for oks and arr	replacen	

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

92 FOLDING CHAIR LIST PRICES

LEATHER **SOLTÍCE** SOFC Style COM GRADES FABRIC GRADES **SPECIFICATIONS** Ε COM С D F G Н Κ No. Ydg. L M

SUFC Folding Chair



Overall: W20.5 D18.5 H31.5 Seat: W18 D17.5 H18

Weight: 31 lbs. **SUFC** 800 830 837 847 853 866 878 894 925 987 956 1050

PRODUCT INFORMATION

CONSTRUCTION

The frame is constructed of kiln dried laminated hardwood plywood and solid hardwood. Exposed wood components are finished with a catalyzed conversion varnish (specify finish when ordering). The seat and back use multiple densities of polyurethane foam.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac Cordovan Biltmore Cherry Bourbon Ebony Monticello Maple **Brighton Walnut** Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

1. Quantity 2. Model Number 3. Upholstery/KI grade or COM with description 4. Finish

5. Fire Code

Specify:

6. Options

OPTIONS

TB133 UPCHARGE

\$138

MOISTURE BARRIER \$ 83

BASE OPTIONS

Wood caps available in the following finishes:

Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony

Brighton Walnut Monticello Maple

Cherry Storm

ORDERING LEGEND - PROFESSIONAL

74 Model Number
74 Model Number
25 Mid/Low Back
9 Base Option
74 High Back
9 Base Option

The complete Style No. of all swivel tilt chairs is a combination of the Style No. and the Base No.

-2 Base

Polished aluminum with black hooded casters.



-4 Base

Matte black understructure, bullnose edge wood caps with black hooded casters.



-8 Base

Matte black understructure, grooved edge wood caps with black hooded casters.



-9 Base

Matte black with black hooded casters.



BONN BONN		Style	СОМ					FABRIC	GRADES							ATHER PADES
BOIIII Seim	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	M
7425- Swivel Tilt Chair		QUICK SHIP														
	W26.5 D25.5 H38	7425-9	3	989	1137	1008	1041	1082	1115	1168	1224	1336	1474	1614	1754	2034
	Seat: W19 D19 H18 (adj.)	7425-2														
	Arm: H25	7425-4														
4 6 6 6 6	Weight: 75 lbs. Frt. Class: 150	7425-8	3	1099	1264	1117	1151	1191	1221	1276	1333	1443	1580	1720	1859	2137
7426- High Back Swivel Tilt Chair		QUICK SHIP														
	Wee 5 Dec 1145	7426-9	3.25	1044	1201	1064	1101	1145	1177	1238	1297	1419	1569	1719	1870	2171
	W26.5 D26 H45 Seat: W19 D19 H18 (adj.)	7426-2														
	Arm: H25	7426-4														
	Weight: 80 lbs. Frt. Class: 150	7426-8	3.25	1155	1328	1174	1210	1254	1286	1346	1406	1527	1676	1825	1975	2274
7525- Swivel Tilt Chair – w/Wood Arm	Trim	QUICK SHIP														
	W26.5 D25.5 H38	7525-9	3	1022	1177	1041	1074	1103	1146	1201	1257	1368	1506	1646	1786	2063
	Seat: W19 D19 H18 (adj.)	7525-2														
	Arm: H25	7525-4														
	Weight: 75 lbs. Frt. Class: 150	7525-8	3	1133	1303	1151	1185	1225	1255	1311	1366	1476	1614	1753	1891	2167
7526- High Back Swivel Tilt Chair – w/	Wood Arm Trim	QUICK SHIP														
	W26.5 D26 H45	7526-9	3.25	1111	1276	1130	1168	1213	1246	1308	1371	1495	1649	1803	1958	2267
l − l	Seat: W19 D19 H18 (adj.)	7526-2														
	Arm: H25	7526-4														
	Weight: 80 lbs. Frt. Class: 150	7526-8	3.25	1221	1404	1241	1277	1323	1356	1418	1480	1602	1755	1908	2061	2369

CONSTRUCTION

Frames of laminated plywood and kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber.

COM/COL REQUIREMENTS

PRODUCT INFORMATION

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Wood base caps and hardwood exposed trim available in the following finishes:

Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut
Cherry Storm Monticello Maple

Specify finish when ordering.

ORDERING INFORMATION

- Specify:
- Quantity
- 2. Model Number
- Base Number
- Upholstery/KI grade or COM with description
- 5. Finish
- 6. Fire Code
- 7. Options

BASE OPTIONS

Available with optional "knee tilt/gas lift" mechanism. Specify "KT/GL." Add \$99 to list price.

- -2 Base Polished aluminum with black hooded casters.
- -4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- **-8 Base** Matte black understructure, grooved edge wood caps with black hooded casters.
- -9 Base Matte black with black hooded casters.

Specify base style number when ordering.

OPTIONS

TB133 UPCHARGE
7425- Mid Back \$257
7426- High Back 279
7525- Mid Back 257
7526- High Back 279

CINTURÓN CINT		Style	COM					FABRIC	GRADES							ATHER ADES
OINTOITON SILL	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	М
1025- Mid Back – Upholstered Arm																
	W26 D25 H38.75	1025-9	2.75	1177	1395	1220	1253	1292	1315	1369	1417	1483	1608	1739	1865	2119
	Seat: W21 D18.5 H18 (adj.) Arm: H27.5 (adj.)	1025-2														
	,	1025-4	0.75	1005	4644	1005	4000	4 400	4 404	4.405	4504	4500	4704	4050	1001	0000
	Weight: 75 lbs. Frt. Class: 150	1025-8	2.75	1305	1511	1335	1369	1408	1431	1485	1534	1599	1724	1853	1981	2238
1026- High Back – Upholstered Arm																
R R																
	W26 D25 H46 Seat: W21 D18.5 H18 (adj.)	1026-9 1026-2	3.25	1305	1550	1359	1397	1444	1474	1535	1595	1671	1822	1972	2124	2428
	Arm: H27.5 (adj.)	1026-2														
	Weight: 80 lbs.	1026-8	3.25	1431	1662	1473	1508	1557	1587	1646	1707	1783	1935	2086	2237	2540
	Frt. Class: 150															
1125- Mid Back – Wood Arm																
	W26 D25 H38.75	1125-9	2.5	1132	1343	1177	1204	1240	1265	1311	1358	1414	1533	1650	1765	2000
	Seat: W21 D18.5 H18 (adj.) Arm: H27.5 (adj.)	1125-2														
	,	1125-4	0.5	1050	4454	4005	1010	1010	4070	4440	4.405	4500	1000	4757	4070	0404
	Weight: 75 lbs. Frt. Class: 150	1125-8	2.5	1253	1451	1285	1313	1349	1372	1419	1465	1523	1639	1757	1870	2104
1126- High Back – Wood Arm																
\square \square																
	W26 D25 H46	1126-9	2.75	1238	1471	1286	1318	1357	1381	1434	1485	1548	1676	1802	1930	2186
	Seat: W21 D18.5 H18 (adj.) Arm: H27.5 (adj.)	1126-2 1126-4														
	Weight: 80 lbs.	1126-4	2.75	1348	1566	1383	1416	1454	1478	1532	1580	1643	1770	1896	2022	2274
5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Frt. Class: 150															
PRODUCT INFORMATION																

PRODUCT INFORMATION

CONSTRUCTION

Frames of compound curved laminate wood veneer. Cushioning of multiple densities of polyurethane foam and dacron fiber. Gas lift with tilt lock, knee tilt control - standard. Attached cushions.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Wood base caps and 9 ply laminated maple wood arm are available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity 2. Model Number 3. Base Number

4. Upholstery/KI grade or COM with description

5. Finish 6. Fire Code

7. Options

BASE OPTIONS

-2 Base Polished aluminum with black hooded casters.

-4 Base Matte black understructure, bullnose edge wood caps with black hooded casters. -8 Base Matte black understructure, grooved edge

wood caps with black hooded casters. -9 Base Matte black with black hooded casters.

Specify base style number when ordering.

OPTIONS

TB133 UPCHARGE 1025 Mid Back \$257 1026 High Back 279 1125 Mid Back 257 1126 High Back 279

ESS ESS		Style	СОМ					FABR	IC GRADES	5					LEAT GRAI	
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	ı	J	K	L	М
9025- Swivel Tilt Chair		QUICK SHIP														
	W23 D27 H37	9025-9	2.5	955	1097	970	998	1032	1055	1102	1147	1236	1348	1462	1425	1800
	Seat: W18.5 D18.5 H17.5 (adj.)	9025-2														
	Arm: H25.5	9025-4														
	Weight: 75 lbs. Frt. Class: 150	9025-8	2.5	1067	1228	1083	1111	1144	1167	1213	1259	1348	1460	1572	1685	1911
9026- High Back Swivel Tilt Chair		QUICK SHIP														
		9026-9	2.75	993	1143	1010	1041	1077	1103	1153	1202	1302	1424	1548	1673	1922
	W23 D27 H43 Seat: W18.5 D18.5 H17.5 (adj.)	9026-2														
	Arm: H25.5	9026-4														
	Weight: 80 lbs. Frt. Class: 150	9026-8	2.75	1105	1272	1123	1153	1189	1214	1264	1314	1414	1536	1660	1783	2031
9225- Swivel Tilt Chair - w/Closed Arm		QUICK SHIP														
	W23 D27 H37	9225-9	3	1053	1211	1072	1104	1144	1174	1227	1281	1390	1524	1660	1794	2065
	Seat: W18.5 D18.5 H17.5 (adj.)	9225-2														
	Arm: H25.5	9225-4														
	Weight: 75 lbs. Frt. Class: 150	9225-8	3	1161	1336	1179	1212	1251	1280	1334	1388	1495	1629	1764	1897	2167
9226- High Back Swivel Tilt Chair - w/C	Closed Arm	QUICK SHIP														
	W23 D27 H43	9226-9	3.25	1077	1240	1097	1132	1175	1206	1264	1324	1441	1586	1732	1877	2170
h	Seat: W18.5 D18.5 H17.5 (adj.)	9226-2														
	Arm: H25.5	9226-4														
	Weight: 80 lbs. Frt. Class: 150	9226-8	3.25	1193	1371	1212	1246	1288	1320	1380	1438	1556	1701	1848	1992	2286

PRODUCT INFORMATION

CONSTRUCTION

Frames of laminated plywood and hardwood solids. Cushioning of multiple densities of polyurethane foam and dacron fiber. Gas lift with tilt lock - standard.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for *QSP* information.

Wood base caps available in the following finishes:

Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

- 2. Model Number
- Nodel Number
 Base Number
- Upholstery/KI grade or

COM with description

- Finish
- 6. Fire Code
- 7. Options

BASE OPTIONS

Available with optional "knee tilt/gas lift" mechanism. Specify "KT/GL". Add \$99 to list price.

-2 Base Polished aluminum with black hooded casters.

-4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.

-8 Base Matte black understructure, grooved edge wood caps with black hooded casters.

-9 Base Matte black with black hooded casters.

Specify base style number when ordering.

OPTIONS

 TB133 UPCHARGE

 9025- Mid Back
 \$257

 9026- High Back
 279

 9225- Mid Back
 257

 9226- High Back
 279

000144															LEAT	
GORKA GKTS/GKT	U	Style	COM					FABRIC (GRADES						GRAI	DES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	1	J	K	L	M

712 Armless/Polyamide



W20 D20 H32

Seat: W16.25 D16 H15.75 (adj.)

Weight: 45 lbs. Frt. Class: 150

NO FABRIC THIS MODEL

713 Arm/Polyamide 713PC Arm/Powder Coat/Polyamide



W23 D18.75 H32.5 (adj.)

Seat: W17.25 D16.25 H15.75 (adj.)

Arm: H24.25 (adj.)

Weight: 50 lbs. 713PC Frt. Class: 150

714 Armless/Polyamide/Upholstered



W20 D20 H32

Seat: W16.25 D16 H15.75 (adj.)

Weight: 45 lbs. Frt. Class: 150

.75

NO FABRIC THIS MODEL

715 Arm/Polished/Polyamide/Upholstered 715PC Arm/Powder Coat/Polyamide/Upholstered



W23 D18.75 H32.5 (adj.)

Seat: W17.25 D16.25 H15.75 (adj.)

Arm: H24.25 (adj.)

.75 Weight: 50 lbs. 715PC .75 Frt. Class: 150

GORKA GKTS Style **SPECIFICATIONS** No. Price 716 Armless/Wood W20 D20 H32 Seat: W16.25 D16 H19 716 NO FABRIC THIS MODEL 488 Weight: 45 lbs. Frt. Class: 150 717 Arm/Polished/Wood 717PC Arm/Powder Coat/Wood W23 D18.75 H32.5 (adj.) Seat: W17.25 D16.25 H16.75 (adj.) Arm: H24.25 (adi.) 717 783 Weight: 50 lbs. 717PC 718 NO FABRIC THIS MODEL Frt. Class: 150 718 Armless/Belt Leather W20 D20 H32 Seat: W16.25 D16 H19 Weight: 45 lbs. 718 611 BLACK BELT LEATHER ONLY Frt. Class: 150 719 Arm/Polished/Belt Leather 719PC Arm/Powder Coat/Belt Leather W23 D18.75 H32.5 (adj.) Seat: W17.25 D16.25 H16.75 (adj.) Arm: H24.25 (adj.) 719 907 Weight: 50 lbs. 719PC 849 BLACK BELT LEATHER ONLY Frt. Class: 150

PRODUCT INFORMATION

CONSTRUCTION

Frame: Leg/Arm pressure injected aluminum one L-2630 grade hand polished (recyclable). PC Models – silver powder coat with clear coat – standard.

Polyamide: Seat/Back structure is a blend of polymer and fiberglass liquid injected into steel mold, (recyclable).

Wood: Nine plys of cross laminated hardwood veneer.

Black Belt Leather: 4mm of leather applied wet and stretched. The perimeter is sewn skived and shrink dried for a tight fit. Black leather only.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Base Number
- 4. Upholstery/KI grade or COM with description
- 5. Finish
- 6. Fire Code
- 7. Options

BASE OPTIONS

- PA Polished aluminum with black hooded casters.
- PC Textured black powder coat with black hooded casters.

Specify by style number when ordering.

Unless otherwise specified, arms (when required), will match base.

OPTIONS

TB133 UPCHARGE 714/715

\$72

66


STOOL OPTION

Includes chrome adjustable foot ring. Seat height starts at 21.5" up to 32". Specify stool option.

Textured black powder coat for arms – specify.

MESA MSTS		Style	COM					FABRIC	GRADES							ADES
WIEGAs	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	M
7225- Swivel Tilt Chair		QUICK SHIP														
	W26.5 D25.5 H38	7225-9	2.5	956	1098	972	1002	1039	1065	1114	1164	1263	1386	1509	1633	1882
	Seat: W19 D19 H18 (adj.)	7225-2														
	Arm: H25	7225-4														
	Weight: 75 lbs. Frt. Class: 150	7225-8	2.5	1071	1232	1087	1119	1154	1180	1229	1280	1378	1501	1625	1749	1997
7226- High Back Swivel Tilt Chair		QUICK														
	W26.5 D25.5 H45	7226-9	3	1010	1162	1028	1061	1099	1128	1182	1235	1344	1476	1611	1745	2014
	Seat: W19 D19 H18 (adj.)	7226-2														
	Arm: H25	7226-4														
500	Weight: 80 lbs. Frt. Class: 150	7226-8	3	1130	1299	1148	1180	1220	1247	1303	1357	1465	1598	1735	1869	2140

CONTRASTING UPHOLSTERY GUIDE



DESCRIPTION
A. Top Back Panel/Arm Panel

YARDAGE	SQ. FT.
.75 yds.	3' x 1' Section

SPECIFY FABRIC/LEATHER

Body - High Back C. Button - Send Memo Sample

54 sq. ft. Upholstered in contrasting fabric - standard

50 sq. ft.

Yardages are based on 54" plain fabric. The Contrasting Upholstery Guide should accompany order. One page per model. Consult COM/COL ordering information table page 6.

PRODUCT INFORMATION

CONSTRUCTION

Frames of laminated plywood kiln dried hardwood. Cushioning of multiple densities of polyurethane foam and dacron fiber. Gas lift with tilt lock - standard.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes: Barley Cognac

Biltmore Cherry Cordovan Bourbon Ebony Brighton Walnut Monticello Maple Cherry Storm

B. Body

Specify finish when ordering.

ORDERING INFORMATION

2.5 vds.

3 yds.

- Specify:
- 1. Quantity
- 2. Model Number
- 3. Base Number 4. Upholstery/KI
- grade or COM with description
- 5. Finish
- 6. Fire Code
- 7. Options

BASE OPTIONS

Available with optional "knee tilt/gas lift" mechanism. Specify "KT/GL." Add \$99 to list price.

- -2 Base Polished aluminum with black hooded
- -4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- -8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- -9 Base Matte black with black hooded casters.

Specify base style number when ordering.

OPTIONS

Button covered in same upholstery - standard. Wood button available, no charge - specify. Wood button will be finished to match legs.

LEATHER

Contrasting back and arm panels available - specify and add \$83 list. Refer to Contrasting Upholstery Guide above. When using KI fabric, refer to page 7 for cut yardage price. (The minimum requirements are waived). NOTE: Button will be upholstered in contrasting fabric - standard, unless otherwise specified.

CONTRASTING COVER REQUIREMENTS

There are three options KI offers for contrasting covers:

- 1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge;
- 2. One COM fabric, one KI in-grade: Price at in-grade list and waive contrast upcharge;
- 3. All COM fabric: Price at COM list plus \$44 list contrast upcharge.

*TB133 UPCHARGE

7225- Swivel Tilt Chair \$236 7226- High Back Swivel Tilt Chair 257

*Only available if no button option is specified.

ORDERING LEGEND - BENCHES

48 48" Bench Length **62** Model Number 62 Model Number 60 60" Bench Length

LIST PRICES

GRAND SALON GSAE	SPECIFICATIONS	Style S No.	COM Ydg.	СОМ	COL	С	D	FABRIC E	GRADES F	G	Н	I	J	K		ATHER ADES M
6248 Bench (shown) 6260 Bench	W48 D18.75 H18.75 W60 D18.75 H18.75															
	Weight: 40, 50 lbs. Frt. Class: 150	6248 6260	3 3.5	878 1033	1010 1188	897 1054	928 1090	966 1133	989 1160	1039 1219	1088 1276	1149 1348	1271 1492	1395 1634	1517 1777	1762 2065
CONTRASTING UPHOLSTERY GUIDE	DESCRIPTION	FABRIC YARDAGE		LEA SQ.	THER FT.			SPEC	CIFY FABI	RIC/LEAT	HER					
В	A. Complete Seat	48"-1.5 yds. /	60"-1.75 yds.	48"-	27 sq. ft. /	60"- 31.5	sq. ft.	A								
Yardages are based on 54" plain fabric. The Contrasti	B. Body	48"-1.5 yds. /			27 sq. ft. /			B	n table nad	ne 6						

HANCOCK HANC		Style	СОМ					FABRIC	GRADES							THER ADES
	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	1	J	K	L	М
748 Bench																
	W48 D19.5 H18.5	QUICK														
	Weight: 43 lbs. Frt. Class: 150	748	1.25	657	755	665	680	698	712	736	761	819	894	969	1043	1193
760 Bench																
	W60 D19.5 H18.5	QUICK														
	Weight: 55 lbs. Frt. Class: 150	760	1.75	713	820	724	745	769	788	821	854	923	1008	1092	1177	1347

PRODUCT INFORMATION

CONSTRUCTION - GSAB

Frame of kiln dried hardwoods and plywood. Cushioning of multiple densities polyurethane foam. Legs of cast aluminium. White nylon glides. Attached seat cushions.

CONSTRUCTION - HANC

Frame of kiln dried hardwood. Cushioning of high density of polyurethane foam and dacron fiber.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Ebony Bourbon Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number 3. Upholstery/KI

grade or COM with description

4. Finish 5. Fire Code

6. Options

OPTIONS - GRAND SALON

TB133 UPCHARGE 6248 48" Bench \$149 6260 60" Bench 199

OPTIONS - HANCOCK TB133 UPCHARGE 748 48" Bench \$ 94 760 60" Bench 122

Textured black powder coat - specify and add \$111 list.

CONTRASTING COVER REQUIREMENTS


There are three options KI offers for contrasting covers:

- 1. All fabrics KI in-grade: Price at highest in-grade and waive contrast upcharge.
- 2. One COM fabric, one KI in-grade: Price at in-grade list and waive contrast upcharge.
- 3. All COM fabric: Price at COM list plus contrast upcharge listed below:

Grand Salon Bench \$50 list

KURV KURV		Style	СОМ					FABRIC	GRADES						LEA GRA	THER ADES
KOTTV KOM	SPECIFICATIONS	No.	Ydg.	COM	COL	С	D	Е	F	G	Н	I	J	K	L	М
540 Chair																
	W25.5 D29 H33 Seat: W29 D21 H17 Weight: 45 lbs. Frt. Class: 150	540	2	1200	1379	1214	1241	1274	1295	1336	1379	1431	1537	1643	1749	1960
541 Corner Element																
	W29 D29 H17 Weight: 32 lbs. Frt. Class: 125	541	1.5	803	923	807	813	822	827	838	848	861	887	913	938	992
542 Corner Table – Wood																
	Dia. 26 H13 Weight: 32 lbs. Frt. Class: 125	542		641												
548 Bench 560 Bench 578 Bench	W48 D29 H17															
	W60 D29 H17 W78 D29 H17 Weight: 62, 77, 100 lbs. Frt. Class: 150	548 560 578	1.5 2.25 2.25	1388 1497 1734	1598 1720 1992	1401 1514 1751	1421 1539 1781	1445 1571 1818	1461 1592 1840	1493 1634 1888	1524 1677 1936	1564 1730 1995	1643 1837 2114	1723 1943 2233	1802 2049 2351	1959 2261 2589
548W Bench w/Wood Back 560W Bench w/Wood Back 578W Bench w/Wood Back	W48 D29 H33 Seat: W48 D22 H17															
	W60 D29 H33 Seat: W60 D22 H17 W78 D29 H33 Seat: W78 D22 H17	548W 560W	1.5 2.25	1841 2002	2086 2304	1827 2018	1845 2044	1871 2076	1887 2098	1918 2140	1950 2182	1990 2235	2069 2340	2149 2448	2228 2554	2386 2763
	Weight: 72, 90, 115 lbs. Frt. Class: 150	578W	2.25	2259	2598	2277	2307	2341	2367	2414	2462	2521	2639	2757	2879	3114

102 BENCHES LIST PRICES



PRODUCT INFORMATION

CONSTRUCTION

Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat – standard. Glides are adjustable, brushed aluminum – standard. Attached cushions.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood seat and/or back available in the following finishes:

Barley
Barley
Cognac
Biltmore Cherry
Bourbon
Ebony
Brighton Walnut
Cherry Storm

Evaluation
Monticello Maple

Specify finish when ordering.

* KURV not recommended in vinyl.

ORDERING INFORMATION

Specify:
1. Quantity
2. Model Number

- Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code
- Options

o. Options

Standard powder coat colors for KI High Point are silver, textured black, or pewter. Specify powder coat selection purchase order.

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.

OPTIONS

578-G models will have 60" back and seat only. Glass table is 15.75" x 23.25" x .375". Glass is supported by 4 metal connectors to bench. Also available – wood table top in maple wood veneer, 15.75" x 23.25" x 1", matching finish standard.

To connect units specify \$22 – includes three brackets per connection.

Corner element available upholstered only, comes standard with connection brackets.

Black textured powder coat available on metal frame – please specify. Glides remain in brushed aluminum only.

TB133 UPCHARGE 540 Chair 541 Corner Element 548 Bench 560 Bench 578 Bench 48" Back 60" Back 78" Back	\$182 111 133 160 188 83 111 138

BENCHES LIST PRICES

NEENA NEBN	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	COL	С	D	FABRIC GR	ADES F	G	Н	1	J	K	LEATH GRAD L	
7948 Bench																
	W48 D19.5 H18.5															
	Weight: 43 lbs. Frt. Class: 150	7948	1.75	718	825	732	755	782	802	841	877	955	1050	1145	1239	1429
7960 Bench																
	W60 D19.5 H18.5															
	Weight: 55 lbs. Frt. Class: 150	7960	2.25	768	885	779	806	833	857	892	928	1010	1105	1200	1295	1483

PRODUCT INFORMATION

CONSTRUCTION

Frame of kiln dried hardwood. Cushioning of high density of polyurethane foam and dacron fiber. Attached seat.

COM/COL REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, oneyard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. **103** Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Exposed wood legs available in the following finishes: Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify: 1. Quantity

2. Model Number

3. Upholstery/KI grade or COM with description

4. Finish 5. Fire Code

6. Options

OPTIONS

TB133 UPCHARGE

7948 Bench 7960 Bench

\$149 199 **104** BENCHES LIST PRICES

THREE BENCH THBN	SPECIFICATIONS	Style No.	COM Ydg.	СОМ	С	D	E	FABRIC GF F	RADES G	Н	ı	J	K		THER ADES M
THBN TB-48 Bench (shown) TB-60 Bench	W45 D22 H21.25 Seat: W47.5 D23 H18.5 W45 D22 H21.25 Seat: W59.5 D23 H18.5 Weight: 55 lbs., 70 lbs.	TB-48 TB-60	3.25 4.25	1130 1369	1150 1395	1183 1439	1223 1491	1250 1525	1303 1595	1357 1664	1421 1751	1556 1925	1683 2122	1822 2273	2088 2621

PRODUCT INFORMATION

CONSTRUCTION

Seat Frames constructed of welded structural steel. Backs constructed from formed plywood. Arms are a combination of kiln dried hardwood and plywood. Exposed parts are hardwood. Cushions of multiple densities of polyurethane foam. Seats and backs are field replaceable - standard.

COM REQUIREMENTS

COM yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult COM matrix on page 6 for additional yardage needed. When an order for 50 yards arrives in separate rolls i.e. 20, 20, and 10, we lose yield. For each roll that is sent, one yard needs to be added, i.e. this order would require three additional yards; and it would need to be added to one of the rolls, not sent separately. Figure 18 sq. ft. of leather (COL) for each yard shown.

SPECIFICATIONS / FINISHES

Exposed wood available in the following finishes:

Barley Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Upholstery/KI grade or COM with description
- 4. Finish
- 5. Fire Code
- 6. Options

BRIAR BRFS	SPECIFICATIONS	Wood Veneer Tops LIST PRICE		SPECIFICATIONS	Laminated Tops LIST PRICE
4503 Lamp Table			4513 Lamp Table		_
	W24 D24 H22 Weight: 40 lbs. Frt. Class: 150	768		W24 D24 H22 Weight: 40 lbs. Frt. Class: 150	768
4506 Club Table			4516 Club Table		
	Dia.24 H22 Weight: 45 lbs. Frt. Class: 150	822		Dia.24 H22 Weight: 45 lbs. Frt. Class: 150	822
4507 Coffee Table			4517 Coffee Table		
	Dia.36 H16 Weight: 65 lbs. Frt. Class: 150	1014		Dia.36 H16 Weight: 65 lbs. Frt. Class: 150	1014
4508 Coffee Table			4518 Coffee Table		
	W42 D24 H16 Weight: 60 lbs. Frt. Class: 150	832		W42 D24 H16 Weight: 60 lbs. Frt. Class: 150	832

CONSTRUCTION

Wood base of solid hardwood with top of wood veneers, or solid wood edge with plastic laminate top.

SPECIFICATIONS / FINISHES

Wood available in the following

finishes: Barley

Cognac Biltmore Cherry Cordovan Bourbon Ebony

Brighton Walnut Monticello Maple Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

- Specify: 1. Quantity
- 2. Model Number
- 3. Top Selection
- 4. Finish
- 5. Options

OPTIONS

Tops available in any standard laminate please specify. See Color Addendum for selections.

DEVON DEVN	SPECIFICATIONS	LIST PRICE		
6503 End Table	W20 D20 H22	<u> </u>		
	Weight: 45 lbs. Frt. Class: 150	SHIP		
	Can be shipped via UPS.	768		
6506 Club Table		QUICK		
	Dia.24 H22	SHIP		
	Weight: 45 lbs. Frt. Class: 150	878		
6507 End Table	W15 D15 H22			
	Weight: 45 lbs. Frt. Class: 150			
	Can be shipped via UPS.	657		
6508 Oval Coffee Table				
	W24 D30 H19			
	Weight: 50 lbs. Frt. Class: 150	939		
6509 Coffee Table		QUICK	 	
	W40 D20 H17	SHIP		
	Weight: 55 lbs. Frt. Class: 150	989		
6510 Console Table				
	W47 D15.5 H28			
	Weight: 60 lbs. Frt. Class: 150	1099		
PRODUCT INFORMATION				

CONSTRUCTION

Wood base of solid hardwood with wood veneer inlaid with black wood edge.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

SPECIFICATIONS / FINISHES

Wood available in the following finishes: Barley Cognac Biltmore Cherry Cordovan

Bourbon Ebony
Brighton Walnut Monticello Maple

Cherry Storm

Specify finish when ordering.

ORDERING INFORMATION

Specify:
1. Quantity
2. Model Number

3. Top Selection 4. Finish

FLEX FLFS	SPECIFICATIONS	Wood Veneer Tops LIST PRICE		SPECIFICATIONS	Laminated Tops LIST PRICE
5502 End Table	W19.5 D23 H18		5512 End Table	W19.5 D23 H18	
	Weight: 40 lbs.			Weight: 40 lbs.	
	Can be shipped via UPS.	657		Can be shipped via UPS.	657
5503 End Table			5513 End Table		
	W19.5 D23 H22			W19.5 D23 H22	
	Weight: 40 lbs.	676		Weight: 40 lbs.	676
5511 End Table			5521 End Table		
	W24 D24 H22			W24 D24 H22	
	Weight: 40 lbs.	834		Weight: 40 lbs.	834
5504 Coffee Table			5514 Coffee Table		
	W40 D19.5 H18			W40 D19.5 H18	
	Weight: 50 lbs.	878		Weight: 50 lbs.	878
5505 Club Table			5515 Club Table		
FF	Dia.24 H18		IFF	Dia.24 H18	
	Weight: 40 lbs.	878		Weight: 40 lbs.	878
5506 Club Table			5516 Club Table		
	Dia.24 H22			Dia.24 H22	
	Weight: 45 lbs.	912		Weight: 45 lbs.	912
5507 Coffee Table			5517 Coffee Table		
	Dia.36 H18			Dia.36 H18	
	Weight: 50 lbs.	989		Weight: 50 lbs.	989
5510 Console Table			5520 Console Table		
	W46.75 D15.5 H28.75			W46.75 D15.5 H28.75	
	Weight: 55 lbs.	1099	<u> </u> U	Weight: 55 lbs.	1099

CONSTRUCTION

Wood base of solid hardwood with top of wood veneers or solid wood edge with plastic laminate top.

SPECIFICATIONS / FINISHES

Wood available in the following finishes:
Barley Brighton Walnut Con
Biltmore Cherry Cherry Storm Ebo

Cognac

ut Cordovan Ebony Monticello Maple

ORDERING INFORMATION

Specify:

Quantity
 Model Number

3. Top Selection4. Finish5. Options

OPTIONS

Tops available in any standard laminate - please specify. See Color Addendum for selections.

Bourbon

ORLO ORLO	SPECIFICATIONS	Wood Veneer Tops LIST PRICE		SPECIFICATIONS	Wood Veneer Tops LIST PRICE
2001 Club Table	Dia.20 H22 (3 Legs)		2008 Coffee Table		
	Weight: 35 lbs.				
	Can be shipped via UPS.	1161		W42 D42 H18	
2002 Lamp Table				Weight: 56 lbs.	1952
	Dia.24 H22		2009 Coffee Table		
	Weight: 37 lbs.	1372			
2003 Coffee Table					
 	D's on Use			W48 D48 H18	
	Dia.36 H18	1794		Weight: 70 lbs.	2268
2004 Coffee Table	Weight: 47 lbs.	1794	2010 Console Table		
2004 Colleg Table				W54 D18 H28	
A H H				Weight: 45 lbs.	1583
	Dia.42 H18		2011 Console Table		
2005 Outton Table	Weight: 51 lbs.	1899			
2005 Coffee Table				W60 D18 H29	4000
4 1 4				Weight: 47 lbs.	1688
	Dia.48 H18		2012 Coffee Table		
	Weight: 60 lbs.	2216		W42 D22 H18	
2006 End Table				Weight: 40 lbs.	1530
	W24 D24 H22		2013 Oval Coffee Table		
	Weight: 37 lbs.	1240		W42 D25 H18	
2007 Coffee Table				Weight: 40 lbs.	1688
	W36 D36 H18				
PRODUCT INFORMATION	Weight: 52 lbs.	1741			

CONSTRUCTION

Legs are solid hardwood turned to an elliptical shape. Leg to top connections are solid turned aluminum with clear topcoat standard. Tops are figured hardwood, reverse diamond veneer with a solid hardwood edge, 1" thick.

SPECIFICATIONS / FINISHES

clear topcoat - standard.

Exposed wood legs and veneer tops on ORLO available in the following finishes:

Brighton Walnut Barley Cordovan Biltmore Cherry Cognac Ebony Bourbon Cherry Storm Monticello Maple Exposed metal parts on ORLO in turned aluminum with

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.

Standard powder coat colors for KI High Point are

silver, textured black, or pewter. Specify powder

coat selection purchase order.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Top Selection
- 4. Finish
- 5. Options

OPTIONS

Jewel detail with three legs Jewel detail with four legs

\$200 264

RA ^v DO	RADO	SPECIFICATIONS	Wood Veneer Tops LIST PRICE		SPECIFICATIONS	Zimbord Top LIST PRICE	Plastic Laminates LIST PRICE
7502 Club Table 7602 Club Table	QUICK	W20 D20 H22 W20 D20 H17 Weight: 23 lbs. Frt. Class: 150	835 821 Can be shipped via UPS.	7512 Club Table 7612 Club Table 7522 Club Table 7622 Club Table	W20 D20 H22 W20 D20 H17 W20 D20 H22 W20 D20 H17 Weight: 23 lbs. Frt. Class: 150	669 653 Can be shipped via UPS.	765 754
7503 Club Table 7603 Club Table	QUICK	Dia. 20 H22 Dia. 20 H17 Weight: 25 lbs. Frt. Class: 150	951 941 Can be shipped via UPS.	7513 Club Table 7613 Club Table 7523 Club Table 7623 Club Table	Dia. 20 H22 Dia. 20 H17 Dia. 20 H22 Dia. 20 H17 Weight: 25 lbs. Frt. Class: 150	653 643 Can be shipped via UPS.	891 875
7504 Lamp Table 7604 Lamp Table		W24 D24 H22 W24 D24 H17 Weight: 30 lbs. Frt. Class: 150	957 937	7514 Lamp Table 7614 Lamp Table 7524 Lamp Table 7624 Lamp Table	W24 D24 H22 W24 D24 H17 W24 D24 H22 W24 D24 H17 Weight: 30 lbs. Frt. Class: 150	779 761	883 859
7505 Lamp Table 7605 Lamp Table	QUICK	W24 D24 H22 W24 D24 H17 Weight: 30 lbs. Frt. Class: 150	951 933	7515 Lamp Table 7615 Lamp Table 7525 Lamp Table 7625 Lamp Table	W24 D24 H22 W24 D24 H17 W24 D24 H22 W24 D24 H17 Weight: 30 lbs. Frt. Class: 150	779 761	883 859
7506 Lamp Table 7606 Lamp Table		Dia. 24 H22 Dia. 24 H17 Weight: 29 lbs. Frt. Class: 150	1137 1116	7516 Lamp Table 7616 Lamp Table 7526 Lamp Table 7626 Lamp Table	Dia. 24 H22 Dia. 24 H17 Dia. 24 H22 Dia. 24 H17 Weight: 29 lbs. Frt. Class: 150	779 761	987 967
7507 Coffee Table 7607 Coffee Table		Dia. 36 H22 Dia. 36 H17 Weight: 42 lbs. Frt. Class: 150	1340 1322	7517 Coffee Table 7617 Coffee Table 7527 Coffee Table 7627 Coffee Table	Dia. 36 H22 Dia. 36 H17 Dia. 36 H22 Dia. 36 H17 Weight: 42 lbs. Frt. Class: 150	871 850	1146 1123
7608 Coffee Table	QUICK	W42 D22 H17 Weight: 35 lbs. Frt. Class: 150	1107	7618 Coffee Table 7628 Coffee Table	W42 D22 H17 W42 D22 H17 Weight: 35 lbs. Frt. Class: 150	870	1051

CONSTRUCTION

Bases are extruded and laser cut aluminum with welded top and bottom caps, silver powder coat finish – standard. Tops are figured wood veneer, Zimbord, or self edged plastic laminate, 1" thick. Zimbord is a special grade reconstituted wood by-product.

SPECIFICATIONS / FINISHES

QUICKSHIP PROGRAM: See page 7 for QSP information.

Wood finishes available on **veneer tops only**:

Barley Brig Biltmore Cherry Che Bourbon Coo

Brighton Walnut Cordovan
Cherry Storm Ebony
Cognac Monticello Maple

Specify finish when ordering.

Zim finishes available on **Zimbord only**: Absolute, Wine, Apollo, Stout, Terra.

Leg Finish: Silver powder coat – standard. Optional pewter or textured black powder coat finishes available – please specify.

Standard powder coat colors for KI High Point are silver, textured black, or pewter. Specify powder coat selection purchase order.

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Top Selection
- 4. Finish
- 5. Options

VELO VELO	SPECIFICATIONS	LIST PRICE	SPECIFICATIONS	LIST PRICE
2101L Club Table – Laminate Top 2101PV Club Table – Laminate Top with PVC Edge 2101G Club Table – Frosted Glass Top 2101S Club Table – Granite Top		944 1001 1212 1687	2104L Coffee Table – Laminate Top 2104PV Coffee Table – Laminate Top with PVC Edge 2104G Coffee Table – Frosted Glass Top 2104S Coffee Table – Granite Top	1372 1408 1894 2632
	W20 D20 H22			
	Weight: 34-51 lbs.		W42 D42 H18	
	Can be shipped via UPS with laminate tops.		Weight: 73-91 lbs.	
2102L End Table – Laminate Top 2102PV End Table – Laminate Top with PVC Edge 2102G End Table – Frosted Glass Top 2102S End Table – Granite Top		986 1050 1286 1894	2105L Coffee Table – Laminate Top 2105PV Coffee Table – Laminate Top with PVC Edge 2105G Coffee Table – Frosted Glass Top 2105S Coffee Table – Granite Top	1240 1303 1476 1999
	W24 D24 H22 Weight: 40-66 lbs.		W48 D20 H18 Weight: 70-100 lbs.	
2103L Coffee Table – Laminate Top 2103PV Coffee Table – Laminate Top with PVC Edg 2103G Coffee Table – Frosted Glass Top 2103S Coffee Table – Granite Top	е	1213 1261 1662 2453	2110L Console Table – Laminate Top 2110PV Console Table – Laminate Top with PVC Edge 2110G Console Table – Frosted Glass Top 2110S Console Table – Granite Top	1187 1240 1529 2084
	W36 D36 H18 Weight: 62-80 lbs.		W54 D18 H29 Weight: 85-95 lbs.	

CONSTRUCTION

Legs are solid hardwood turning 2" in diameter. Leg to top structure is a combination of solid, extruded and 1" aluminum tubing. See top options.

SPECIFICATIONS / FINISHES

Exposed wood legs on VELO
available in the following finishes:
Barley Cognac
Biltmore Cherry Cordovan
Bourbon Ebony
Brighton Walnut
Cherry Storm

VELO
Author
Cognac
Bordovan
Ebony
Monticello Maple

Specify finish when ordering.

Exposed metal on VELO in silver powder coat – standard.

Standard powder coat colors for KI High Point are silver, textured black, or pewter. Specify powder coat selection purchase order.

Standard KI powder coat colors are available for an \$855 list upcharge per order. Consult the KI Color Addendum for current listing of powder coat colors. Specify color on purchase order and add the \$855 list upcharge as a separate line item.

ORDERING INFORMATION

Specify:

- 1. Quantity
- 2. Model Number
- 3. Top selection
- 4. Finish
- 5. Options

OPTIONS

- L Self edged plastic laminate 1" thick. See page 9 of the general price list for details. Attached to base.
- PV Plastic laminate top 1.25" thick with 3mm PVC edge. See page 9 of the general price list for laminate details, PVC edge (consult KI master color selection for options). Attached to base.
- G Glass .625" thick with pencil polished edge and etched back. (top sits on 4 clear bumpers., not attached)
- S Absolute black granite polished edges .75" thick. (top sits on 4 bumpers, not attached)

Exposed Metal: Silver powder coat – standard. Optional pewter or textured black powder coat finishes available – please specify.

KI/AGI P.O. Box 7929 High Point, NC 27264 I-800-424-2432 www.ki.com

AGI is a division of

