

NeutralPosture

Retail Price List

www.**i**Go**Ergo**.com 1-800-446-3746



Adjust Your Possibilities





5th to 95th page 4



5000 Series page 6



6000 Series page 10



8000 Series page 14



Big & Tall Series page 18



Balance™ page 22



Shark™ page 24



Sahara[™] page 28



N·dure[™] page 32



Rio™ page 34



Embrace Motion™ page 38



Embrace[™] page 42



Dice[™] page 44



Embrace™ Side page 45



Big & Tall Side page 46



NPS Chair Options page 47



Backless Urethane page 48



Chair Urethane page 52



Backless Fabric page 56



Chair with Fabric page 60



Geo page 64



AbSeries[™] page 66



Cleanroom/ESD page 68



NeXtep™ page 70



StandUp[™] page 71



Laptop Prop page 72



CPU Holder page 72



Monitor Arms page 72



N·hancements™ and Accessories page 73



General Info page 78



Warranty page 80



Fabrics page 81



N-dustrial Fabrics page 82



5-Day Quickship Fabrics page 83





NPS5500-FCloud 9[™] \$1,295
page 6



BAL5209-B15
Black Natural . . .\$1,305
page 22



NPS8600 Cloud 9[™] \$1,400 page 14

NeutralPosture's



SHA2136 Cloud 9[™] \$865 page 24



SAH2236-S Cloud 9[™] \$995 page 28



NBU084-C2 Urethane\$350 page 48



NPS8600-H1 Cloud 9[™] \$1,640 page 14



BTC10110Cloud 9[™] \$2,025
page 18



Top 12



EMB112K Black Natural ...\$910 page 42




NCF222-L4-R3 Grade 2 \$815 page 60



DCE211Cloud 9[™]\$380
page 44

5th to 95th in the same chair





SEAT HEIGHTallows for differences in a short or tall person and provides the proper support for a neutral, stress-free position.

SEAT TENSIONmay be adjusted to accommodate various body weights.



SEAT DEPTH seat slider allows you to adjust to long or short leg lengths and allows more support from the seat pan.



SEAT ANGLE adjusts to provide a more open trunk/thigh posture which increases the flow of blood and nutrients through the body reducing the build up of lactic acid.



BACK ANGLE
adjusted to the current task
allows an individual a multitude
of changes in a neutral, stressfree position throughout the day.



CONTOURED SEAT PANS provide superior comfort through the reduction of pressure in the buttock/thigh area.



Seated workers vary dramatically in height and weight (5th percentile female = 4'11" to 95th percentile male = 6'2"). The adjustability of Neutral Posture® chairs and modularity of seats and backs allow us to accommodate the widest possible range of seated workers, from the 5th percentile female to the 95th percentile male. The images on these pages show the range of adjustability used to fit this dramatic anthropometric range, *all in the same chair* (NPS8600-F shown, other models available).

"Those who say their chair has a passive backrest or 'automatically adjusts' usually have been designed for the average and therefore it is uncomfortable for everyone and does not fit anyone. Just because it moves doesn't mean it's ergonomic. For a passive backrest to work it would have to have a separate tension adjustment for various upper body or 'trunk' weights. As designed, the heavier person would fall back and the lighter person would not move the back rest."

- Dr. Congleton Ph.D., P.E., C.P.E.



INFLATABLE LUMBAR offers fine tuning support for the natural curve of the lower back.



360° ARMPAD ROTATION to provide forearm support at any angle and to allow a worker closer proximity to the work surface.



ARM HEIGHT adjusts to accommodate the differences in elbow rest heights.



 $5^{\rm th}$ percentile female $-95^{\rm th}$ percentile male



ARM WIDTH adjusts to allow for size differences in buttock/thigh and shoulders.



Both female and male seated in NPS8600-F (other chair models available).



BACK HEIGHT adjustment provides four inches of travel to accommodate lumbar differences.



HEIGHT VARIATIONS cover the 5th to the 95th percentile.



NeutralPosture® Seating

5000 Series



NPS5500-F


Cloud 9[™]\$1,295

- Mid back for exceptional back and lumbar support
- Choice of 6 seat options
- Adjustable Back Height and Angle
- Adjustable Seat Height, Depth, Angle and Tension
- Adjustable Arm Height, Width and 360° Armpad Rotation
- Inflatable Lumbar
- Plastic Outer Shell (Upholstered Back Option Available)
- Optional Fring[™] Footrest
- Forward Tilt-stop Standard on Multi-function Mechanism (0) w/Seat Slider

	NPS5400	NPS5500	NPS5600	NPS5700	NPS5800	NPS5900
Dimensions (H x W x D)	38 × 26 × 26	38 × 26 × 26	38 × 26 × 26	40 × 29 × 26	39 x 27 x 26	39 x 27 x 26
Box Dimensions (H \times W \times D)	28 × 26 × 24	28 x 26 x 24	28 × 26 × 24	28 x 26 x 24	28 × 26 × 24	28 × 26 × 24
Base Diameter	26	26	26	26	26	26
Chair Weight	50 lbs.	50 lbs.	56 lbs.	57 lbs.	57 lbs.	57 lbs.
Seat Height Range	16 – 20	17 – 21	17 – 21	17 – 21	17 – 21	17 - 21
Seat Width	20	21	23	24	23	25
Seat Depth Range**	15 – 17	16 – 18	17 - 19	17 – 19	18 – 20	18 – 20
Back Width	17	17	17	17	17	17
Back Height Range	18 – 22	17 – 21	16 – 20	16 – 20	17 – 21	17 – 21
Arm Height Range	7 - 11	7 - 11	7 - 11	7-11	7 - 11	7 - 11
Arm Width Range	18 – 22	18 – 22	20 – 22	20 – 22	20 – 22	20 – 22
Back Angle - 0 - (Multi-function)*	100° – 115°	100° – 115°	100° – 115°	100° – 115°	100° – 115°	100° - 115°
Seat Angle - 0 - (Multi-function)*	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F10° - R 14°	F 10° - R 14°F	F 10° - R 14°
Back Angle - 3 - (Knee-tilt)*	NA	NA	104° – 120°	104° – 120°	104° – 120°	104° – 120°
Seat Angle - 3 - (Knee-tilt)*	NA	NA	F 9° – R 15°	F 9° – R 15°	F 9° – R 15°	F 9° – R 15°

Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.

^{*}Degrees Legend (see diagram below)





Seat Options (physical dimensions)



4 small seat, minimal contour (20 x 19)



medium seat, minimal contour (21 x 19)



medium seat, moderate contour (23 x 20)



medium seat, deep contour (24 x 19)




large seat, minimal contour (23 x 21)



large seat, deep contour (25 x 22)


Chair Mechanisms



0 — Multi-function

(5 paddles)

- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop




3 — Knee-tilt

(3 paddles)

- Front Pivot
- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle

^{**}Maximum Range = Seat Depth



Cloud 9™ \$1,245

Cloud 9™ \$1,285



						Ultraleather"	Leather
Fabric Gr	ades	1	2	3	4	5	6
Small Seat, Mi	nimal Contour						
NPS5400	360° arms, multi-function w/seat slider	\$1,145	\$1,185	\$1,225	\$1,265	\$1,345	\$1,845
Medium Seat,	Minimal Contour						
NPS5500	360° arms, multi-function w/seat slider	\$1,165	\$1,205	\$1,245	\$1,285	\$1,365	\$1,865
Medium Seat,	Moderate Contour						
NPS5600	360° arms, multi-function w/seat slider	\$1,205	\$1,245	\$1,285	\$1,325	\$1,405	\$1,905
Medium Seat,	Deep Contour						
NPS5700	360° arms, multi-function w/seat slider	\$1,215	\$1,255	\$1,295	\$1,335	\$1,415	\$1,915
Large Seat, Mi	nimal Contour						
NPS5800	360° arms, multi-function w/seat slider	\$1,215	\$1,255	\$1,295	\$1,335	\$1,415	\$1,915
Large Seat, De	ep Contour						
NPS5900	360° arms, multi-function w/seat slider	\$1,255	\$1,295	\$1,335	\$1,375	\$1,455	\$1,955

Knee-tilt (3) chair control no additional charge.

Available Options

Arm	s		Bases	
Stand	ard 0 360° Swivel w/Urethane Armp	ads	Standard BO 26" Black Base	
1	360° Swivel w/Gel Pads	\$60	B6 26" Polished Aluminum	\$140
2	Lateral Sliding Arms (new)	\$0	B8 * 27" Brushed Aluminum	\$140
3	360° Swivel w/Oversized Urethane	(new) \$75	B12 28" Black Base	\$110
4	Swing Arms	\$80		
5	No Arms	- \$140	Casters/Glides	
6	Oversized Black Vinyl Armpads	\$175	Standard CO Carpet Casters	
7	Oversized Fabric/Leather Armpads	\$175	C1 Hard Floor Casters	\$25
8	Friction Tracker	\$420	C2 Glides	\$0
9	Ball Bearing Tracker	\$420	C3 Hard Floor Brake/In	\$100
X	Specialty Arms	see page 47	C4 Hard Floor Brake/Out	\$60
_	_		C8 Chrome Carpet Casters	\$75
Gen		4	C9 Chrome Hard Floor Casters	s \$100
A	Thoracic Support	\$80		
D1	No Inflatable Lumbar	- \$55	Cylinders	
F	Fring [™] Footrest	\$50	Standard L1 Chair Mechanism 3	
N	N∙dulgent™ Memory Foam	\$125	Standard L2 Chair Mechanism 0	
R1 \pm	18" Black Plastic Footring	\$60	Standard L3 Chair Mechanism 0	w/out Seat Slider
$\mathbf{R2}_{\pm}$	20" Chrome Footring	\$80	L1 * * 3" Cylinder	\$0
$R3\pm$	NeXtep™	\$100	L2 4" Cylinder	\$0
$R4\pm$	2 NeXteps [™]	\$190	L3 5" Cylinder	\$0
R5	3 NeXteps™ (only with L5)	\$270	L7 7" Cylinder	\$35
S2	No Seat Slider	- \$75	L4 8" Cylinder	\$25
T	Stool Package L4 and R2	\$105	L5 10" Cylinder	\$60
T2	Stool Package L5 and R3	\$130	•	
U	Upholstered Back	\$135		

^{*}Option (**B8**) is standard with 3" Cylinder (**L1**).

Option Knee-tilt (3**) is standard with 3" Cylinder (**L1**).

± Options (**R1**), (**R2**), (**R3**) and (**R4**) are only available on (**L4**) or (**L5**).

6000 Series



- High Back with Less Lateral Curve for More Upper Back Support
- Choice of 6 Seat Options
- Adjustable Back Height and Angle
- Adjustable Seat Height, Depth, Angle and Tension
- Adjustable Arm Height, Width and 360° Armpad Rotation
- Inflatable Lumbar
- Plastic Outer Shell (Upholstered Back Option Available)
- Optional Fring[™] Footrest
- Optional 2-way Adjustable Headrest or Adjustable Neckrest
- Forward Tilt-stop standard on Multi-function Mechansim (0) w/Seat Slider




NPS6800PT

	NPS6400	NPS6500	NPS6600	NPS6700	NPS6800	NPS6900
Dimensions (H x W x D)	41 × 26 × 24	43 x 26 x 26	43 × 26 × 26	41 x 28 x 26	41 x 27 x 26	41 x 27 x 26
Box Dimensions (H x W x D)	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24
Base Diameter	26	26	26	26	26	26
Chair Weight	56 lbs.	56 lbs.	62 lbs.	63 lbs.	63 lbs.	63 lbs.
Seat Height Range	16 – 20	17 - 21	17 - 21	17 – 21	17 – 21	17 - 21
Seat Width	20	21	23	24	23	25
Seat Depth Range**	16 – 18	17 – 19	18 - 20	18 – 20	19 – 21	19 – 21
Back Width	23	23	23	23	23	23
Back Height Range	24 – 28	23 - 27	22 – 26	22 – 26	23 – 27	23 - 27
Arm Height Range	7 - 11	7 - 11	7 - 11	7 - 11	7 - 11	7 - 11
Arm Width Range	18 – 22	18 – 22	20 - 22	20 – 22	20 – 22	20 - 22
Back Angle - 0 - (Multi-function)*	95° – 110°	95° – 110°	95° - 110°	95° – 110°	95° – 110°	95° – 110°
Seat Angle - 0 - (Multi-function)*	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°
Back Angle - 3 - (Knee-tilt)*	NA	NA	95° – 110°	95° – 110°	95° – 110°	95° – 110°
Seat Angle - 3 - (Knee-tilt)*	NA	NA	F 9° - R 15°	F 9° - R 15°	F 9° - R 15°	F 9° - R 15°
	Headrest (H1)			Neckrest (H2)		
	Width	12		Width	13	
	Height	6		Height	6	
	Height Range	3		Height Range	2.5	
	Depth Range	2		Depth Range	NA	
	Weight	4 lbs.		Weight	4 lbs.	

Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.





Seat Options (physical dimensions)



4 small seat, minimal contour (20 x 19)



5 medium seat, minimal contour (21 x 19)



6 medium seat, moderate contour (23 x 20)



medium seat, deep contour (24×19)




8 large seat, minimal contour (23 x 21)



large seat, deep contour (25 x 22)


Chair Mechanisms



0 — Multi-function



- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop




3 — Knee-tilt (3 paddles)

- Front Pivot
- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle

^{**} Maximum Range = Seat Depth

^{*}Degrees Legend (see diagram below)



NPS6800-H1

Cloud 9™ \$1,690

NPS6800

Cloud 9[™] \$1,450



						Ultraleather™	Leather
Fabric Gr	rades	1	2	3	4	5	6
Small Seat, Mi	inimal Contour						
NPS6400	360° arms, multi-function w/seat slider	\$1,300	\$1,340	\$1,380	\$1,420	\$1,500	\$2,000
Medium Seat,	Minimal Contour						
NPS6500	360° arms, multi-function w/seat slider	\$1,320	\$1,360	\$1,400	\$1,440	\$1,520	\$2,020
Medium Seat,	Moderate Contour						
NPS6600	360° arms, multi-function w/seat slider	\$1,360	\$1,400	\$1,440	\$1,480	\$1,560	\$2,060
Medium Seat,	Deep Contour						
NPS6700	360° arms, multi-function w/seat slider	\$1,370	\$1,410	\$1,450	\$1,490	\$1,570	\$2,070
Large Seat, Mi	inimal Contour						
NPS6800	360° arms, multi-function w/seat slider	\$1,370	\$1,410	\$1,450	\$1,490	\$1,570	\$2,070
Large Seat, De	eep Contour						
NPS6900	360° arms, multi-function w/seat slider	\$1,410	\$1,450	\$1,490	\$1,530	\$1,610	\$2,110
Pillow Top	•					Ultraleather™	Leather
NPS6800PT	pillow top					\$2,630	\$3,120

Knee-tilt (3) chair control no additional charge.

Available Options

Arms			ters/Glides	
Standard • 360° Swivel w/Urethane Armpa	ıds	Stan	dard CO Carpet Casters	
1 360° Swivel w/Gel Pads	\$60	C 1	Hard Floor Casters	\$25
	\$0	C2	Glides	\$0
2 Lateral Sliding Arms (new)3 360° Swivel w/Oversized Urethane (C3	Hard Floor Brake/In	\$100
4 Swing Arms	\$80	C4	Hard Floor Brake/Out	\$60
5 No Arms	- \$140	C8	Chrome Carpet Casters	\$75
6 Oversized Black Vinyl Armpads	\$175	C9	Chrome Hard Floor Casters	\$100
Oversized Black Vinyl ArmpadsOversized Fabric/Leather Armpads	\$175			
8 Friction Tracker	\$420		nders	
9 Ball Bearing Tracker	\$420		dard L1 Chair Mechanism 3 w/Knee-tilt	
	ee page 47	Stan	dard L2 Chair Mechanism 0 w/Seat Sli	der
	19		dard L3 Chair Mechanism 0 w/out Sea	t Slider
General		L1±	3" Cylinder	\$0
A Thoracic Support	\$80	L2	4" Cylinder	\$0
D1 No Inflatable Lumbar	- \$55	L3	5" Cylinder	\$0
F Fring [™] Footrest	\$50	L7 «	7" Cylinder (includes B12 base)	\$0 \$0 \$0 \$125
N N∙dulgent™ Memory Foam	\$125			
R1 18" Black Plastic Footring	\$60	Hec	drest	
R2 20" Chrome Footring	\$80	H1	Headrest	\$240
R3** NeXtep™	\$100	H2	Neckrest w/Memory Foam	\$240
S2 No Seat Slider	- \$75	Н3	Headrest Depth Extension (2 ½")	\$60
U Upholstered Back	\$135		·	
ı				
Bases				
Standard B0 26" Black Base				
B6 26" Polished Aluminum	\$140			
B8* 27" Brushed Aluminum	\$140			
B12 28" Black Base	\$75			

^{*}Option (B8) is standard with 3'' Cylinder (L1).

^{**} Not available on 3" Cylinder (L1).

[±]Option Knee-tilt (3) is standard with 3" Cylinder (L1).

[«] Option (L7) is standard with 28" Black Base (B12).

NeutralPosture® Seating

8000 Series




- Contoured High Back for Exceptional Upper Back and Lumbar Support
- Choice of 6 Seat Options
- Adjustable Back Height and Angle
- Adjustable Seat Height, Depth, Angle and Tension
- Adjustable Arm Height, Width and 360° Armpad Rotation
- Inflatable Lumbar
- Plastic Outer Shell (Upholstered Back Option Available)
- Optional Fring[™] Footrest
- Optional 2-way Adjustable Headrest or Adjustable Neckrest
- Forward Tilt-stop Standard on Multi-function Mechansim (**0**) w/Seat Slider

	NPS8400	NPS8500	NPS8600	NPS8700	NPS8800	NPS8900
Dimensions (H x W x D)	40 × 26 × 24	41.75 x 26 x 26	39 x 26 x 26	40 x 29 x 26	40 x 27 x 26	40 x 27 x 26
Box Dimensions (H \times W \times D)	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24	28 x 26 x 24	28 × 26 × 24	28 x 26 x 24
Base Diameter	26	26	26	26	26	26
Chair Weight	54 lbs.	54 lbs.	60 lbs.	61 lbs.	61 lbs.	61 lbs.
Seat Height Range	16 – 20	17 – 21	17 – 21	17 – 21	17 – 21	17 – 21
Seat Width	20	21	23	24	23	25
Seat Depth Range**	15 – 17	16 – 18	17 – 19	17 - 19	18 – 20	18 - 20
Back Width	20	20	20	20	20	20
Back Height Range	23 - 27	22 – 26	21 – 25	21 – 25	22 – 26	22 – 26
Arm Height Range	7 - 11	7 - 11	7 – 11	7 - 11	7 - 11	7 - 11
Arm Width Range	18 – 22	18 – 22	20 – 22	20 – 22	20 – 22	20 – 22
Back Angle - 0- (Multi-function)*	95° – 110°	95° – 110°	95° – 110°	95° – 110°	95° – 110°	95° - 110°
Seat Angle - 0 - (Multi-function)*	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°	F 10° - R 14°
Back Angle - 3 - (Knee-tilt)*	NA	NA	95° – 110°	95° – 110°	95° – 110°	95° - 110°
Seat Angle - 3 - (Knee-tilt)*	NA	NA	F 9° - R 15°	F 9° - R 15°	F 9° – R 15°	F 9° – R 15°
	Headrest (H1)			Neckrest (H2)		
	Width	12		Width	13	
	Height	6		Height	6	
	Height Range	3		Height Range	2.5	
	Depth Range	2		Depth Range	NA	

4 lbs. Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.

^{*}Degrees Legend (see diagram below)





4 lbs.

Seat Options (physical dimensions)

Weight



small seat, minimal contour (20×19)



medium seat, minimal contour (21×19)



medium seat, moderate contour (23×20)



medium seat, deep contour (24×19)




large seat, minimal contour (23×21)



large seat, deep contour (25×22) **NEW**

Chair Mechanisms


Weight



0 — Multi-function

(5 paddles)


- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop



3 — Knee-tilt (3 paddles)

- Front Pivot
- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle

^{* *} Maximum Range = Seat Depth



Cloud 9^m \$1,370

Cloud 9™\$1,640



						Ultraleather™	Leathe
Fabric Gr	ades	1	2	3	4	5	6
Small Seat, Mi	nimal Contour						
NPS8400	360° arms, multi-function w/seat slider	\$1,265	\$1,305	\$1,345	\$1,385	\$1,465	\$1,965
Medium Seat,	Minimal Contour						
NPS8500	360° arms, multi-function w/seat slider	\$1,290	\$1,330	\$1,370	\$1,410	\$1,490	\$1,990
Medium Seat,	Moderate Contour						
NPS8600	360° arms, multi-function w/seat slider	\$1,320	\$1,360	\$1,400	\$1,440	\$1,520	\$2,020
Medium Seat,	Deep Contour						
NPS8700	360° arms, multi-function w/seat slider	\$1,330	\$1,370	\$1,410	\$1,450	\$1,530	\$2,030
Large Seat, Mi	nimal Contour						
NPS8800	360° arms, multi-function w/seat slider	\$1,330	\$1,370	\$1,410	\$1,450	\$1,530	\$2,030
Large Seat, De	ep Contour						
NPS8900	360° arms, multi-function w/seat slider	\$1,370	\$1,410	\$1,450	\$1,490	\$1,570	\$2,070
Stitched Le	eather					Ultraleather™	Leather
NPS8400SL	stitched leather package					\$1,715	\$2,030
NPS8500SL	stitched leather package					\$1,715	\$2,030
NPS8600SL	stitched leather package					\$1,830	\$2,145
NPS8700SL	stitched leather package					\$1,945	\$2,260
	hair control no additional charg le Options	e.					
	360° Swivel w/Urethane Armp	pads #40	Sto	usters/Glide andard CO Ca	rpet Casters		\$24

Arms		Casters/Glides	
Standard 0 360° Swivel w/Urethane Armpads 1 360° Swivel w/Gel Pads 2 Lateral Sliding Arms (new) 3 360° Swivel w/Oversized Urethane (ne 4 Swing Arms 5 No Arms 6 Oversized Black Vinyl Armpads 7 Oversized Fabric/Leather Armpads 8 Friction Tracker 9 Ball Bearing Tracker	\$60 \$0 \$75 \$80 - \$140 \$175 \$175 \$420	C2 Glides C3 Hard Floor Brake/In \$ C4 Hard Floor Brake/Out C8 Chrome Carpet Casters C9 Chrome Hard Floor Casters \$ Cylinders	\$25 \$0 100 \$60 \$75 100
 X Specialty Arms see General A Thoracic Support D1 No Inflatable Lumbar F Fring™ Footrest 	\$420 page 47 \$80 - \$60 \$50	Standard L1 Chair Mechanism 3 w/Knee+ilt Standard L2 Chair Mechanism 0 w/Seat Slider Standard L3 Chair Mechanism 0 w/out Seat Slider L1± 3" Cylinder L2 4" Cylinder L3 5" Cylinder L7** 7" Cylinder (includes B12 base) \$	\$0 \$0 \$0 125
 N · dulgent™ Memory Foam 18" Black Plastic Footring 20" Chrome Footring NeXtep™ No Seat Slider U Upholstered Back 	\$125 \$60 \$80 \$100 - \$80 \$135	H2 Neckrest w/Memory Foam \$	240 240 \$60
Bases Standard BO 26" Black Base B6 26" Polished Aluminum B8* 27" Brushed Aluminum B12 28" Black Base	\$140 \$140 \$75	**Option (L7) is standard with 28" Black Base (B1 2 ± Option Knee-tilt (3) is standard with 3" Cylinder (L 1 « Not available on 3" Cylinder (L1).	

NeutralPosture® Seating

Big & Tall Series





BTC16800PT - H2

 $Ultraleather^{\scriptscriptstyle{TM}} \ldots.\$3,100$

- Superior Support for Up to 500 lbs. and/or 7 Feet Tall
- Adjustable Back Height
- Adjustable Seat Height, Angle, Tilt, Tension and Depth
- Adjustable Arm Height
- Inflatable Lumbar
- Free Floating Synchro-tilt Mechanism
- 28" Aluminum Base
- Plastic Outer Shell (Upholstered Back Option Available)
- Optional Neckrest

	BTC10100	BTC16800	BTC16900
Dimensions (H x W x D)	44 × 35 × 28	43 × 33 × 28	43 × 33 × 28
Box Dimensions ($H \times W \times D$)	36 x 28 x 51	36 x 28 x 51	36 × 28 × 51
Base Diameter	28	28	28
Chair Weight	86 lbs.	79 lbs.	79 lbs.
Seat Height Range	17 - 21	17 - 21	17 - 21
Seat Width	27	23	25
Seat Depth Range*	20 - 22	19 - 21	18 - 20
Back Width	24	23	23
Back Height Range	24 - 28	23 - 27	23 - 27
Arm Height Range	9 - 12	9 - 12	9 - 12
Arm Width	23	21	21
Back Angle	93° - 102°	93° – 102°	93° - 102°
Seat Angle	F 7° - R 12°	F 8° - R 13°	F 8° - R 13°



Headrest (**H1**) Width Height Weight

12 Fixed 4 lbs.



 Neckrest (**H2**)

 Width
 13

 Height
 6

 Height Range
 2.5

 Depth Range
 NA

 Weight
 4 lbs.

Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.



Seat Options (physical dimensions)



8 medium seat, minimal contour (23 x 21)



large seat, deep contour (25 × 22)



10 large seat, minimal contour (27 x 22)

Chair Mechanisms



- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Standard Seat Slider
- Back Height
- Seat Tension
- Seat and Back tilt, 2:1



BTC16800 Cloud 9[™] \$2,075



BTC10100Cloud 9[™] \$2,075

^{*} Maximum Range = Seat Depth

Big & Tall Series



					Ultraleather™	Leather
Fabric Grades	1	2	3	4	5	6
Big & Tall						
BTC10100 oversized padded arms	\$1,995	\$2,035	\$2,075	\$2,115	\$2,195	\$2,695
BTC10110 urethane armpads	\$1,945	\$1,985	\$2,025	\$2,065	\$2,145	\$2,645
Big & Tall Jr.						
BTC16800 oversized padded arms	\$1,995	\$2,035	\$2,075	\$2,115	\$2,195	\$2,695
BTC16900 oversized padded arms	\$2,035	\$2,075	\$2,115	\$2,155	\$2,235	\$2,735
BTC16810 urethane armpads	\$1,945	\$1,985	\$2,025	\$2,065	\$2,145	\$2,645
BTC16910 urethane armpads	\$1,985	\$2,025	\$2,065	\$2,105	\$2,185	\$2,685
Pillow Top					Ultraleather™	Leather
BTC10100PT pillow top, oversized padded arms					\$2,860	\$3,350
BTC10110PT pillow top, urethane armpads					\$2,810	\$3,300
BTC16800PT pillow top, oversized padded arms					\$2,860	\$3,350
BTC16810PT pillow top, urethane armpads					\$2,810	\$3,300

Available Options

General			Cast	ers/Glides	
A Thoracic Supp	oort	\$80	Stand	dard CO Carpet Casters	
D1* No Inflatable		- \$60	C1	Hard Floor Casters	\$25
N N.dulgent™ N	Nemory Foam	\$125	C2	Glides	\$0
U Upholstered E		\$135			
'			Hea	drest	
Cylinders			H1*	* Headrest	\$240
Standard L2 4" Cyli	nder		H2*	* Neckrest	\$240
L1 3" Cylinder		\$0			
L3 5" Cylinder		\$0			

^{*}Option (**D1**) only available on 16800,16900, 16810, and 16910.



^{**}H1 and H2 not available on BTC10100 or BTC10110.

Big & Tall Side		BTS161	BTS165
24/7 Continuous-shift*	Dimensions (H×W×D) Box Dimensions (H×W×D) Chair Weight Seat Height Seat Width Seat Depth Back Width Back Height	43 x 31 x 25 36 x 28 x 51 74 lbs. 18 27 21 23 24	43 x 31 x 25 36 x 28 x 51 74 lbs. 18 27 21 23 24
BTS161 Cloud 9™\$1,705	Arm Width Measurements shown in inches wi CMD-1 criteria.	23 th standard mechanism ar	NA and arms only based on BIFMA INTERNATIONAL

Features

- Side Chair has Superior Support for Up to 750 lbs. and/or 7 Feet Tall
- Perfect Solution for Bariatric Facilities
- Plastic Outer Shell (Upholstered Back Option Available)
- Sturdy Steel Base




						Ultraleather™	Leather
Fabric Gı	rades	1	2	3	4	5	6
Big & Tall	Side						
BTS160	Big & Tall Side, oversized padded arms	\$1,675	\$1,715	\$1,755	\$1,795	\$1,875	\$2,375
BTS161	Big & Tall Side, urethane armpads	\$1,625	\$1,665	\$1,705	\$1,745	\$1,825	\$2,325
BTS165	Big & Tall Side, no arms	\$1,410	\$1,450	\$1,490	\$1,530	\$1,610	\$2,110
Pillow Top						Ultraleather™	Leather
BTS160PT	pillow top, oversized padded arms					\$2,910	\$3,400
BTS161PT	pillow top, urethane armpads					\$2,860	\$3,350
BTS165PT	pillow top, no arms					\$2,650	\$3,135
Available	e Options						

General

N	N-dulgent™ Memory Foam	\$125
U	Upholstered Back	\$135

^{* 24/7} Continuous-shift only on Staccato fabric and not available on pillow top option. See warranty on page 80 for details.

Balance™





- Combination of Leather or Fabric, with Mesh in a High Back
- Built-in Dual Curved Lumbar Support
- Generous Multi-Density Foam in the Seat
- Contoured Seat with Waterfall Front
- Adjustable Seat Height and Tension
- Adjustable Seat/Back Angle
- Choice of Four Arm Options
- Choice of Two Base Options
- Optional Mesh Back

	BAL5200	BAL5209
Dimensions (HxWxD)	39 x 26 x 27	39 x 26 x 26
Box Dimensions	34 x 22 x 26	34 × 22 × 26
Base Diameter	26	26
Chair Weight	41 lbs.	41 lbs.
Seat Height Range	18 – 23	17 – 21
Seat Width	20	20
Seat Depth	20	19
Back Width	19	19
Back Height	22	22
Arm Height Range	7 - 10	7 - 10
Arm Width Range	16 – 19	16- 19
Arm Pad Pivot	30° in/out	30° in/out
Back Angle	105° – 125°	100° – 120°
Seat Angle	2°R – 20°R	2°R - 10°R



BAL5270 Grade 1 \$990





Measurements shown in inches with standard mechanism and arms only based on BIFMA

					N∙stead™	Black Natural Leather	Ultraleather™	Madras Leather
Fabric G	rades	1	2	3	4	5	5	6
Balance™								
BAL5260	tilt/swivel, loop arms	\$990	\$1,030	\$1,070	\$1,110	\$1,195	\$1,425	\$1,525
BAL5200	tilt/swivel, pivoting gelthane arms	\$990	\$1,030	\$1,070	\$1,110	\$1,195	\$1,425	\$1,525
BAL5270	tilt/swivel, chrome loop arms	\$990	\$1,030	\$1,070	\$1,110	\$1,195	\$1,425	\$1,525
BAL5210	tilt/swivel, forward gel arms	\$1,100	\$1,140	\$1,180	\$1,220	\$1,305	\$1,535	\$1,635
BAL5269	synchro knee-tilt, loop arms	\$1,045	\$1,085	\$1,125	\$1,165	\$1,250	\$1,480	\$1,580
BAL5209	synchro knee-tilt, pivoting gelthane arms	\$1,045	\$1,085	\$1,125	\$1,165	\$1,250	\$1,480	\$1,580
BAL5279	synchro knee-tilt, chrome loop arms	\$1,045	\$1,085	\$1,125	\$1,165	\$1,250	\$1,480	\$1,580
BAL5219	synchro knee-tilt, forward gel arms	\$1,155	\$1,195	\$1,235	\$1,275	\$1,360	\$1,590	\$1,690
4 1 1								

Available Options

Bases Standard B16 26" High Crown Black Base		General U2 All Mesh Back	\$0
B15 26" High Crown Polished Aluminum Base	\$55	Casters/Glides	ΨΟ
Cylinders		Standard CO Carpet Casters	
Standard L2 4" Cylinder on (9) Mechanism	\$0	C1 Hard Floor Casters	\$25
Standard L3 5" Cylinder on (0) Mechanism	\$0	C2 Glides	\$0
		C8 Chrome Carpet Casters	\$75
Chair Mechanisms		C9 Chrome Hard Floor Casters	\$100



- Swivel 360°
- Pneumatic Seat Height
- Seat Tension
- Seat and Back Tilt, 1:1





9 — Synchronous Knee-tilt (2 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Seat Angle
- Seat Tension (Side Activated)
- Seat and Back Tilt, 2:1
- Back Angle
- Anti-kickback Tilt-lock

NeutralPosture® Seating


$Shark^{^{\mathsf{TM}}}$



- Choice of Two Back Size Options with Built-in Lumbar Support
- Choice of Two Contoured Seat Options with Multi-density Foam and Waterfall Front
- Adjustable Back Height and Angle
- Adjustable Seat Height, Angle and Tension
- Adjustable Arm Height and Width
- Plastic Outer Shell
- Optional Seat Slider

	SHA113_	SHA133_	SHA213_	SHA233_
Dimensions (HxWxD)	41 × 26 × 26	41 × 26 × 26	45 × 26 × 26	45 x 26 x 26
Box Dimensions	36 x 26 x 19	36 x 26 x 19	36 x 26 x 19	36 x 26 x 19
Base Diameter	26	26	26	26
Chair Weight	44 lbs.	51 lbs.	51 lbs.	51 lbs.
Seat Height Range	17 - 22	17 – 22	17 – 22	17 – 22
Seat Width	20	21	20	21
Seat Depth	18	18	18	18
Back Width	19	19	20	20
Back Height Range	16 – 19	16 – 19	19 – 22	19 – 22
Arm Height Range	7 – 10	7 - 10	7 - 10	7 – 10
Arm Width Range	19 – 24	20 - 25	19 – 24	20 – 25
Back Angle - 5 *	95° – 117°	95° – 11 <i>7</i> °	90° – 110°	90° – 110°
Seat Angle - 5 *	F 2° - R 10°	F 2° - R 10°	F 2° - R 10°	F 2° - R 10°
Back Angle - 6 *	90° – 100°	90° -100°	90° – 100°	90° – 100°
Seat Angle - 6 *	F 6° – R 17°	F 6° – R 17°	F 6° - R 17°	F 6° - R 17°

Measurements shown in inches and degress with standard mechanism and arms only based on BIFMA CMD-1 criteria. *Degrees Legend (see diagram below)





Chair Mechanisms



5 — Synchro-tilt (2 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Back and Seat tilt, 2:1




6 — Multi-tilt (3 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop



SHA2336Grade 1 \$860

NeutralPosture® Seating









1 – 4" adj/pivot



2 – I arms



3 – 3" adjustable



4 – Swing arms



6 – Loop arms



8 - NP arms9 - NP gel pads

All height & width adj. except T arms & Loop arms



SHA2136Grade 1....\$785



						Ultraleather™
Fabric Gr	ades	1	2	3	4	5
Low Back	, Medium Seat					
SHA1135	3" adjustable arms, synchro-tilt mechanism	\$695	\$735	\$775	\$815	\$895
SHA1136	3" adjustable arms, multi-tilt mechanism	\$765	\$805	\$845	\$885	\$965
Low Back	, Large Seat					
SHA1335	3" adjustable arms, synchro-tilt mechanism	\$765	\$805	\$845	\$885	\$965
SHA1336	3" adjustable arms, multi-tilt mechanism	\$835	\$875	\$915	\$955	\$1,035
Mid Back,	Medium Seat					
SHA2135	3" adjustable arms, synchrotilt mechanism	\$715	\$755	\$795	\$835	\$915
SHA2136	3" adjustable arms, multi-tilt mechanism	\$785	\$825	\$865	\$905	\$985
Mid Back,	Large Seat					
SHA2335	3" adjustable arms, synchro-tilt mechanism	\$785	\$825	\$865	\$905	\$985
SHA2336	3" adjustable arms, multi-tilt mechanism	\$860	\$900	\$940	\$980	\$1,060
Availabl	e Options					

Arm		Bases	
Standard 3 3" Adjustable		Standard BO 26" Black Base	
• 4" Adjustable	\$30	B6 26" Polished Aluminum	\$140
1 4" Adj/Pivot	\$60	B8** 27" Brushed Aluminum	\$140
2 T Arms	\$0	B12 28" Black Base	\$110
4 Swing Arms	\$115		
5 No Arms	- \$105	Casters/Glides	
6 Loop Arms	\$30	Standard CO Carpet Casters	
8 360° NP Arms	\$115	C1 Hard Floor Casters	\$25
9 360° NP Gel Pads	\$180	C2 Glides	\$0
	4 . 2 2	C3 Hard Floor Brake/In	\$100
General		C4 Hard Floor Brake/Out	\$60
F Fring [™] Footrest	\$50	C8 Chrome Carpet Casters	\$75
J Upholstered Arm Pad	\$60	C9 Chrome Hard Floor Casters	\$100
N N.dulgent™ Memory Foam	\$125		
R1± 18" Black Footring	\$60	Cylinders	
R2± 20" Footring	\$80	Standard L3 5" Cylinder	
R3 ± NeXtep™	\$100	L1 3" Cylinder	\$0
R4 ± 2 NeXteps™	\$190	L2 4" Cylinder	\$0
R5 3 NeXteps [™] (only with L5)	\$270	L4* 8" Cylinder	\$25
S Seat Slider (2")	\$80	L5* 10" Cylinder	\$60
T Stool Package L4 and R2	\$105	L7 * 7" Cylinder	\$35
T2 Stool Package L5 and R3	\$130	,	

^{* (}S) Seat slider option is not available with L4, L5 or L7 cylinders

** B8 standard with L1 cylinder.

± Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5).

$Sahara^{^{\mathsf{TM}}}$




- Choice of Two Back Size Options, Fully Upholstered with Built-in Lumbar Support
- Choice of Three Contoured Seat Options with Multi-density Foam and Waterfall Front
- Adjustable Back Height and Angle
- Adjustable Seat Height, Angle and Tension
- Adjustable Arm Height and Width
- Optional Armpad Pivot
- Optional Seat Slider
- Optional Schukra Lumbar
- Forward Tilt-stop

	SAH213_	SAH223_	SAH233_	SAH313_	SAH323_	SAH333_
Dimensions (HxWxD)	45 × 27 × 26	36 x 26 x 26	36 × 26 × 26	42 × 26 × 26	42 × 26 × 26	42 × 26 × 26
Box Dimensions	36 x 26 x 19					
Base Diameter	26	26	26	26	26	26
Chair Weight	51 lbs.					
Seat Width	19	20	23	19	20	23
Back Width	18	18	18	19	19	19
Back Height Range	20 - 24	20 - 24	20 - 24	26 - 30	26 - 30	26 - 30
Arm Height Range	7 - 10	7 - 10	7 - 10	7 - 10	7 - 10	7 - 10
Arm Width Range	17 - 21	17 – 22	19 – 23	17 - 21	17 – 22	19 – 23
Back Angle (5)*	92° – 115°	92° - 115°	92° - 115°	92° - 115°	92° – 115°	92° - 115°
Seat Angle (5)*	F 1° - R 9°	F 1° - R 9°	F 1° – R 9°	F 1° - R 9°	F 1° - R 9°	F 1° - R 9°
Seat Height Range (5)	17 – 22	17 – 22	17 - 22	17 – 22	17 – 22	17 – 22
Seat Depth (5)	16	17	18	16	17	18
Back Angle (6)*	90° – 105°	90° – 105°	90° - 105°	90° – 105°	90° – 105°	90° – 105°
Seat Angle (6)*	F 4° - R 17°	F 4° - R 17°	F 4° – R 17°	F 4° – R 17°	F 4° - R 17°	F 4° – R 17°
Seat Height Range (6)	18 – 23	18 – 23	18 – 23	18 – 23	18 – 23	18 – 23
Seat Depth (6)	18	19	20	18	19	20
Back Angle (7)*	92° - 108°	92° - 108°	92° - 108°	92° - 108°	92° - 108°	92° - 108°
Seat Angle (7)*	F 5° – R 15°	F 5° - R 15°	F 5° – R 15°			
Seat Height Range (7)	18 – 23	18 – 23	18 – 23	18 – 23	18 – 23	18 – 23
Seat Depth (7)	16	17	18	16	17	18


Measurements shown in inches and degress with standard mechanism and arms only based on BIFMA CMD-1 criteria.

^{*}Degrees Legend (see diagram below)






Chair Mechanisms







5 — Synchro-tilt (2 paddles)

- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Seat and Back Tilt, 2:1


6 — Multi-tilt (4 paddles)

- Center Pivot
- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Seat Angle
- Independent Back Angle
- Forward Tilt-stop

7 — Knee-tilt (3 paddles)

- Front Pivot
- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Seat Angle
- Independent Back Angle

NeutralPosture® Seating





All height & width adjustable except T arms (2) & Loop arms (6)



SAH2236 Cloud 9™...\$915



3

4

Mid Back,	Small Seat						
SAH2135	3" adjustable arms, synchro-tilt mechanism			\$815	\$855	\$895	\$935
AH2136	3" adjustable arms, multi-tilt mechanism			\$815	\$855	\$895	\$935
AH2137	3" adjustable arms, knee-tilt mechanism			\$845	\$885	\$925	\$965
1id Back,	Medium Seat						
AH2235	3" adjustable arms, synchrotilt mechanism			\$835	\$875	\$915	\$955
SAH2236	3" adjustable arms, multi-tilt mechanism			\$835	\$875	\$915	\$955
AH2237	3" adjustable arms, knee-tilt mechanism			\$880	\$920	\$960	\$1,000
۸id Back,	Large Seat						
AH2335	3" adjustable arms, synchro-tilt mechanism			\$865	\$905	\$945	\$985
AH2336	3" adjustable arms, multi-tilt mechanism			\$865	\$905	\$945	\$985
AH2337	3" adjustable arms, knee-tilt mechanism			\$900	\$940	\$980	\$1,020
ligh Back	, Small Seat						
AH3135	3" adjustable arms, synchro-tilt mechanism			\$900	\$940	\$980	\$1,020
SAH3136	3" adjustable arms, multi-tilt mechanism			\$900	\$940	\$980	\$1,020
SAH3137	3" adjustable arms, knee-tilt mechanism			\$930	\$970	\$1,010	\$1,050
High Back	, Medium Seat						
SAH3235	3" adjustable arms, synchrotilt mechanism			\$920	\$960	\$1,000	\$1,040
SAH3236	3" adjustable arms, multi-tilt mechanism			\$920	\$960	\$1,000	\$1,040
SAH3237	3" adjustable arms, knee-tilt mechanism			\$965	\$1,005	\$1,045	\$1,085
High Back	, Large Seat						
SAH3335	3" adjustable arms, synchrotilt mechanism			\$945	\$985	\$1,025	\$1,065
SAH3336	3" adjustable arms, multi-tilt mechanism			\$945	\$985	\$1,025	\$1,065
SAH3337	3" adjustable arms, knee-tilt mechanism			\$985	\$1,025	\$1,065	\$1,105
Availabl	e Options						
 4" Ac T Arm Swing 	ljustable lj/Pivot s g Arms	\$30 \$60 \$0 \$115	B6 26" B7 26" Cylinders	26" Black Bas Polished Alumir Black Metal			\$140 \$90
5 No A 6 Loop . General	Arms	- \$105 \$30	L1 3" (L2 4" (L4* 8" (5" Cylinder Cylinder Cylinder Cylinder			\$0 \$0 \$25
F Fring" J Uphol N N-dul R1** 18" E R2** 20" F R3** NeXte R4** 2 Ne R5 3 Ne S Seat S T Stool	ra Lumbar ' Footrest Istered Arm Pad gent™ Memory Foam Black Footring ootring ep™ Xteps™ Xteps™ (only with L5) Slider (2") Package L4 and R2 Package L5 and R3	\$55 \$50 \$60 \$125 \$60 \$80 \$100 \$190 \$270 \$80 \$105 \$130	Casters/G Standard CC C1 Hard C2 Glid C3 Hard C4 Hard	Carpet Caster Floor Casters	n Dut e only availab		

Fabric Grades



- Choice of Two back Size Options with Built-in Lumbar Support
- Choice of Two Contoured Seat Options with Multi-density Foam and Waterfall Front
- Superior Support for Up to 350 lbs. (Steel Reinforced Seats and Heavy Duty Gas Cylinder)
- 4" Wide Back Upright
- 24/7 Continuous Shift with 2 Million Double Rub Wearability Staccato Fabric Only
- Adjustable Back Height and Angle
- Adjustable Seat Height, Angle and Tension
- Adjustable Arm Height and Width
- Standard with Seat Slider

^{* 24/7} Continuous-shift only on Staccato fabric. See warranty on page 80 for details.

	END2208	END2308	END3208	END3308
Dimensions (HxWxD)	37 x 27 x 26	37 x 27 x 26	44 × 27 × 26	44 x 27 x 26
Box Dimensions	36 x 26 x 19			
Base Diameter	26	26	26	26
Chair Weight	58 lbs.	58 lbs.	60 lbs.	60 lbs.
Seat Height Range	19 – 24	19 – 24	19 – 24	19 – 24
Seat Width	20	23	20	23
Seat Depth Range**	17 - 19	17 - 19	17 - 19	17 – 19
Back Width	18	18	19	19
Arm Height Range	6 – 10	6 – 10	6 – 10	6 – 10
Arm Width Range	19 – 23	20 – 23	19 – 23	20 – 23
Back Angle	105° – 115°	105° – 115°	105° – 115°	105° – 115°
Seat Angle*	F 6° - R 10°			

Measurements shown in inches and degrees with standard mechanism and arms only based on BIFMA CMD-1 criteria.

^{*}Degrees Legend (see diagram below)







Fabric Grades		1	2	3	4	
Mid Back						
END2208	4" adj arms, free float synchro-tilt mech w/seat slider	\$1,080	\$1,120	\$1,160	\$1,200	
END2308	4" adj arms, free float synchro-tilt mech w/seat slider	\$1,115	\$1,155	\$1,195	\$1,235	
High Back						
END3208	4" adj arms, free float synchrotilt mech w/seat slider	\$1,165	\$1,205	\$1,245	\$1,285	
END3308	4" adj arms, free float synchro-tilt mech w/seat slider	\$1,190	\$1,230	\$1,270	\$1,310	

Available Options

7 Wallable Options					
General Options					
R3	NeXtep™	\$100			
R4	2 NeXteps™	\$190			
R5	3 NeXteps™ (only with L5)	\$270			
T **	Stool Package L4 and R2 *	\$105			
T2 **	~	\$130			
Arm	Options				
Stanc	lard 0 4" adjustable				
5	No arms	- \$105			
	nders				
	lard L3 5" Cylinder				
	3" Cylinder	\$0			
L2	4" Cylinder	\$0			
	6 8" Cylinder	\$25			
LO ^ ^	10" Cylinder	\$60			
	Options				
	lard BO 26" Black Base	400			
B7	26" Black Aluminum	\$90			

B14 28" Black Intensive-use Black Aluminum

Chair Mechanism



8 — Synchro-tilt

Free Float (2 paddles)

- Intensive-use Swivel 360°
- Pneumatic Seat Height
- Seat Slider
- Back Height
- Seat Tension
- Seat Angle
- Back Angle
- Free float


\$120

^{* *} Maximum Range = Seat Depth

^{*(}R2) 20" Footring

^{**}Only available on Mid back

$\mathsf{Rio}^{\scriptscriptstyle\mathsf{TM}}$




- Choice of Two Back Size Options, Fully Upholstered with Built-in Lumbar Support
- Choice of Three Contoured Seat Options with Multi-density Foam and Waterfall Front
- Adjustable Back Height and Angle
- Adjustable Seat Height, Angle and Tension
- Adjustable Arm Height and Width
- Seat Slider standard on Deluxe-tilt (4) Chair Mechanism

	RIO213_	RIO223_	RIO233_	RIO313_	RIO323_	RIO333_
Dimensions (HxWxD)	36 × 26 × 28	36 × 26 × 28	36 × 26 × 28	43x 27 x 26	43 × 27 × 26	40 × 27 × 26
Box Dimensions	36 x 26 x 19					
Base Diameter	26	26	26	26	26	26
Chair Weight	43 lbs.					
Seat Width	19	20	23	19	20	23
Back Width	18	18	18	19	19	19
Back Height Range	18 – 22	18 – 22	18 – 22	24 - 28	24 - 28	24 - 28
Arm Height Range	7 - 10	7 - 10	7 - 10	7 - 10	7 - 10	7 - 10
Arm Width Range	17 - 21	17 – 22	19 – 23	17 - 21	17 - 22	19 – 23
Back Angle (4)*	90° – 109°	90° - R 109°	90° – 109°	90° – 109°	90° – 109°	90° – 109°
Seat Angle (4)*	F 2° - R 16°					
Seat Height Range (4)	17 – 22	17 – 22	17 – 22	17 – 22	17 – 22	17 – 22
Seat Depth Range (4)**	14 – 16	15 – 17	16 – 18	14 – 16	15 – 17	16 – 18
Back Angle (6)*	102° – 115°	102° – 115°	102° – 115°	102° – 115°	102° – 115°	102° – 115°
Seat Angle (6)*	F 7° - R 16°	F 7° – R 16°	F 7° – R 16°	F 7° - R 16°	F 7° – R 16°	F 7° - R 16°
Seat Height Range (6)	17 – 22	17 – 22	17 – 22	17 – 22	17 – 22	17 – 22
Seat Depth (6)	17	18	19	17	18	19

Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.

^{*}Degrees Legend (see diagram below)





Chair Mechanisms



4 — Deluxe-tilt (3 paddles)


6 — Multi-tilt (4 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Angle
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop

^{**} Maximum Range = Seat Depth

NeutralPosture[®] Seating

$\mathsf{Rio}^{\scriptscriptstyle\mathsf{TM}}$





All height & width adjustable except T arms (2) & Loop arms (6)





Fabric Gr	rades	1	2	3	4
Mid Back,	Small Seat				
RIO2134-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$720	\$760	\$800	\$840
RIO2136	3" adjustable arms, multi-tilt mechanism	\$690	\$730	\$770	\$810
Mid Back,	Medium Seat				
RIO2234-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$740	\$780	\$820	\$860
RIO2236	3" adjustable arms, multi-tilt mechanism	\$720	\$760	\$800	\$840
Mid Back,	Large Seat				
RIO2334-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$760	\$800	\$840	\$880
RIO2336	3" adjustable arms, multi-tilt mechanism	\$740	\$780	\$820	\$860
High Back	, Small Seat				
RIO3134-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$805	\$845	\$885	\$925
RIO3136	3" adjustable arms, multi-tilt mechanism	\$770	\$810	\$850	\$890
High Back	, Medium Seat				
RIO3234-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$825	\$865	\$905	\$945
RIO3236	3" adjustable arms, multi-tilt mechanism	\$805	\$845	\$885	\$925
High Back	, Large Seat				
RIO3334-S	3" adjustable arms, deluxe-tilt mechanism, w/seat slider	\$845	\$885	\$925	\$965
RIO3336	3" adjustable arms, multi-tilt mechanism	\$825	\$865	\$905	\$945

Arms		Bases Standard BO 26" Black Base	
Standard 3 3" Adjustable 0 4" Adjustable 1 4" Adj/Pivot 2 T Arms	\$30 \$60 \$0	B6 26" Polished AluminumB7 26" Black Aluminum	\$140 \$90
Swing ArmsNo ArmsLoop Arms	\$115 - \$105 \$30	Cylinders Standard L3 5" Cylinder L1 3" Cylinder L2 4" Cylinder	\$0 \$0
General Options F Fring™ Footrest	\$50	L4 * 8" Cylinder L5 * 10" Cylinder	\$25 \$30
J Upholstered Arm Pad N N·dulgent™ Memory Foam R1** 18" Black Footring R2** 20" Footring R3** NeXtep™ R4** 2 NeXtep™ R5 3 NeXteps™ (only with L5) S Seat Slider (6 mechanism only) T* Stool Package L4 and R2 T2* Stool Package L5 (10" Cylinder) and R3	\$60 \$125 \$60 \$80 \$100 \$190 \$270 \$80 \$105 \$130	Casters/Glides Standard CO Carpet Casters C1 Hard Floor Casters C2 Glides C3 Hard Floor Brake/In C4 Hard Floor Brake/Out	\$25 \$0 \$100 \$60

^{*}Options (**L4**) and (**L5**) are only available on Mid (**2**) back.
Options (R1**), (**R2**), (**R3**) and (**R4**) are only available on (**L4**) or (**L5**).

NeutralPosture[®] Seating

Embrace Motion™



- Choice of Two Back Size Options with Built-in Lumbar Support
- Adjustable Back Height and Angle
- Adjustable Seat Height, Angle and Tension
- Adjustable Arm Height and Width
- Durable Composite Arms and Base
- Matching Side Chairs Available
- Optional Seat Slider



Black Natural . . .\$840

	Mid Back	High Back
Dimensions (H x W x D)	40 × 26 × 26	44 x 26 x 26
Box Dimensions (H × W × D)	39 × 22 × 22	39 x 22 x 22
Base Diameter	26	26
Chair Weight	50 lbs.	52 lbs.
Seat Height Range (6)	17 - 21	17 - 21
Seat Angle (6)*	F 7° - R 15.8°	F 7° - R 15.8°
Back Angle (6)*	94° – 114°	94° - 114°
Seat Height Range (7)	19 – 23	19 – 23
Seat Angle (7)*	F 4.4° - R 17°	F 4.4° - R 17°
Back Angle (7)*	94° – 114°	94° – 114°
Seat Width	21	21
Seat Depth	17	20
Back Width	22	23
Back Height Range	23 – 25	26 – 28
Arm Height Range	6 – 9	6 – 9
Arm Width Range	19 – 23	19 – 23



EMM2166-S-B8 Black Natural......\$1,255 EMM2106-S-B8 Black Natural......\$1,280


Measurements shown in inches and degrees with standard mechanism and arms only based on BIFMA CMD-1 criteria.

*Degrees Legend






Chair Mechanisms



6 — Multi-tilt (4 paddles)


- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Independent Back Angle
- Forward Tilt-stop



7 — Knee-tilt (4 paddles)

- Front Pivot
- Swivel 360°
- Pneumatic Seat Height
- Optional Seat Slider
- Back Height
- Seat Tension
- Independent Back Angle
- Free Float

NeutralPosture[®] Seating





All height & width adjustable except T arms (2) & Loop arms (6)



40

Black Natural . . .\$840

	 ·sta	
1	pay qui page	
		丿

			Leather	Ultre	aleather™	Leather	
		N-stead"	Black Natural	Black	Color	Madras	
Fabric Gr	rades	4	5	5	5	6	
Mid Back							
EMM2136	3" adjustable arms, multi-tilt mechanism	\$860	\$1,005	\$1,120	\$1,180	\$1,350	
EMM2137	3" adjustable arms, knee-tilt mechanism	\$900	\$1,045	\$1,160	\$1,220	\$1,390	
High Back							
EMM3136	3" adjustable arms, multi-tilt mechanism	\$885	\$1,030	\$1,145	\$1,205	\$1,375	
EMM3137	3" adjustable arms, knee-tilt mechanism	\$910	\$1,055	\$1,170	\$1,230	\$1,400	
Embrace [™]	Side Chair (mid back)						
EMC020	no arms	\$670	\$750	\$865	\$985	\$1,045	
EMC022	w/C loop arms	\$760	\$840	\$955	\$1,075	\$1,135	



Natural Leather—semi-aniline contract leather. Available in black only, leather/vinyl combo. **N-stead**[™]—high-quality, durable vinyl/faux leather with matching colors to Madras leather.

Ultraleather[™]—supple, faux leather with an extremely smooth hand natural feel.

Madras Leather—premium, semi-aniline hides with natural grain and a smooth hand, leather/vinyl combo.

Arm	15		Cylinders	
Stand	dard 3 3" Adjustable		Standard L2 4" Cylinder	
0	4" Adjustable	\$30	L1 * 3" Cylinder	\$0
1	4" Adj/Pivot	\$60	L3 5" Cylinder	\$0
2	T Arms	\$0	,	
4	Swing Arms	\$115	Casters/Glides	
5	No Arms	- \$105	Standard CO Carpet Casters	
6	C Loop Arms	\$30	C1 Hard Floor Casters	\$25
	2 200 p / mme	ΨΟΟ	C2 Glides	\$0
Gen	neral Options		C3 Hard Floor Brake/In	\$100
F	Fring [™] Footrest	\$50	C4 Hard Floor Brake/Out	\$60
S	Seat Slider (2")	\$80		
U1	Black Ballistic Upholstered Back	\$0		
Bas				
	dard BO 26" Base			
B8 *	27" Brushed Aluminum	\$140		

^{*}Option (B8) is standard with 3" Cylinder (L1).

NeutralPosture[®] Seating

$\mathsf{Embrace}^{\scriptscriptstyle\mathsf{TM}}$



- Choice of Two Back Size Options with Built-in Lumbar Support
- Adjustable Seat Height and Tension
- Swivel-tilt and Knee-tilt Mechanism Options Available
- Standard in Pillow Top w/vinyl, N·stead™, Leather or Ultraleather™
- Matching Side Chairs Available



Black Natural . . .\$840

	Mid Ba	ıck	High Bo	ack					
Dimensions (H x W x D)	42 x 28	x 28	45 × 28 ×	< 28					
Box Dimensions (H x V	$V \times D$) 30×28	× 47	30 x 28 x	47				A. 17/1/1/17	
Base Diameter	26		26				<u> </u>		
Chair Weight	49 lbs.		50 lbs.				O]		
Seat Height Range -			17 – 21				4		
Seat Angle – (T)	R 6° – R	23°	R 6° – R 2	23°			Se		
Seat Height Range -			18 – 22						
Seat Angle – (K)	R 5° – R	22°	R 5° – R 2	22°			O	-	
Seat Width	21		21			Stant DAY QUICK SHIP page 83		Ĭ	•
Seat Depth	20		20			110		EMB112K-CP Black Natural.	¢1 105
Back Width	22		22			0]	black inatural.	\$1,173
Back Height	18		21			S			
BIFMA Measuremen	ts shown in inches and	degrees wi	th standard featu	res only based	on	Leather	Ultral	eather™	Leather
INTERNATIONAL	FI Criteria.				N-stead™	Black Natural	Black	Color	Madras
Fabric Grades		1	2	3	4	5	5	5	6
Mid Back									
EMB112T C loc	p arms, tilt/swivel	\$655	\$695	\$735	\$775	\$855	\$970	\$1,090	\$1,150
EMB112K C loc	p arms, knee-tilt	\$710	\$750	\$790	\$830	\$910	\$1,025	\$1,145	\$1,205
High Back									
EMB212T C loc	p arms, tilt/swivel	\$710	\$750	\$790	\$830	\$910	\$1,025	\$1,145	\$1,205
EMB212K C loc	p arms, knee-tilt	\$765	\$805	\$845	\$885	\$965	\$1,080	\$1,200	\$1,260
Embrace™ Side C	hair (mid back)								
EMC020 no arr	ms	\$550	\$590	\$630	\$670	\$750	\$865	\$985	\$1,045

\$720

\$760

\$840

\$955

\$1,075

\$1,135

 $\mathsf{Embrace}^{\mathsf{m}}$ and $\mathsf{Embrace}^{\mathsf{m}}$ Side not available in Cloud 9^{m} or 7^{h} Heaven $^{\mathsf{m}}$.

\$640

\$680

Available Options

EMC022

CP	Chrome Package	\$285
FP	Fabric Pillow Top	\$200
U1	Black Ballistic Upholstered Back	\$0

w/C loop arms

Chair Mechanisms



T — Tilt/Swivel

- Swivel 360°
- Pneumatic Seat Height
- Seat Tension
- Seat and Back Tilt, 1:1



K — Knee-tilt

- Swivel 360°
- Pneumatic Seat Height
- Seat Tension
- Seat and Back Tilt, 1:1
- Forward Tilt-stop

NeutralPosture[®] Seating

Dice [™]		DCE215	DCE211
Contemporary Design	Dimensions (H x W x D) Box Dimensions (H x W x D) Chair Weight Seat Height Seat Width Seat Depth Back Width Back Height Arm Width	33 x 21 x 24 24 x 23 x 35 18 lbs. 17 19 20 20 17 NA	33 x 24 x 24 24 x 23 x 35 19 lbs. 17 19 20 20 17 21
DCE211 Grade 1 \$300	Measurements shown in inches wit BIFMA CMD-1 criteria.		

Features

- Stackable
- Generous Amount of Foam in Back and Seat
- Self-leveling Non-marking Glides
- Seat with Waterfall Front
- Lumbar Support
- Optional Arms





Fabric Grades	1	2	3	
Dice™ Side Chair				
DCE215 no arms	\$275	\$315	\$355	
DCE211 arms	\$300	\$340	\$380	

C6	Optional Casters (Set of 4)	\$20
CBL000	Transport Dolly	\$310
CBL002	Ganging Device (2 per set)	\$30

Embrace™ Side

Dimensions (H x W x D)	38.5 × 25 × 28
Box Dimensions $(H \times W \times D)$	30 x 28 x 47
Chair Weight	49 lbs.
Seat Height	19
Seat Width	21
Seat Depth	20
Back Width	22
Back Height	18
Arm Width	20

Measurements shown in inches with standard mechanism and arms only based on BIFMA CMD-1 criteria.





EMC022 Black Natural . . .\$840

Features

- Generous Amount of Foam in Back and Seat
- Optional "C" Loop Arms
- Sturdy, Cantilever Steel Base

CK SHIP	83	1
S DAY QUI	e page	
	See	

						Leather	Ultrak	eather™	Leather
					N∙stead™	Black Natural	Black	Color	Madras
Fabric G	rades	1	2	3	4	5	5	5	6
Embrace™	Side Chair (mid bac	k)							
EMC020	no arms	\$550	\$590	\$630	\$670	\$750	\$865	\$985	\$1,045
EMC022	w/C loop arms	\$640	\$680	\$720	\$760	\$840	\$955	\$1,075	\$1,135

Embrace[™] Side not available in Cloud 9[™] or 7th Heaven[™].



Natural Leather—semi-aniline contract leather. Available in black only, leather/vinyl combo.

N-stead[™]—high-quality, durable vinyl/faux leather with matching colors to Madras leather.

Ultraleather[™]—supple faux leather with an extremely smooth hand natural feel.

Madras Leather—premium, semi-aniline hides with natural grain and a smooth hand, leather/vinyl combo.



EMC020 Black Natural . . . \$750

Available Options

FP

Fabric Pillow Top

NeutralPosture® Seating

Big & Tall Side		BTS161	BTS165
24/7 Continuous-shift*	Dimensions (H×W×D) Box Dimensions (H×W×D) Chair Weight Seat Height Seat Width Seat Depth Back Width Back Height Arm Width	43 x 31 x 25 36 x 28 x 51 74 lbs. 18 27 21 23 24 23	43 x 31 x 25 36 x 28 x 51 74 lbs. 18 27 21 23 24 NA
BTS161 Cloud 9™\$1,705	Measurements shown in inches wi CMD-1 criteria.	ĪĀ	d arms only based on BIFMA

Features

- Superior Support for Up to **750 lbs.** and/or 7 Feet Tall
- Perfect Solution for Bariatric Facilities
- Plastic Outer Shell (upholstered back available)
- Sturdy Steel Base





Urethane Arm

						Ultraleather™	Leather
Fabric G	rades	1	2	3	4	5	6
Big & Tall	Side						
BTS160	Big & Tall Side, oversized padded arms	\$1,675	\$1,715	\$1,755	\$1,795	\$1,875	\$2,375
BTS161	Big & Tall Side, urethane armpads	\$1,625	\$1,665	\$1,705	\$1,745	\$1,825	\$2,325
BTS165	Big & Tall Side, no arms	\$1,410	\$1,450	\$1,490	\$1,530	\$1,610	\$2,110
Pillow Top	•					Ultraleather™	Leather
BTS160PT	pillow top, oversized padded arms					\$2,910	\$3,400

Pillow Top		Ultraleather™	Leather
BTS160PT	pillow top, oversized padded arms	\$2,910	\$3,400
BTS161PT	pillow top, urethane armpads	\$2,860	\$3,350
BTS165PT	pillow top, no arms	\$2,650	\$3,135

Gen	eral			
N	N∙dulgent™ Memory Foam	\$125		
U	Upholstered Back	\$135		

 $^{^{\}star}$ 24/7 Continuous-shift only on Staccato fabric and not available on pillow top option. See warranty on page 80 for details.

Neutral Posture Seating Options

				1 4Collai i Osloic Ocalii	ig Opiloni
Gen	eral		Base	es	
Α	Thoracic Support	\$80	ВО	26" Black Base	\$0
В	2" Forward Backrest	\$105	B1	22" Spider Ring	\$110
D2	Schukra Lumbar	\$55	B2	22" Spider Step	\$145
E	ESD	\$290	В3	26" Spider Ring	\$145
F	Fring [™] Footrest	\$50	B4	26" Spider Step	\$170
FRF	26" Base & Fring™ Footrest	\$110	B6	26" Polished Aluminum	\$140
N	N∙dulgent™ Memory Foam	\$125	B7	26" Black Aluminum	\$90
CR	Cleanroom to Class 100	\$80	B8	27" Brushed Aluminum	\$140
R1	18" Black Plastic Footring	\$60	В9	28" Chrome	\$160
R2	20" Chrome Footring	\$80	B12	28" Base	\$110
R3	NeXtep™	\$100	B13	26" Chrome w/Black Tips	\$170
R4	2 NeXteps [™]	\$190	B14	28" Intensive-Use Black Aluminum Base	\$120
R5	3 NeXteps [™] (only with L5)	\$270			
S	Seat Slider (2")	\$80	Cylii	nders	
T	Stool Package L4 and R2	\$105	L1	3" Cylinder	\$0
T2	Stool Package L5 and R3	\$130	L2	4" Cylinder	\$0
U	Upholstered Back	\$135	L3	5" Cylinder	\$0
			L4	8" Cylinder	\$25
Cast	ers/Glides		L5	10" Cylinder	\$60
CO	Carpet Casters	\$0	L7	7" Cylinder	\$35
C1	Hard Floor Casters	\$25	L8	5" Non-rotating Cylinder	\$80
C2	Glides	\$0	L9	5" Self Leveling Cylinder	\$25
C3	Hard Floor Brake/In	\$100	L10	10" Dual Stage Cylinder	\$135
C4	Hard Floor Brake/Out	\$60	L11	7" Dual Stage Cylinder	\$130
C5	Single Wheel Industrial	\$50	L12	5" Dual Stage Cylinder	\$120
C8	Chrome Carpet Casters	\$75			
C9	Chrome Hard Floor Casters	\$100			

Specialty Arm Options



X2 - Standard extended height \$55

• 4" additional height range above the seat (10" - 14" range)



X3* - Dual pivot extended height




X5* - Standard Dual pivot \$270



X4** - Friction tracker extended height \$475


*Dual Pivot:

- 4" height adj./5" total width adj.
- Two axes of pivot: 4" forward, rearward, inward (toward user) or outward
- Pads: $10'' \times 3.5''$ (I x w) urethane



**Friction Tracker:

- 4" height adj./5" total width adj.
- Two axes of 360° rotation/pivot: 4" forward, rearward, inward (toward user)
- 4" range slides for extreme forward or rearward positioning
- Pads: 11" x 4.5" (l x w) padded, vinyl upholstered



Backless Urethane |



- Choice of 4 Urethane Seat Styles
- Choice of 3 Chair Mechanisms
- Cleanroom Options Available
- Optional NeXtep™ Platform with Height and Width Adjustments

	NBU04_	NBU05_	NBU08_	NBU09_
Dimensions (H x W x D)	14.5 × 22 × 22	13.75 × 22 × 22	13.75 × 22 × 22	13.75 x 22 x 22
Box Dimensions (H x W x D)	11 × 25 × 25	11 × 25 × 25	11 x 25 x 25	11 x 25 x 25
Base Diameter	22	22	22	22
Chair Weight	17 lbs.	28 lbs.	22 lbs.	17 lbs.
Seat Width	14	19	19	13
Seat Depth	14	18	13.5	8.5
Seat Angle (4)*	NA	R5°	R1°	NA
Seat Height Range (4)	14 - 19	15.5 - 20.5	15 - 20	13 - 18
Seat Angle (5)*	NA	NA	NA	F2°
Seat Height Range (5)	14.5 - 19.5	NA	NA	13.5 - 18.5
Seat Angle (6)*	NA	F1° - F16°	F13° - R1°	F 9° - R 4.5°
Seat Height Range (6)	NA	15.5 - 20.5	14.5 - 19.5	13.5 - 18.5

Measurements shown in inches and degrees with standard mechanism only based on BIFMA CMD-1 criteria. *Degrees Legend (see diagram below)





Seat Options (physical dimensions)



4 Round Urethane (14")



5 Flat Urethane (19" X 18")



Tractor Urethane (19" X 13.5")



Sit/Stand Urethane (13" X 8.5")

Chair Mechanisms







4 — Basic

(1 paddle)

- Swivel 360°
- Pneumatic Seat Height

5 — Ring (1 ring)


- Swivel 360°
- Pneumatic Seat Height

6 — Tilt

(3 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Seat Angle

Backless Urethane





Backless Urethane Urethane Round Urethane 14" diameter **NBU044** 5" cylinder, 22" base, hard floor casters, basic mech \$200 Flat Urethane 19" X 18" (VVxD) **NBU054** \$320 5" cylinder, 22" base, hard floor casters, basic mech Tractor Urethane 19" X 13.5" (WxD) NBU084 \$350 5" cylinder, 22" base, hard floor casters, basic mech Sit/Stand Urethane $13" \times 8.5"$ (WxD) **NBU094** \$250 5" cylinder, 22" base, glides, basic mech

Chair Mechanisms Standard 4 Basic (Height) 5 * Ring 6 * * Tilt (Height and Tilt)	\$10 \$100	Casters/Glides Standard (C1) Hard Floor Casters on 4, 5, 8 seats Standard (C2) Glides on 9 seat C1 Hard Floor Casters \$0 C2 Glides \$0	
Cylinders Standard L3 5" Cylinder L1 3" Cylinder L4 8" Cylinder (Standard B0 – 26" Base)	\$0 \$25	C3 Hard Floor Brake/In \$100 C4 Hard Floor Brake/Out \$60 C5 Single Wheel Industrial (Hard Floor) \$50	
Bases Standard B2± 22" Black Base B0 26" Black Base B1± 22" Spider Ring (Glides Standard) B2± 22" Spider Ring (Glides Standard) B3 26" Spider Ring (Glides Standard) B4 26" Spider Ring (Glides Standard) B4 26" Spider Ring (Glides Standard) B6 26" Polished Aluminum B9 28" Polished Aluminum B10 18" Tool Tray Base B12 28" Black Base	\$0 \$110 \$145 \$145 \$170 \$140 \$160 \$185 \$110	General F Fring™ (Available on BO Base only) \$50 R1« 18" Black Footring \$60 R2« 20" Chrome Footring \$80 R3« NeXtep™ \$100 R4« 2 NeXteps™ \$190 R5 3 NeXteps™ (only with L5) \$270 CR Cleanroom to Class 100 (see page 68) \$0	

^{*}Not available on **5** or **8** seats

 $^{^{\}prime\prime}$ Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5)





NeXtep™

C5 - Single Wheel Industrial (Hard Floor)

^{**}Not available on **4** seat

 $[\]pm$ 22" base with **L1** and **L3** cylinders only


Chair Urethane



- Choice of 3 Chair Mechanisms
- ESD and Cleanroom Options Available
- Optional NeXtep™ Platform with Height and Width Adjustments

	NCU551	NCU552	NCU553
Dimensions (H x W x D)	32 × 26 × 26	32 × 26 × 26	32 × 26 × 26
Box Dimensions (H x W x D)	35 x 25.5 x 17.5	35 x 25.5 x 17.5	35 x 25.5 x 17.5
Base Diameter	26	26	26
Chair Weight	41 lbs.	41 lbs.	41 lbs.
Seat Height Range	14.5 - 19.5	15 - 20	15 - 20
Seat Width	19	19	19
Seat Depth	17.5 - 20	18	18
Back Width	17	17	17
Back Height	16.25	14.5 - 18.5	14.5 - 18.5
Back Angle*	103°	90° - 120°	105° - 136°
Seat Angle*	R5°	NA	F7° - R4°
Arm Width Range	16 - 20	16 - 20	16 - 20

Measurements shown in inches and degrees with standard mechanism and arms only based on BIFMA CMD-1 criteria.






Seat Option (physical dimensions)



5 Flat Urethane (19" x 18")

Chair Mechanisms



- 1 Basic (1 paddle)
- Swivel 360°
- Pneumatic Height
- Back Depth



- 2 Standard (2 paddles)
- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Independent Back Angle




3 — Deluxe-tilt


(2 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Seat and Back Angle

^{*}Degrees Legend (diagram on right)

Chair Urethane





*Dual Pivot:

- 4" height adj./5" total width adj.
- Two axis of pivot: 4" forward, rearward, inward (toward user) or outward
- Pads: $10'' \times 3.5''$ ($1 \times w$) urethane

**Friction Tracker:

- 4" height adj./5" total width adj.
- \bullet Two axis of 360° rotation/pivot: 4" forward, rearward, inward (toward user)
- \bullet 4" range slides for extreme forward or rearward positioning
- Pads: 11" x 4.5" (l x w) padded, vinyl upholstered

Backed Urethane Urethane

Flat Urethane Back , Flat Urethane Seat

NCU551 5" cylinder, 26" base, hard floor casters, basic mech \$470

Arms	;		Cyli	nders	
A0	4" adjustable	\$140	Stan	dard L3 5" Cylinder	
A2	Tarm	\$90	L1	3" Cylinder	\$0
A3	3" adjustable	\$110	L4	8" Cylinder (standard B0 – 26" base)	\$25
A4	Dual Pivot	\$325	L5	10" Cylinder (standard BO – 26" base)	\$60
A5	Friction Tracker	\$475			
A6	4" height adjustable extended height*	\$165	Cas	ters/Glides	
A7	Dual Pivot extended height*	\$380		dard C1 Hard Floor Casters	
A8	Friction Tracker extended height*	\$530	C2	Glides	\$0
710	Thenen macker extended height	ΨΟΟΟ	C3	Hard Floor Brake/In	\$100
Chair	r Mechanisms		C4	Hard Floor Brake/Out	\$60
	ard 1 Basic (seat height, back depth)		C5	Single Wheel Industrial (Hard Floor)	\$50
2	Standard (seat height, back height and angle)	\$60		orngie v vricer inabsinar (Flara Floor)	ΨΟΟ
3	Deluxe Tilt	\$90	Ger	neral	
•	(seat height and tilt, back height and angle)	Ψ/Ο	F	Fring™ (available on BO base only)	\$50
	sear height and hit, back height and angle,		R1«	18" Black Footring	\$60
Base	\$		R2«	20" Chrome Footring	\$80
	ard – B0 – 26″ Black Base		R3«	NeXtep™	\$100
B1±	22" Spider Ring (glides standard)	\$110	R4«	· · · · · · · · · · · · · · · · · · ·	\$190
B2±	22" Spider King (glides standard)	\$145	R5	3 NeXteps™ (only with L5)	\$270
B3	26" Spider Ring (glides standard)	\$145	CR	Cleanroom to Class 100 (see page 68)	\$0
B4	26" Spider Step (glides standard)	\$170	E	ESD (available in large quantity, see page 69)	ΨΟ
B6	26" Polished Aluminum	\$170	E	L3D (available in large quantily, see page 09)	
_					
B9	28" Polished Aluminum	\$160			
B10	18" Tool Tray Base	\$185			
B12	28" Black Base	\$110			
B22±	: 22" Black Base	\$0			

 $[\]pm$ 22" base with **L1** and **L3** cylinders only



*Extended height arms (A6, A7, A8) start 4" higher than standard height



NCU551 Urethane...\$470

[«] Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5)

Backless Fabric |





NBF066-L4-C2-R3



Grade 2\$270

- Choice of 5 Seat Styles
- Choice of 3 Chair Mechanisms
- ESD and Cleanroom to Class Options Available
- Optional NeXtep™ Platform with Height and Width Adjustments

	NBF01_	NBF02_	NBF03_	NBF06_	NBF07_
Dimensions (H x W x D)	15.5 × 22 × 22	15.5 × 22 × 22	15.5 × 22 × 22	15.5 × 22 × 22	15.5 x 22 x 22
Box Dimensions (H x W x D)	11 × 25 × 25	11 × 25 × 25	11 × 25 × 25	11 x 25 x 25	11 x 25 x 25
Base Diameter	22	22	22	22	22
Chair Weight	16 lbs.	18 lbs.	18 lbs.	30 lbs.	14 lbs.
Seat Width	19	19.5	22.5	23	16
Seat Depth	17.5	18.5	19.5	20	16
Seat Angle (4)*	R 3°	R 3°	R 1.3°	NA	NA
Seat Height Range (4)	15.5 - 20.5	15.5 - 20.5	15.5 - 24.5	NA	16 - 21
Seat Angle (5)*	NA	NA	NA	NA	NA
Seat Height Range (5)	NA	NA	NA	NA	16 - 22
Seat Angle (6)*	F 5° - F 17.5°	F 4° - F 17°	4° - F 17°	F 2° - F 14°	NA
Seat Height Range (6)	15.5 - 20.5	16 - 21	15 .5 - 20.5	17 - 22	NA

Measurements shown in inches and degrees with standard mechanism and arms only based on BIFMA CMD-1 criteria.

Seat Options (physical dimensions)



1 small seat (19" X 18")



medium seat (20" X 19")



3 large seat (23" X 20")



contoured seat (23" X 20")



7 round seat (16")

Chair Mechanisms





- 4 Basic (1 paddle)
- Swivel 360°
- Pneumatic Seat Height



5 — Ring

(1 ring)

- Swivel 360°
- Pneumatic Seat Height



6 — Tilt


(2 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Seat Angle



^{*}Degrees Legend (to the right)

Backless Fabric





Backless	Fabric	Grade 2*
Small Seat 19	" X 18" (WxD)	
NBF014	5" cylinder, 22" base, hard floor casters, basic mech	\$310
Medium Seat	20" X 19" (WxD)	
NBF024	5" cylinder, 22" base, hard floor casters, basic mech	\$320
Large Seat 23	" X 20" (WxD)	
NBF034	5" cylinder, 22" base, hard floor casters, basic mech	\$330
Contoured Sec	at 23" X 20" (WxD)	
NBF066	5" cylinder, 22" base, hard floor casters, tilt mech	\$540
Round Seat 10	5" diameter	
NBF074	5" cylinder, 22" base, hard floor casters, basic mech	\$260

Top Seller

NBF024-L4-C2-R3 Grade 2...\$445

Chair Mechanisms Standard 4 Basic (height)		asters/Glides tandard C1 Hard Floor Casters	
 Ring (height, available on 7 seat only) Tilt (height and tilt, not available on 7 seat) 	\$10 C	2 Glides 3 Hard Floor Brake/In	\$0 \$100
		4 Hard Floor Brake/Out	\$60
Cylinders Standard L3 5" Cylinder	C	5 Single Wheel Industrial (Hard Floor)	\$50
L1 3" Cylinder	\$0 G	eneral energy	
L4 8" Cylinder (standard B0 – 26" base)	\$25 F	9 (************************//	\$50
L5 10" Cylinder (standard B0 – 26" base)		1± 18" Black Footring	\$60
		2± 20" Chrome Footring	\$80 \$100
Bases		3 ± NeXtep [™] 4 ± 2 NeXteps [™]	\$100
Standard B22 ** 22" Black Base			\$190
BO 26" Black Base	1 1		\$80
B1** 22" Spider Ring (glides standard)	\$110 C I \$145 E		\$290
B2 ** 22" Spider Step (glides standard) B3 26" Spider Rina (alides standard)		LSD (see page 09)	Ψ290
B3 26" Spider Ring (glides standard)B4 26" Spider Step (glides standard)	\$145 \$170		
B6 26" Polished Aluminum	\$140		
B9 28" Polished Aluminum	\$160		
B10 18" Tool Tray Base	\$185		
B12 28" Black Base	\$110		
	+ •		

^{** 22&}quot; base with **L1** and **L3** cylinder only





NeXtep™

C5 - Single Wheel Industrial (Hard Floor)

^{*}See page 82 for N-dustrial Grade 2 fabric options.

 $[\]pm$ Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5)

Chair with Fabric |



NCF222-L4-R4

Grade 2\$905

- Choice of 3 Back Options
- Choice of 3 Seat Options
- Choice of 3 Chair Mechanisms
- ESD and Cleanroom Options Available
- Optional NeXtep™ Platform with Height and Width Adjustments

	NCF11_	NCF22_	NCF33_
Dimensions (H x W x D)	32 × 26 × 26	33 x 26 x 26	38x 26 x 26
Box Dimensions (H x W x D)	35 x 25.5 x 17.5	35 x 25.5 x 17.5	35 x 25.5 x 17.5
Base Diameter	26	26	26
Chair Weight	26 lbs.	30 lbs.	30 lbs.
Seat Width	19	20	23
Seat Depth	18	19	20
Seat Angle (1)	R3°	NA	NA
Seat Height Range (1)	15.5 - 20.5	16 - 21	15.5 - 20.5
Seat Angle (2)	R5°	NA	NA
Seat Height Range (2)	15.5 - 20.5	15.5 - 20.5	15.5 - 20.5
Back Angle (2)	90° - F120°	90° - F120°	90° - F130°
Seat Angle (3)	F4° - R7°	F4° - R6°	F4° - R6°
Seat Height Range (3)	16-21	16 - 21	16 - 21
Back Angle (3)	101° - 130°	110° - F136°	105° - F132°
Arm Width Range	17 - 21	17 - 21	19 - 23

Measurements shown in inches and degrees with standard mechanism and arms only based on BIFMA CMD-1 criteria.

Seat Options (physical dimensions)



small seat (19" x 18")



medium seat (20" x 19")




large seat (23" x 20")

Chair Mechanisms



1 — Basic

- (1 paddle)Swivel 360°
- Pneumatic Height
- Back Depth



2 — Standard

(2 paddles)


- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Independent Back Angle



3 — Deluxe-tilt

(2 paddles)

- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Seat Angle
- Back Angle



^{*}Degrees Legend (to the right)

Chair with Fabric

Back Options




Low Back - rubber trim, fully upholstered



Mid Back - plastic outer



High Back - plastic outer



 $(16'' \times 14'')$

2 Mid Back $(18" \times 15")$

3 High Back $(18.5" \times 20")$

Seats

Small 1 2 Medium -

Large

Option Code(s)

Available options on page 63

Chair Mechanisms

1 Basic

(seat height, back depth) 2 Standard

(seat height, back height and angle) 3

Deluxe Tilt

(seat height and tilt, back height and angle)



A0 4" adjustable



A2 T arm



A3 3" adjustable



Α4 Dual Pivot*



Friction Tracker**



A6 4" height adj extended height



A7 Dual Pivot* extended height



Friction Tracker** extended height

*Dual Pivot:

- 4" height adj./5" total width adj.
- Two axes of pivot: 4" forward, rearward, inward (toward user) or outward
- Pads: 10" x 3.5" (1 x w) urethane

* * Friction Tracker:

- 4" height adj./5" total width adj.
- Two axes of 360° rotation/pivot: 4" forward, rearward, inward (toward user)
- 4" range slides for extreme forward or rearward positioning
- Pads: 11" x 4.5" (l x w) padded, vinyl upholstered

Backed	ed Fabric				
Low Back 16"	X 14" (WxH)				
NCF111	small seat 19" X 18" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$540			
NCF121	medium seat 20" X 19" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$550			
Mid Back 18"	X 15" (WxH)				
NCF211	small seat 19" X 18" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$620			
NCF221	medium seat 20" X 19" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$630			
NCF231	large seat 23" X 20" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$640			
High Back 18.	5" X 20" (WxH)				
NCF321	medium seat 20" X 19" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$650			
NCF331	large seat 23" X 20" (WxD), 5" cylinder, 26" base, hard floor casters, basic mech	\$660			



NCF221 Grade 2...\$630

Available Options

Chair Mechanisms			Base	5	
Standard 1 Basic (sea	height, back depth)		Stando	ard BO 26" Black Base	
2 Standard (seat h	eight, back height and angle)	\$60	B1**	22" Spider Ring (glides standard)	\$110
3 Deluxe Tilt		\$90		22" Spider Step (glides standard)	\$145
(seat height and	tilt, back height and angle)		В3	26" Spider Ring (glides standard)	\$145
			B4	26" Spider Step (glides standard)	\$170
Arms			B6	26" Polished Aluminum	\$140
A0 4" adjustable		\$140	B9	28" Polished Aluminum	\$160
A2 Tarm		\$90	B10	18" Tool Tray Base	\$185
A3 3" adjustable		\$110		28" Black Base	\$110
A4 Dual Pivot		\$325	B22 *	* 22" Black Base (L1 and L3 cylinder only)	\$0
A5 Friction Tracker		\$475		, , , , , , , , , , , , , , , , , , , ,	
A6 4" height adjuste	able Extended Height*	\$165	Gene	ral	
		\$380	F	Fring [™] (available on BO base only)	\$50
		\$530	R1 \pm	9	\$60
	0		$R2\pm$		\$80
Cylinders			$R3\pm$	9	\$100
	der		$R4 \pm$	· ·	\$190
		\$0	R5	· ·	\$270
	ndard BO – 26" base)	. + -	CR		\$80
			E		\$290
A7 Dual Pivot Extended A8 Friction Tracker E Cylinders Standard L3 5" Cylinder L1 3" Cylinder L4 8" Cylinder (standard)	ded Height* Extended Height*	\$380	F R1± R2± R3± R4± R5	Fring™ (available on BO base only) 18" Black Footring 20" Chrome Footring NeXtep™ 2 NeXteps™ 3 NeXteps™ (only with L5) Cleanroom to Class 100 (see page 68) ESD (see page 69)	(

Casters/Glides

Standard C1 Hard Floor Casters
C2 Glides \$0
C3 Hard Floor Brake/In \$100
C4 Hard Floor Brake/Out \$60
C5 Single Wheel Industrial (Hard Floor) \$50

 \pm Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5)



*Extended height arms (A6, A7, A8) start 4" higher than standard height

^{*}See page 82 for N-dustrial Grade 2 fabric options.

^{** 22&}quot; base with **L1** and **L3** cylinder only

Geo



- ESD and Cleanroom to Class 100
- 3 Function Mechanism
- Textured Surface
- Optional NeXtep[™] Platform with Height and Width Adjustments

Geo Urethane Back , Geo Urethane Seat

NCUGG1 5" cylinder, 26" base, hard floor casters, basic mech \$340

Chair Mechanism

Standard 1 Basic (seat height, back height and depth)

Arms

Arms not available on Geo models.

Cylinders

Stand	dard L3 5" Cylinder	
L1	3" Cylinder	\$0
L4	8" Cylinder (standard BO 26" base)	\$25
L5	10" Cylinder (standard BO 26" base)	\$60

Bases


Stando	ard BO 26" Black Base	
B1 *	22" Spider Ring (glides standard)	\$110
B2 *	22" Spider Step (glides standard)	\$145
B3	26" Spider Ring (glides standard)	\$145
B4	26" Spider Step (glides standard)	\$170
B6	26" Polished Aluminum	\$140
B9	28" Polished Aluminum	\$160
B10	18" Tool Tray Base	\$185
	28" Black Base	\$110
B22 *	22" Black Base	\$0

Casters/Glides Standard C1 Hard Floor Casters

C2	Glides	\$0
C3	Hard Floor Brake/In	\$100
C4	Hard Floor Brake/Out	\$60
C5	Single Wheel Industrial (Hard Floor)	\$50
Gene	eral	

F	Fring [™] (available on BO base only)	\$50
	18" Black Footring	\$60
R2 * *	20" Chrome Footring	\$80
	NeXtep™	\$100
R4 * *	2 NeXteps™	\$190
R5	3 NeXteps™ (only with L5)	\$270
CR	Cleanroom Class 100 (see page 68)	\$80
E	ESD (see page 69)	\$290

^{* 22&}quot; base with **L1** and **L3** cylinder only



Chair Mechanisms



1 — Basic

(1 paddle)

- Swivel 360°
- Pneumatic Seat Height
- Back Height
- Back Depth



\$485

^{**} Options (R1), (R2), (R3) and (R4) are only available on (L4) or (L5)

NeutralPosture® Seating

$\mathsf{AbStool}^{\scriptscriptstyle\mathsf{TM}}/\mathsf{AbChair}^{\scriptscriptstyle\mathsf{TM}}$





Grade 1\$1,210

- Ideal for Forward-leaning Tasks
- Adjustable Seat Height, Depth, Angle and Tension
- Adjustable AbRest[™] Height
- 4-Way Pillow Rotation
- AbRest[™] Swivel/Pivot
- Manufacturing, Bench Work, Electrical/Mechanical, Security, Dental, Medical
- US Patent # 6,877,812 B2 AbStool™ "Support for a Seating Device"
- US Patent # 7,104,606 "Support for a Seating Device" AbStool™ Dual Use, 4
 Position, Rotating Support Cushion



Dental ABD2192-R2



Machine ABS2153-R2




Glove Box ABS2393-R2



Laboratory ABC2653-B9

	ABD1152	ABC2353	ABC2653	ABS2353	ABS2653
Dimensions (H×W×D)	36 × 23 × 23	45 × 28 × 28	45 × 28 × 28	48 × 28 × 28	48 × 28 × 28
Box Dimensions	36 x 26 x 19				
Base Diameter	22	26	26	28	28
Chair Weight	44 lbs.	51 lbs.	51 lbs.	51 lbs.	51 lbs.
Seat Height Range	19 – 24	23 – 28	22 – 27	24.5 – 30	24.5 – 30
Seat Width	18	22	23	22	23
Seat Depth	15	16	16.5	16	16.5
Seat Depth Range	NA	11.5 – 16	12 – 16.5	11.5 – 16	12 – 16.5
Seat Angle	F 18.5° - R 3.5°	F 18.5° – R 3.5°	F 18.5° - R 3.5°	F 18.5° - R 3.5°	F 18.5° - R 3.5°



Cleanroom to Class 100* (ISO 5) - Option (CR)



Additional Models

NBU Series Page 48
NBF Series Page 56
NCU Series Page 52, 64
NCF Series Page 60
AbStool™ Series Page 66

• NBF004 (14" seat) - Backless Vinyl Padded

* Cleanroom package (Class 100/ISO 5) includes urethane pieces or Vinyl upholstered seat and back with HEPA filtration. (**CR**) \$80 upcharge on upholstered models only. Urethane models are at no charge for Class 100.

Cleanroom Options

- Stools: All models can be configured with tall cylinder and a variety of footrests
- Glides (C2) standard (casters optional)
- ESD & CR combinations: Call for pricing and availability
- Class 10 (ISO 4): Call for pricing and availability
- Arms: Recommend T-arms (A2)
- NeXtep[™]

NeXtep™

Exclusions:

- Seats: NBF 7 seat (round upholstered) not available in CR (optional 14"round available, call for more information)
- Bases: Spider bases not recommended in CR

Independent testing according to Federal STD 209E (correlates to ISO-14644C Class 5) confirms Neutral Posture Cleanroom seating meets or exceeds Class 100 requirements. Neutral Posture Cleanroom models are designed to prevent particulates in Cleanroom environments. In addition to top-quality vinyl upholstery, HEPA filtration system in seat and backrest prevent particulate release.

Electrostatic Discharge - Option (E)*





Additional Models

•	NBU Series	Page 48
•	NBF Series	Page 56
•	NCU Series	Page 64
•	NCF Series	Page 60
•	AbStool™ Series	Page 66
•	NPS Series	Page 6, 10, 14 (excluding H1 , H2 and H3 options)
•	BTC Series	Page 18
•	Rio [™] Series	Page 34

* ESD package includes Aluminum base, chrome cylinder and conductive casters (ESD glides optional) to ensure metal-to-metal conductivity. (**E**) \$290 upcharge.

ESD Options

- Stools: All models can be configured with tall cylinder
- Many other models, please call for pricing and availability
- Cleanroom/ESD combinations: Class 100 adds \$80 (list), call for pricing and availability

Exclusions:

- NCUGG1 is the only urethane model offered in ESD
- Bases: All bases excluded except polished aluminum (B6 & B9)
- Footrests: Footrings (R1 & R2), NeXtep $^{\text{m}}$ (R3, R4 & R5) and Fring $^{\text{m}}$ (F) are not conductive

$NeXtep^{^{\mathrm{TM}}}$



Features

- Adjustable Height (7" 12")
- Adjustable Depth (13", 15", 17") from cylinder
- Compatible with most competitors stools

Note: For compatibility info., call Customer Service at 800-446-3746

- Wide platform for comfortable positioning of the feet and leg support
- Strong, stable step for entering and exiting the stool
- Supports up to 400 lbs.
- Can use multiple units on one stool for multiple heights
- US Patent # 7,036,886



StandUp[™] (SUP04)


Retrofits most existing keyboard trays and mechanisms

List:\$395



Why Provide Sit/Stand Adjustability?

Research indicates a sit/stand workstation provides significant benefits to employees and employers.



- When working at a sit/stand workstation, an employee will change posture approximately 3 or 4 times per day.
- Standing increases respiration and reaction alertness and allows the employee greater mobility.
- A sit/stand environment promotes beneficial postural changes and can improve comfort ratings by 26%.
- Additional 9" height adjustment (infinite range positioning)
- US Patent # 7,048,236 "Vertical Adjustment Apparatus for a Keyboard" StandUp™



Easy Combo \$50 off **StandUp™** List price when ordered with an Easy Combo.

Combo	Total	Combo Discount	Total	
A11+SUPO4	\$735	-\$50	\$685	

N.hancements®

Laptop Prop

Laptop provides monitor while having the use of an external keyboard and mouse.





Basic List: \$190

(160158)

USB 2.0 Hub (4 Ports) *List:* **\$265**


(160159)


- Positions monitor 6.5" 11" higher than flat on work surface
- Encourages proper upper body posture when combined with external keyboard
- Retainer and non-slip neoprene hold laptop in place
- Fits all sizes of laptop
- Simplifies wire management and quick docking (model 160159):
 - Four USB ports
 - USB interconnect port
 - USB power port


Product is subject to manufacturer's warranty.

Corner Maker

Convert 90° corners into useful, productive areas.







CM 12 •12" diagonal List: **\$120 CM 17** •17" diagonal List: **\$120**

- Easily attach keyboard arm/tray combination
- Work surfaces up to 11/2" thick
- For work surfaces 1½" to 2½" thick add a"W" example (CMW17)

CPU Holder

Increasing available workspace above and below the work surface.



- Self-locking design
- •Height adjustable 14" 24"
- •Width adjustable 3" 9"

VCPU (Vertical Only)

• 17" slide track List: **\$215**

 $\textbf{VCPU-F} \; (\text{Fixed Mount})$

• No track List: **\$165**

Flat Panel Monitor Arms





KCG-110B

List: **\$425**

(Black)

- \bullet Includes FLEXmount TM with 6 mounting options
- 24" of horizontal range
- 16" of vertical range (wall mount)
- 9" of vertical range (desk mount)
- Collapses to just 3" of space
- Rotates 360° at three points

Product is subject to manufacturer's warranty.

Popular Easy Specs



Mechanism

- Graphic display of height and angle great for multi-user situations and operators that change position frequently
- \bullet Angle adjustment is gear driven, turn the knob and the board changes angles from 0°/-15°
- Low profile 23" teflon
- Leverless spring assisted height movement that includes 7" below and 3.5" above the workstation of vertical travel
- Standard with 360° rear swivel

Keyboard Tray

- Ergonomically shaped, stable, low-profile tray
- Anti-skid grips and cable management included
- Snap-in gelthane wrist rest
- Ergonomic pull handle allows for neutral ergonomic reach adjustment
- Mouse trays slide in and out and have 3 forward indexing positions
- Mouse surfaces are a generous 9" x 10"
- Constructed from durable ABS plastic
- Dimensions range from: 23" to 41" wide and 12.25" to 15.25" deep
- Fits most wave style keyboards including Microsoft Natural™



Mechanism

- Leverless spring assisted height movement that includes 6" below and 6" above the workstation of vertical travel
- Soft rubber knob for tilt adjustment
- Standard with low friction nylon glides on 23" slide
- Standard with 360° rear swivel
- Standard tilt range of 0° to -15°

Keyboard Tray

- Patented SofTouch™ tray constructed with smooth lightweight urethane
- Design offers rounded edging for maximum ergonomics and blood flow
- Anti-skid grips included and cable management is designed into the tray
- Ergonomic pull handle allows for neutral ergonomic reach adjustment
- Same height mousing ensures consistant ergonomic positioning
- Dimensions: 12.25" D x 27" W



Mechanism

- Leverless spring assisted height movement that includes 6" below and 2.5" above the workstation of vertical travel
- Soft rubber knob for tilt adjustment
- Standard with low friction nylon glides on 23" slide
- Standard with 360° rear swivel
- \bullet Standard tilt range of 0° to -15°

Keyboard Tray

- SofTouch™ tray constructed with smooth lightweight urethane with dual positioning mouse tray
- Universal swivel mouse tray can be moved left to right as well as positioned for forward mousing
- Design offers rounded edging for maximum ergonomics and blood flow
- Anti-skid grips included and cable management is designed into the tray
- Ergonomic pull handle allows for neutral ergonomic reach adjustment
- Same height mousing ensures consistant ergonomic positioning
- Dimensions: 11.5" D x 20" W with 8" diameter mouse tray



Mechanism

- \bullet Leverless spring assisted height movement that includes 6" below and 2.5" above the workstation of vertical travel
- Soft rubber knob for tilt adjustment
- Standard with low friction nylon glides on 23" slide
- Standard with 360° rear swivel
- Standard tilt range of 0° to -15°


Keyboard Tray

- Thinline construction for extra durability and low profile
- Swivel under mouse tray allows for tight work surface configurations where mouse needs to be stored under the keyboard to allow the board to retract
- Foam or gel wrist rest options
- Anti-skid grips and cable management included
- Dimensions: 11.25" D x 20" W with 8.5" diameter mouse tray
- Easy removal of the straight wrist pad allows use of most wave style keyboards including Microsoft Natural™

Easy Combo


\$50 off StandUp™ price when ordered with an Easy Combo (see page 71)













		Keyboo	ard Trays	
	Easy Specs Select a Keyboard Tray and Keyboard Arm to find your Easy Combo.	——27"——————————————————————————————————		72 Diagonal corners List: \$150
	Leverless A List: \$195	Top Seller Easy A43 List: \$390	Easy A52 List: \$365	Easy A72 List: \$345
	Sit/Stand C List: \$215	Top Seller Easy C43 List: \$410	Easy C52 List: \$385	Easy C72 List: \$365
Keyboard Arms	Econo E List: \$150	Easy E43 List: \$345	Easy E52 List: \$320	Easy E72 List: \$300
Arms	Lever-lock H List: \$225	Easy H43 List: \$420	Easy H52 List: \$395	Easy H72 List: \$375
	Dual Swivel J List: \$215	Easy J43 List: \$410	Easy J52 List: \$385	Easy J72 List: \$365
	Lever-tilt List: \$195	Easy L43 List: \$390	Easy L52 List: \$365	Easy 1.72 List: \$345
	Dual Indicator Uist: \$230	Easy U43 List: \$425	Easy U52 List: \$400	Easy U72 List: \$380

Easy Spec Features

- Trays and Arms Ship Together in the Same Box within 5 Days
- Anti-skid Neoprene Pads Hold the Keyboard Securely in Place
- Includes 2.5" Deep Gel or Foam Palm Rest(s)
- Mouse Guard to Prevent Mouse from Falling Off the Back of the Tray

Swivel Forward (Easy AllF) - \$25 upcharge

- ThinLine Trays are 11.25" Deep; 52 is 12.125" Deep
- SofTouch™ Trays: 33 is 11.5" Deep; 43 is 12.25" Deep
- Remove Palm Rest to Expose Natural Keyboard Shape on 10, 11, 13 and 14.

Easy Spec Options

	. , =, . , .
	available with the 11 keyboard tray only
G	Gel Palm Rest (Easy A11 G)
	available on 10, 11, 13 and 14 trays only
L	Left Palm Rest (Easy A11 L)
MPG1	Gel Mousepad – \$50 upcharge
	(Only available on 13 and 14 keyboard trays)

Short track 18" (Easy A11<u>S</u>)
(Available on **A**, **C** and **L** keyboard arms)

Tilt range -15° to 15°

(Only available on **C** keyboard arms)

Keyboard Arms Specifications



Code	List\$	Leverless Height	Height Range	Tilt Range	Spring Assist	360° Rear Swivel	80° Front Swivel	Track Length	Teflon Track
Α	\$195	•	- 6" to 2.5"	- 15° to 0°	•	•		23"	•
С	\$215	•	- 6" to 6"	- 15° to 0°	•	•		23"	•
Е	\$150		- 5.25" to 0"	- 15° to 15°	•	•		18"	•
Н	\$225		- 6" to 0"	- 15° to 10°	•	•		21"	roller
J	\$215	•	- 6" to 2.5"	- 15° to 0°	•	•	•	23"	•
L	\$195	•	- 6" to 2.5"	- 15° to 0°	•	•		23"	•
U	\$195		-7" to 3.5"	- 15° to 0°	•	•		23"	•

General Information

Terms and Conditions: For all non-rated or new accounts, payment terms are C.I.A. until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the factory.

Past due accounts are subject to a 1.5% late charge, or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date. Withholding of payments based on the carrier damages, shortages or other disputes is illegal and subject to charges.

Ordering: All orders must be faxed, e-mailed or mailed. Orders must have a contact name and phone number. Orders may not be cancelled without written consent of the factory.

Orders should be sent to:

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803 979 - 778 - 0502 (Press 1)

979 - 778 - 0408 FAX

E-mail: OE@iGoErgo.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment. Request for changes or cancellations should be made through the Customer Service Department immediately. Any change or cancellation is subject to a 25% fee. All standard discount orders are F.O.B. destination within the forty-eight (48) contiguous states and District of Columbia. For orders shipping outside the forty-eight (48) contiguous states, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Standard lead time is 3–4 weeks, N-stant Quick Ship lead time is five (5) days. Customer will incur additional charges if they choose to specify freight carrier.

Prices: Prices are subject to change without notice. Prices in effect at time of shipment prevails in the event of a discrepancy.

Freight Damage: Upon receipt of shipment, cartons should be inspected carefully. Damage claims are the responsibility of the receiver and must be noted on the delivery receipt. NP's responsibility ceases when the receiver signs the bill of lading as having received in good condition.

Claims: Repair or replacement of defective parts under warranty will be made through the NP dealer at no cost to the customer, except for the cost of labor, packaging and shipping to and from the factory if return is found to be necessary. All claims must include serial numbers. All shipping claims should be made within thirty (30) days of shipment.

Factory Assembly Service: Currently Neutral Posture ships knocked down. We are also able to offer fully assembled shipping. To order fully assembled products please indicate "Ship Fully Assembled" on your purchase order. The charge of \$75 NET per chair will be added to your order for this service by NP invoice. Any additional charges will be billed by the freight company and is the responsibility of the customer.

Non-UPS able: Big & Tall Series (ships fully assembled)

Patent Information:

- Neutral Posture U.S. Patent #4,552,404
- Adjustment Guide U.S. Patent #D458,7775
- Fring[™] Footrest U.S. Patent #6,142,571 and 6,607,246
- Inflatable Lumbar U.S. Patent #6,220,663 B1 and 6,290,295 B1
- Adjustable Arms U.S. Patent #6,296,312 B1
- AbStool™ U.S. Patent #6,877,812
- NeXtep™U.S. Patent #7,036,886
- StandUp™ U.S. Patent #7,048,236
- AbStool™ (2) U.S. Patent #7,104,606
- Other Patents Pending

Certification: Independent tests show that all Neutral Posture, Inc. (NP) chairs meet or exceed current ANSI/HFS 100, ANSI/BIFMA and California 117 certification standards. Certain NP products meet California 133 and Task Intensive certification standards. All cylinders are rated Class 4 or better by UNI standards.

Design: Neutral Posture reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of Neutral Posture's quality control committee.

Returns: All merchandise returns must be pre-approved by the factory and sent freight prepaid. Contact the Customer Service Department at NP to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the factory. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for cancelled orders must be pre-approved by the factory and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition, and it was sold within the last three (3) months. Authorized returns will be charged a 30% restocking fee, by agreement, to cover handling, inspection, stocking and repackaging.

ANSI/BIFMA: Neutral Posture, Inc. is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI) determine the strength and durability of seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Neutral Posture products within this price list meet or exceed applicable ANSI/BIFMA 5.1-2002, BIFMA G1-2001 and ANSI/HFS 100-2002 standards.

ElectroStatic Discharge (ESD) Seating: Neutral Posture ESD models are tested to meet the requirements of today's ESD environment with conductive components and fabrics (1% carbon fiber with surface resistivity no greater than 1.3 x 10° ohms/sq. cm when test in accordance with ANSI/ESD STM12.1-2006). ESD chairs are an integral part of an effective ESD system that includes a conductive floor or mat to complete conductive path.

Fabric: **Call Customer Service Options: Upholstered Backrest**, Footring & all Arms **Polished Aluminum Base** Features: **Available Chairs** Upcharae: 5000 Series \$290 6000 Series \$290 8000 Series \$290 Big & Tall Series \$290 AbStool™ Series \$290 Rio[™] Series \$290

Cleanroom to Class 100: Independent testing according to Federal STD 209E (correlates to ISO-14644C Class 5) confirms Neutral Posture Cleanroom seating meets or exceeds Class 100 requirements. Neutral Posture Cleanroom models are designed to prevent particulates in Cleanroom environments. In addition to top-quality vinyl upholstery, HEPA filtration system in seat and backrest prevent particulate release.

Available ChairsUpcharge:N·dustrial Series\$80AbStool™ Series\$80N·dustrial Urethane\$0

WBE: Women's Business Enterprise. This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

www.wbenc.org

HUB: Historically Underutilized Business

Cal 133: The entire Neutral Posture family of products meets the specifications for California Technical Bulletin 117, the industry standard for upholstered furniture. Additionally, Neutral Posture chairs can be upgraded to meet the more stringent, California Technical Bulletin 133 standard, which is required by the California Bureau of Home Furnishings and Thermal Insulation for contract seating used in public facilities.

Standard Cal TB 133 Models and Options

Fabric: Taft Upcharge: \$145 to Gr.

Upcharge: \$145 to Gr. 1 price
Available Chairs: Options:

5000 Series All Except Inflatable Lumbar

6000 Series All Except Inflatable Lumbar, H1, H2 8000 Series All Except Inflatable Lumbar, H1, H2

Embrace[™] All Pulled Only

 $\begin{array}{ccc} \operatorname{Shark}^{\text{\tiny{TM}}} & \operatorname{All} \\ \operatorname{Sahara}^{\text{\tiny{TM}}} & \operatorname{All} \\ \operatorname{Rio}^{\text{\tiny{TM}}} & \operatorname{All} \\ \operatorname{N·dure}^{\text{\tiny{TM}}} & \operatorname{All} \end{array}$

 $\mathsf{Dice}^{^{\mathsf{TM}}} - \mathsf{arms} \; \mathsf{not} \; \mathsf{included} \qquad \mathsf{All}$

Neutral Posture can also utilize the Customer's Own Material (COM) for the CAL 133 upgrade if the material is an inherently flame retardant (FR) material, like Trevira® or Avora®. For large orders and corporate standards programs, Neutral Posture can also facilitate a lab-supervised burn test for each chair/upholstery combination. These tests will be negotiated and supervised through Neutral Posture's Engineering Department.

All models that comply with CAL 133 will be labeled accordingly on both the packing slip and the serial number description tag. Additionally, they will contain a label with the following notice:

Notice: This chair is manufactured in compliance with California Technical Bulletin 133 and meets the flammability requirements of the California Bureau of Home Furnishings.

Warranty

Lifetime Single Shift Warranty:

Effective January 2007

Neutral Posture, Inc. (NP) warrants all Neutral Posture® Seating and N·hancements® Accessories to be free from defects in workmanship and materials under normal use for the product's lifetime. Normal use is defined as wear which occurs in an office environment during the course of a normal single-shift usage workday (8 hours/per day/5 days per week).

This lifetime warranty shall be for all lines and components except as noted: chair controls, arms and plastic components are warranted for ten (10) years. Fabric is warrantied for three (3) years. The fabric warranty does not include leather, Ultraleather™, NovaSuede®, UltraSuede®, Finesse® or COM and COL. The Inflatable Lumbar is covered for five (5) years.

NP's warranty obligation is limited to the replacement or repair, at NP's option, of defective products which have been reported by the original purchaser to be defective in workmanship or material and which are found to be so by NP upon inspection. Defective products shall be returned at the discretion of the factory, and all returns must be authorized in advance. NP will assume no responsibility for any labor charges unless agreed to in writing by NP's Corporate Office.

Freight for products and parts covered under warranty will be covered for the forty-eight (48) contiguous states with the method of shipping at Neutral Posture's discretion.

The user shall be responsible for all maintenance service, which includes: lubricating and cleaning of the product, assembly, adjustment and performing operation checks.

NP will have no warranty obligation if the product is subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the maintenance service referred to above.

The warranty printed above is the only warranty applicable to these products. All other warranties expressed or limited, including but not limited to the implied warranties of merchantability and fitness for a particular purpose are disclaimed.



Continuous-shift/Intensive-use Warranty

Effective January 2007

Certain Neutral Posture seating models come standard with the benefits of the following continuous-shift warranty such as the N-dure[™] Series and the Big & Tall Series. Other Neutral Posture products may be warranted for continuous-shift use through the purchase of the continuous-shift warranty (\$290 List). The continuous-shift warranty covers all components of the chair for a period of five (5) years from the date of purchase except for upholstery and Inflatable Lumbar. Only upholstery with a doublerub rating of over 1M is warranted for the complete 5-year period. Neutral Posture products not subject to the terms of our continuous-shift warranty, but used in such an environment (exceeding 8 hours per day/5 days per week), are to be free from defects in workmanship and materials for a period of two (2) years. Neutral Posture shall have no warranty obligation if the product is subjected to abuse, alteration, misuse, negligence or accident. All other terms and conditions of our lifetime singleshift warranty apply.

Available Chairs:

All except Big & Tall and N·dure™ Series Big & Tall Series N·dure™ Upcharge: \$290 No Charge No Charge



Personalize your chair with a custom logo. For more information on how to order a personalized chair, contact Customer Service at 800-iGo-Ergo 800 (446-3746) select option "1" or email CS@iGoErgo.com

Standard Fabrics



5 Day Quick Shi

Grade 1		
Astral	Charcoal	200515
Astral	Cobalt	200513
Astral	Cornflower	200514
Astral	Cypress	200517
Astral	Garnet	200517
Astral	Lava	200512
Astral	Poppy	200516
	горру	200310
Grade 1		
Liberty	Black	200453
Liberty	Burgundy	200518
Liberty	Dark Gray	200520
Liberty	Green	200521
Liberty	Navy	200519
Grade 2		
Staccato	Azure	210241
Staccato	Onyx	210243
Staccato	Cranberry	210240
Staccato	Calcine Gray	210242
Staccato	Real Red	210238
Staccato	Royal	210244
Staccato	Wasabi	210239
Grade 2		
Terra	Sapphire	210250
Terra	Wedgewood	210230
Terra	Claret	210247
Terra	Paprika	210231
Terra	Peridot	210249
Terra	Taupe	210246
Terra	Wheat	210245
	vviiedi	210243
Grade 3	- 11	
Artesian	Gold	220267
Artesian	Lapiz	220266
Artesian	Ruby	220268
Artesian	Spring	220269
Artesian	Stone	220265
Grade 3		
Cloud 9™	Comet	
Cloud 9™	Dark Horizon	
Cloud 9™	Falling Star	
Cloud 9™	Fog	
Cloud 9™	Haze	
Cloud 9™	Midnight Sky	
Cloud 9™	Red Dawn	
Cloud 9™	Sky Blue	
Cloud 9™	Thunder	
Cloud 9™	Tropical Rain	
Grade 4 N∙Stead™	- Faux Leather	
N·Stead™	Black	LVO1
Grade 5 Natural -		MR RAI anka
Natural	Black	MB, BAL OIIIY)
Grade 5 Ultraleat		
Ultraleather™	Raven Wing	230230
Grade 6 (Premiun		
Madras	Black	LLO 1

Vinyl - Grade 2

Nauga Soft	Satin	210312
Nauga Soft	Deep Sapphire	210313
Nauga Soft	Feather	210314
Nauga Soft	Velvet Brown	210315
Nauga Soft	Cabernet	210316

Additional Non Quickship Fabric Options

Grade 3

7th Heaven™	Flame
7th Heaven™	Harvest
7th Heaven™	Morning Glory
7th Heaven™	Moss
7th Heaven™	New Bud
7th Heaven™	Nest
7th Heaven™	Sunset
7th Heaven™	Tropical Rain
7th Heaven™	Waterfall
7th Heaven™	Whirlwind

Grade 4 N·Stead™ - Faux Leather

N·Stead™	Navy	LVO2
N·Stead™	Burgundy	LVO3
N·Stead™	Green	LVO4
N·Stead™	Ginger	LV05
N·Stead™	Bone	LV06

Grade 5 Ultraleather™ - Premium Faux Leather

Ultraleather™	Curry	230231
Ultraleather™	Chianti	230232
Ultraleather™	Admiral	230233
Ultraleather™	Orchard	230234
Ultraleather™	Tan	230293

Grade 6 Premium Leather

Madras	Navy	LLO2
Madras	Burgundy	LLO3
Madras	Green	LLO4
Madras	Ginger	LLO5
Madras	Bone	1106

Cal133 - Grade 2

Taft	Moonstone	200563
Taft	Garnet	200564
Taft	Delft	200565
Taft	Amethyst	200566
Taft	Lapis	200567
Taft	Ruby	200568
Taft	Peacock	200569
Taft	Charcoal	200570
Taft	Black	200571
Taft	Hunter	200572
Taft	Burgundy	200573
Taft	Indigo	200574


For Neutral Posture exclusive Cloud 9[™] and 7th Heaven[™] samples and other grading on fabrics please visit: www.iGoErgo.com/pdfs/gradedfabrics.pdf

N-dustrial and Specialty Fabrics (Grade 2)



For latest information on N·dustrial™ fabrics, please visit www.iGoErgo.com/ndustrialfabrics.pdf





Cloud 9^{TM} and 7^{TM} Heaven $^{\mathsf{TM}}$ are not available on the Embrace $^{\mathsf{TM}}$.

When ordering please include the pattern, color and stock number (Astral, Charcoal, 200515). Stock number not required on Cloud $9^{\text{\tiny M}}$ and $7^{\text{\tiny th}}$ Heaven.



Neutra Posture 3904 N. Texas Avenue · Bryan, Texas 77803 800.446.3746 · www.iGoErgo.com









